

Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

 $\begin{array}{c} \text{Mon Apr 25 09:38:03 UTC 2022} \\ \text{to} \\ \text{Mon Apr 25 09:47:23 UTC 2022} \end{array}$







100%

80%

60%

40%

20%

0%

09:40

System - Processes executing in kernel mode

User - Normal processes executing in user mode

percentage


CPU


09:42

09:44


09:46









- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tm;
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)




- Mapped Used memory in mapped pages files which have been mmaped, such
 Shmem Used shared memory (shared between several processes, thus included)
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by



- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk




- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches


52


64

232.












 Unevictable - Amount of unevictable memory that can't be swapped out for a v MLocked - Size of pages locked to memory using the mlock() system call








NFS Unstable - Memory in NFS pages sent to the server, but not yet committed to















1.25 s







Time Syncronized Drift






























0.800 No data 0.400 0.200 0.9:40 09:42 09:44 09:46 min max avg current

















































InErrs - Segments received in error (e.g., bad TCP checksums)


RetransSegs - Segments retransmitted - that is, the number of TCP segments tr


TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in

800 600 connections 400 200 0 09:40 09:42 09:44 09:46

TCP Connections

CurrEstab - TCP connections for which the current state is either ESTABLISHED





1.07 ms

8.90 ms

590 μs 12.1 ms

2.92 ms

2.03 ms

2.81

2.60

disk stats - Scrape duration

thermal_zone - Scrape duration

TCP Direct Transition 40 30 connections 20 10 0 09:40 09:42 09:44 09:46

ActiveOpens - TCP connections that have made a direct transition to the SYN-S PassiveOpens - TCP connections that have made a direct transition to the SYN

