



Host Metrics


The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)













Network Traffic






- Inactive Memory which has been less recently used. It is more eligible to be re
- Active Memory that has been used more recently and usually not reclaimed u





- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tm;
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)

Memory Shared and Mapped




- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by

Memory Commited



- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy


Memory Writeback and Dirty




- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk


Memory Slab


216.




- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches










KernelStack - Kernel memory stack. This is not reclaimable

PerCPU - Per CPU memory allocated dynamically by loadable modules


43.0


78.3



6.66 GiB

8.93







Anon Pages - Memory in user pages not backed by files

HugePages_Free - Huge pages in the pool that are not yet allocated


HugePages_Surp - Huge pages in the pool above the value in /proc/sys/vm/nr.







Memory Unevictable and MLocked


Unevictable - Amount of unevictable memory that can't be swapped out for a v
MLocked - Size of pages locked to memory using the mlock() system call














min max avg current



Phase-locked loop time adjust




Is clock synchronized to a reliable server (1 = yes, 0 = no)


0 s


avg


-5.7 µs









































































- OutRsts Segments sent with RST flag
- RetransSegs Segments retransmitted that is, the number of TCP segments tr
- TCPSynRetrans SYN-SYN/ACK retransmits to break down retransmissions in
- InErrs Segments received in error (e.g., bad TCP checksums)


SyncookiesFailed - Invalid SYN cookies received




0

0





CurrEstab - TCP connections for which the current state is either ESTABLISHED



ActiveOpens - TCP connections that have made a direct transition to the SYN-S
PassiveOpens - TCP connections that have made a direct transition to the SYN

