


Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Sun Feb 20 06:58:13 UTC 2022 to Sun Feb 20 07:29:44 UTC 2022







100%

80%

60%

40%

20%

0%

07:00

07:05

System - Processes executing in kernel mode

07:10

07:15


07:20


07:25


percentage

CPU











- CommitLimit Amount of memory currently available to be allocated on the sy








Inactive_anon - Anonymous and swap cache on inactive LRU list, including tmp

Active_file - File-backed memory on active LRU list

Active_anon - Anonymous and swap cache on active least-recently-used (LRU)

Memory Writeback and Dirty

Committed_AS - Amount of memory presently allocated on the system



Writeback - Memory which is actively being written back to disk

WritebackTmp - Memory used by FUSE for temporary writeback buffers 0 B 0 B


0 B

20


28

Dirty - Memory which is waiting to get written back to the disk

Memory Shared and Mapped







Mapped - Used memory in mapped pages files which have been mmaped, such


Shmem - Used shared memory (shared between several processes, thus includ


ShmemHugePages - Memory used by shared memory (shmem) and tmpfs allc ShmemPmdMapped - Ammount of shared (shmem/tmpfs) memory backed by


SUnreclaim - Part of Slab, that cannot be reclaimed on memory pressure


SReclaimable - Part of Slab, that might be reclaimed, such as caches

4



















HugePages_Free - Huge pages in the pool that are not yet allocated


- HugePages_Rsvd Huge pages for which a commitment to allocate from the p
- HugePages_Surp Huge pages in the pool above the value in /proc/sys/vm/nr.





 Bounce - Memory used for block device bounce buffers 0 B 0 B 0 B




KernelStack - Kernel memory stack. This is not reclaimable 79.1 PerCPU - Per CPU memory allocated dynamically by loadable modules 48.5











 Unevictable - Amount of unevictable memory that can't be swapped out for a v MLocked - Size of pages locked to memory using the mlock() system call





















Time Syncronized Drift


































0.800 No data 0.400 0.7:00 07:05 07:10 07:15 07:20 07:25 min max avg current
















































InErrs - Segments received in error (e.g., bad TCP checksums)


RetransSegs - Segments retransmitted - that is, the number of TCP segments tr

TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in




CurrEstab - TCP connections for which the current state is either ESTABLISHED

TCP Direct Transition







ActiveOpens - TCP connections that have made a direct transition to the SYN-S PassiveOpens - TCP connections that have made a direct transition to the SYN

