

Host Metrics


The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)


Thu Apr 21 05:48:54 UTC 2022 to Thu Apr 21 06:04:32 UTC 2022




















- Inactive Memory which has been less recently used. It is more eligible to be re
- Active Memory that has been used more recently and usually not reclaimed u



Memory Commited

- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy






- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tmp
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)

Memory Writeback and Dirty



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk


Memory Shared and Mapped




- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by

Memory Slab

64.0




- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches











 Bounce - Memory used for block device bounce buffers 0 B 0 B 0 B

06:00


06:02


max

06:04

avg curre

Memory Bounce





106.00

2.89 GiB

4.96


Memory Kernel / CPU



KernelStack - Kernel memory stack. This is not reclaimable 27.5 PerCPU - Per CPU memory allocated dynamically by loadable modules 78.3

Memory HugePages Counter

Anon Pages - Memory in user pages not backed by files




HugePages_Free - Huge pages in the pool that are not yet allocated

HugePages_Rsvd - Huge pages for which a commitment to allocate from the p


HugePages_Surp - Huge pages in the pool above the value in /proc/sys/vm/nr.


Memory HugePages Size




 HugePages - Total size of the pool of huge pages Hugepagesize - Huge Page size

2.00 MiB 2.00 MiB








Unevictable - Amount of unevictable memory that can't be swapped out for a v
MLocked - Size of pages locked to memory using the mlock() system call

































































































Netstat IP In / Out Octets











InErrs - Segments received in error (e.g., bad TCP checksums)


RetransSegs - Segments retransmitted - that is, the number of TCP segments tr


TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in


600 500 400 300 200 100 05:50 05:52 05:54 05:56 05:58 06:00 06:02 06:04

TCP Connections

CurrEstab - TCP connections for which the current state is either ESTABLISHED







ActiveOpens - TCP connections that have made a direct transition to the SYN-S
PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape 40 30 counter 20 10 0 05:54 05:56 05:58 05:50 05:52 06:00 06:02 06:04 arp - Scrape success bcache - Scrape success bonding - Scrape success 0 0 0 0 btrfs - Scrape success