


Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Sun Mar 20 15:19:35 UTC 2022 to Sun Mar 20 16:22:07 UTC 2022







100%

80%

60%

40%

20%

0%

15:20

percentage

CPU

15:40

15:50

16:00


16:10

16:20


15:30

System - Processes executing in kernel mode







- Inactive Memory which has been less recently used. It is more eligible to be re
- Active Memory that has been used more recently and usually not reclaimed u



Memory Commited


- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy






- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tmp
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)

Memory Writeback and Dirty



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk

Memory Shared and Mapped




- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by


Memory Slab

356.


59





- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches















HugePages_Surp - Huge pages in the pool above the value in /proc/sys/vm/nr.



Bounce - Memory used for block device bounce buffers 0 B 0 B 0 B









0

Pgminfault - Minor page fault operations

805.76

72.07 K

4.18 ł

0 0 0

Pswpout - Pages swapped out



Processes blocked waiting for I/O to complete

Processes in runnable state

0

2

26

0.0677

14.5

0

9

avg

0 s

10 ms

0 5

10.00 ms

10 ms


0 s


10 ms


0 s


Seconds between clock ticks


International Atomic Time (TAI) offset





































































CurrEstab - TCP connections for which the current state is either ESTABLISHED



ActiveOpens - TCP connections that have made a direct transition to the SYN-S

PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape 40 30 counter 20 10 0 15:20 15:30 15:40 15:50 16:00 16:20 16:10 current arp - Scrape success bcache - Scrape success

0 0 0

0

bonding - Scrape success

btrfs - Scrape success