1. (C) We have

$$\frac{2-4+6-8+10-12+14}{3-6+9-12+15-18+21} = \frac{2(1-2+3-4+5-6+7)}{3(1-2+3-4+5-6+7)} = \frac{2}{3}.$$

- 2. (D) The cost of each day's pills is 546/14 = 39 dollars. If x denotes the cost of one green pill, then x + (x 1) = 39, so x = 20.
- 3. (B) Let n be the smallest of the even integers. Since

$$1+3+5+7+9+11+13+15=64$$
,

we have

$$60 = n + (n+2) + (n+4) + (n+6) + (n+8) = 5n + 20$$
, so  $n = 8$ .

4. (A) To minimize the cost, Rose should place the most expensive flowers in the smallest region, the next most expensive in the second smallest, etc. The areas of the regions are shown in the figure, so the minimal total cost, in dollars, is

$$(3)(4) + (2.5)(6) + (2)(15) + (1.5)(20) + (1)(21) = 108.$$

	4		7	
5	20	21		3
		4	15	3
1	6			
	6		5	

5. (C) The area of the lawn is

$$90 \cdot 150 = 13,500 \text{ ft}^2.$$

Moe cuts about two square feet for each foot he pushes the mower forward, so he cuts 2(5000) = 10,000 ft<sup>2</sup> per hour. Therefore, it takes about  $\frac{13,500}{10,000} = 1.35$  hours.

6. (D) The height, length, and diagonal are in the ratio 3:4:5. The length of the diagonal is 27, so the horizontal length is

$$\frac{4}{5}(27) = 21.6$$
 inches.

7. (B) The first three values in the sum are 1, the next five are 2, the next seven are 3, and the final one is 4 for a total of

$$3 \cdot 1 + 5 \cdot 2 + 7 \cdot 3 + 1 \cdot 4 = 38.$$

- 8. (B) Let the sequence be denoted  $a, ar, ar^2, ar^3, \ldots$ , with ar=2 and  $ar^3=6$ . Then  $r^2=3$  and  $r=\sqrt{3}$  or  $r=-\sqrt{3}$ . Therefore  $a=\frac{2\sqrt{3}}{3}$  or  $a=-\frac{2\sqrt{3}}{3}$ .
- 9. (B) Write all the terms with the common base 5. Then

$$5^{-4} = 25^{-2} = \frac{5^{48/x}}{5^{26/x} \cdot 25^{17/x}} = \frac{5^{48/x}}{5^{26/x} \cdot 5^{34/x}} = 5^{(48-26-34)/x} = 5^{-12/x}.$$

It follows that  $-\frac{12}{x} = -4$ , so x = 3.

OR.

First write 25 as  $5^2$ . Raising both sides to the x power gives

$$5^{-4x} = \frac{5^{48}}{5^{26}5^{34}} = 5^{48-26-34} = 5^{-12}.$$

So -4x = -12 and x = 3.

10. (C) In the old scheme  $26\times 10^4$  different plates could be constructed. In the new scheme  $26^3\times 10^3$  different plates can be constructed. There are

$$\frac{26^3 \times 10^3}{26 \times 10^4} = \frac{26^2}{10}$$

times as many possible plates with the new scheme.

11. (A) The two lines have equations

$$y - 15 = 3(x - 10)$$
 and  $y - 15 = 5(x - 10)$ .

The x-intercepts, obtained by setting y = 0 in the respective equations, are 5 and 7. The distance between the points (5,0) and (7,0) is 2.

12. (C) Denote the original portions for Al, Betty, and Clare as  $a,\,b,$  and c, respectively. Then

$$a + b + c = 1000$$
 and  $a - 100 + 2(b + c) = 1500$ .

Substituting b + c = 1000 - a in the second equation, we have

$$a - 100 + 2(1000 - a) = 1500.$$

This yields a = 400, which is Al's original portion.

Note that although we know that b + c = 600, we have no way of determining either b or c.

- 13. (E) Let  $y = \clubsuit(x)$ . Since  $x \le 99$ , we have  $y \le 18$ . Thus if  $\clubsuit(y) = 3$ , then y = 3 or y = 12. The 3 values of x for which  $\clubsuit(x) = 3$  are 12, 21, and 30, and the 7 values of x for which  $\clubsuit(x) = 12$  are 39, 48, 57, 66, 75, 84, and 93. There are 10 values in all.
- 14. (D) Since a must be divisible by 5, and  $3^8 \cdot 5^2$  is divisible by  $5^2$ , but not by  $5^3$ , we have  $b \le 2$ . If b = 1, then

$$a^b = (3^8 5^2)^1 = (164, 025)^1$$
 and  $a + b = 164, 026$ .

If b=2, then

$$a^b = (3^4 5)^2 = 405^2$$
 so  $a + b = 407$ ,

which is the smallest value.

15. (E) In the first round 100 - 64 = 36 players are eliminated, one per match. In the second round there are 32 matches, in the third 16, then 8, 4, 2, and 1. The total number of matches is:

$$36 + 32 + 16 + 8 + 4 + 2 + 1 = 99.$$

Note that 99 is divisible by 11, but 99 does not satisfy any of the other conditions given as answer choices.

OR

In each match, precisely one player is eliminated. Since there were 100 players in the tournament and all but one is eliminated, there must be 99 matches.

- 16. (E) Let m denote the number of main courses needed to meet the requirement. Then the number of dinners available is  $3 \cdot m \cdot 2m = 6m^2$ . Thus  $m^2$  must be at least  $365/6 \approx 61$ . Since  $7^2 = 49 < 61 < 64 = 8^2$ , 8 main courses is enough, but 7 is not.
- 17. (B) Let r be the radius of the sphere and cone, and let h be the height of the cone. Then the conditions of the problem imply that

$$\frac{3}{4}\left(\frac{4}{3}\pi r^3\right) = \frac{1}{3}\pi r^2 h$$
, so  $h = 3r$ .

Therefore, the ratio of h to r is 3:1.

- 18. (D) Among five consecutive odd numbers, at least one is divisible by 3 and exactly one is divisible by 5, so the product is always divisible by 15. The cases n=2, n=10, and n=12 demonstrate that no larger common divisor is possible, since 15 is the greatest common divisor of  $3 \cdot 5 \cdot 7 \cdot 9 \cdot 11$ ,  $11 \cdot 13 \cdot 15 \cdot 17 \cdot 19$ , and  $13 \cdot 15 \cdot 17 \cdot 19 \cdot 21$ .
- 19. (E) The area of the larger semicircle is

$$\frac{1}{2}\pi (2)^2 = 2\pi.$$

The region deleted from the larger semicircle consists of five congruent sectors and two equilateral triangles. The area of each of the sectors is


$$\frac{1}{6}\pi (1)^2 = \frac{\pi}{6}$$

and the area of each triangle is

$$\frac{1}{2} \cdot 1 \cdot \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{4},$$

so the area of the shaded region is

$$2\pi - 5 \cdot \frac{\pi}{6} - 2 \cdot \frac{\sqrt{3}}{4} = \frac{7}{6}\pi - \frac{\sqrt{3}}{2}.$$




20. (D) Let H be the foot of the perpendicular from E to  $\overline{DC}$ . Since CD = AB = 5, FG = 2, and  $\triangle FEG$  is similar to  $\triangle AEB$ , we have

$$\frac{EH}{EH+3} = \frac{2}{5}$$
, so  $5EH = 2EH + 6$ ,

and EH = 2. Hence

$$\operatorname{Area}(\triangle AEB) = \frac{1}{2}(2+3) \cdot 5 = \frac{25}{2}.$$




Let I be the foot of the perpendicular from E to  $\overline{AB}$ . Since

 $\triangle EIA$  is similar to  $\triangle ADF$  and  $\triangle EIB$  is similar to  $\triangle BCG$ ,

we have

$$\frac{AI}{EI} = \frac{1}{3}$$
 and  $\frac{5 - AI}{EI} = \frac{2}{3}$ .



Adding gives 5/EI = 1, so EI = 5. The area of the triangle is  $\frac{1}{2} \cdot 5 \cdot 5 = \frac{25}{2}$ .

21. (C) The beads will all be red at the end of the third draw precisely when two green beads are chosen in the three draws. If the first bead drawn is green, then there will be one green and three red beads in the bag before the second draw. So the probability that green beads are drawn in the first two draws is

$$\frac{1}{2} \cdot \frac{1}{4} = \frac{1}{8}.$$

The probability that a green bead is chosen, then a red bead, and then a green bead, is

$$\frac{1}{2} \cdot \frac{3}{4} \cdot \frac{1}{4} = \frac{3}{32}.$$

Finally, the probability that a red bead is chosen then two green beads is


$$\frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{4} = \frac{1}{16}.$$

The sum of these probabilities is


$$\frac{1}{8} + \frac{3}{32} + \frac{1}{16} = \frac{9}{32}.$$

22. (B) In any twelve-hour period, there are 12 half-hour chimes and 1+2+3+...+12=78 on-the-hour chimes. Hence, a twelve-hour period results in 90 chimes. Dividing 2003 by 90 yields a quotient of  $22.2\overline{5}$ . Therefore the  $2003^{\rm rd}$  chime will occur a little more than 11 days later, on March 9.

23. (D) Let O be the intersection of the diagonals of ABEF. Since the octagon is regular,  $\triangle AOB$  has area 1/8. Since O is the midpoint of  $\overline{AE}$ ,  $\triangle OAB$  and  $\triangle BOE$  have the same area. Thus  $\triangle ABE$  has area 1/4, so ABEF has area 1/2.



Let O be the intersection of the diagonals of the square IJKL. Rectangles ABJI, JCDK, KEFL, and LGHI are congruent. Also IJ = AB = AH, so the right isosceles triangles  $\triangle AIH$  and  $\triangle JOI$  are congruent. By symmetry, the area in the center square IJKL is the sum of the areas of  $\triangle AIH$ ,  $\triangle CJB$ ,  $\triangle EKD$ , and  $\triangle GLF$ . Thus the area of rectangle ABEF is half the area of the octagon.



24. (E) Since the difference of the first two terms is -2y, the third and fourth terms of the sequence must be x - 3y and x - 5y. Thus

$$x - 3y = xy$$
 and  $x - 5y = \frac{x}{y}$ ,

so  $xy - 5y^2 = x$ . Combining these equations we obtain

$$(x-3y) - 5y^2 = x$$
 and, therefore,  $-3y - 5y^2 = 0$ .

Since y cannot be 0, we have y = -3/5, and it follows that x = -9/8. The fifth term in the sequence is x - 7y = 123/40.

25. (B) A number is divisible by 3 if and only if the sum of its digits is divisible by 3. So a four-digit number ab23 is divisible by 3 if and only if the two-digit number ab leaves a remainder of 1 when divided by 3. There are 90 two-digit numbers, of which 90/3 = 30 leave a remainder of 1 when divided by 3.