

# CCNA v6.0 Exam 2018

Free ICT Training Service



## RSE Practice Skills Assessment Part 2 – PT

Posted on September 4, 2017 by admin

### RSE Practice Skills Assessment Part 2 – PT

There are 3 types (**Type A**, **Type B**, **Type C**) of topology for **RSE Practice Skills Assessment Part 2 – PT**. As you get exam online lab with Cisco Netacd, you will



#### Categories


[Answer – CCNA1 v6.0](#)

[Answer – CCNA2 v6.0](#)

[Answer – CCNA3 v6.0](#)

random to get one of three type. To make sure you can get **100%**, Please check your topology clearly and find one of our lab below by Tab.

Type A
Type B
Type C



RSE Practice Skills Assessment Part 2 – PT Type A



Answer – CCNA4 v6.0

IT Essentials – Online-Test

Online Assessment – CCNA1 v6.0

Online Assessment – CCNA2 v6.0

Online Assessment – CCNA3 v6.0

Online Assessment – CCNA4 v6.0

Online Assessment – CCNA2 v6.0

Packet Tracer 7 Download

Uncategorized

Maximize client uptime  
Level up your business

Try SolarWinds® Backup LocalSp  
for the fastest possible data re



solarwinds  
msp

START YOUR FR



## Video Guide Line Configuration

1Gb/s

La fibre, ça vous tente ?



Ad sfr



Anglais Tous Niveaux

Ad ABA English



Chapter 7 Practice Skills...

## RSE Practice Skills Assessment Part 2 – PT Type A



### Configuration on Route and Switch

Copy and past script for each router and switch name into **Global Config mode: Central**

```
!
!
ip dhcp excluded-address 172.16.1.10
!
ip dhcp pool LANA
  network 192.168.1.0 255.255.255.0
  default-router 192.168.1.1
  dns-server 209.165.200.5
ip dhcp pool LANC
  network 172.16.1.0 255.255.255.0
  default-router 172.16.1.1
  dns-server 209.165.200.5
```



ccna6rs.com




**Stop security breaches - Read the research**

Ad [pages.balabit.com](https://pages.balabit.com)



**Chapter 3 Packet Tracer Skills...**

ccna6rs.com




**Chapter 2 Practice Skills...**

ccna6rs.com

```
Router# show running-config | section interface
interface FastEthernet0/0
no ip address
!
interface FastEthernet0/10
encapsulation dot1q 10
ip address 172.16.1.1 255.255.255.0
!
interface FastEthernet0/30
encapsulation dot1q 30
ip address 172.16.30.1 255.255.255.0
!
interface FastEthernet0/50
```


**CCNA3 v6.0 Practice Final...**

ccna6rs.com



**ScaN OSPF Practice Skills...**

ccna6rs.com




**CCNA2 v6.0 Practice Final**

ccna6rs.com




**RSE Practice Skills Assessment (Part...**

ccna6rs.com



**CCNA2 v6.0 Chapter 1**

ccna6rs.com



**CCENT (I) Practice..**

ccna6rs.com

if show ip route | begin Gateway  
show ip route | show ip route | show ip route

**CCNA2 v6.0**

```

!
ipv6 unicast-routing
!
interface GigabitEthernet0/0
 ip address 192.168.1.1 255.255.255.0
 duplex auto
 speed auto
 ipv6 address FE80::2 link-local
 ipv6 address 2001:DB8:ACAD:A::1/64
 no cdp enable
!
interface GigabitEthernet0/1
 ip address 172.16.1.1 255.255.255.0
 duplex auto
 speed auto
 ipv6 address FE80::2 link-local
 ipv6 address 2001:DB8:ACAD:C::1/64
 no cdp enable
!
interface Serial0/0/0
 no ip address
 clock rate 2000000
 shutdown
!
interface Serial0/0/1
 ip address 192.168.2.2 255.255.255.252
 ipv6 address 2001:DB8:ACAD:B::2/64
!
interface Vlan1
 no ip address

```

```

192.168.10.0/24 is variably subnetted, 2 subnets, 2 masks
192.168.10.0/24 is directly connected, GigabitEthernet0/0
192.168.10.192/32 is directly connected, GigabitEthernet0/0
192.168.20.0/24 is variably subnetted, 2 subnets, 2 masks
192.168.20.0/24 is directly connected, GigabitEthernet0/20
192.168.20.192/32 is directly connected, GigabitEthernet0/20
192.168.10.0/24 [1/0/0] via 192.168.200.2, 20(110)
GigabitEthernet0/1
192.168.200.0/24 is variably subnetted, 2 subnets, 2 masks
192.168.200.0/30 is directly connected, GigabitEthernet0/1
192.168.200.0/30 is directly connected, GigabitEthernet0/2

```

```
shutdown
!
ip route 0.0.0.0 0.0.0.0 192.168.2.1
!
!
ipv6 route ::/0 2001:DB8:ACAD:B::1
!
!
!
end
```

## Local

```
!
ipv6 unicast-routing
!
!
interface GigabitEthernet0/0
no ip address
duplex auto
speed auto
shutdown
!
interface GigabitEthernet0/1
```

```
no ip address
duplex auto
speed auto
shutdown
!
interface Serial0/0/0
ip address 192.168.2.1 255.255.255.252
ip nat inside
ipv6 address 2001:DB8:ACAD:B::1/64
clock rate 2000000
!
interface Serial0/0/1
ip address 198.51.100.2 255.255.255.240
ip nat outside
ipv6 address 2001:DB8:ACAD:D::2/64
no cdp enable
!
interface Serial0/1/0
ip address 203.0.113.2 255.255.255.252
ipv6 address 2001:DB8:ACAD:E::2/64
no cdp enable
!
interface Serial0/1/1
no ip address
clock rate 2000000
!
!
ip nat inside source list 1 interface Serial0/0/1 overload
ip nat inside source static 172.16.1.10 198.51.100.10
ip route 0.0.0.0 0.0.0.0 198.51.100.1
```

```
ip route 0.0.0.0 0.0.0.0 203.0.113.1 5
ip route 192.168.1.0 255.255.255.0 192.168.2.2
ip route 172.16.1.10 255.255.255.255 192.168.2.2
!
!
ipv6 route ::/0 2001:DB8:ACAD:D::1
ipv6 route ::/0 2001:DB8:ACAD:E::1 5
ipv6 route 2001:DB8:ACAD:A::/64 2001:DB8:ACAD:B::2
ipv6 route 2001:DB8:ACAD:C::10/128 2001:DB8:ACAD:B::2
!
access-list 1 permit 192.168.1.0 0.0.0.255
access-list 1 permit 172.16.1.0 0.0.0.255
!
line vty 0 4
    access-class 10 in
    password class
    login
!
!
end
```

## Configure End Devices

TAX-1

Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static

IP Address 192.168.1.3

Subnet Mask 255.255.255.0

Default Gateway 192.168.1.1

DNS Server 209.165.200.5

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address 2001:DB8:ACAD:A::10 / 64

Link Local Address FE80::260:5CFF:FE60:D289

IPv6 Gateway FE80::2

IPv6 DNS Server 2001:DB8:ACAD:F::5

☐ Top

TAX-1



RECORDS-1

Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static

IP Address: 192.168.1.2

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.1.1

DNS Server: 209.165.200.5

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: 2001:DB8:ACAD:A::5 / 64

Link Local Address: FE80::2D0:FFFF:FEE3:48E2

IPv6 Gateway: FE80::2

IPv6 DNS Server: 2001:DB8:ACAD:F::5

Top

RECORDS-1

PERMITS-1

Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static

IP Address 192.168.1.4

Subnet Mask 255.255.255.0

Default Gateway 192.168.1.1

DNS Server 209.165.200.5

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address 2001:DB8:ACAD:A::15 / 64

Link Local Address FE80::20C:CFFF:FE22:69AC

IPv6 Gateway FE80::2

IPv6 DNS Server 2001:DB8:ACAD:F::5

Top

PERMITS-1



## Comments

comments

---

[Home](#) [Introduction to Linux II](#) [C++ L1](#) [CCNA7](#) [About](#)

Copyright CCNA6RS © 2018