



# CS3342 Mid-Term MC Questions Samples

Software Design (City University of Hong Kong)

## Software Engineering

1. **Software is a product and can be manufactured using the same technologies used for other engineering artifacts.**
  - a. True
  - b. False
2. **Software deteriorates rather than wears out because**
  - a. Software suffers from exposure to hostile environments
  - b. Defects are more likely to arise after software has been used often
  - c. Multiple change requests introduce errors in component interactions
  - d. Software spare parts become harder to order
3. **Most software continues to be custom built because**
  - a. Component reuse is common in the software world.
  - b. Reusable components are too expensive to use.
  - c. Software is easier to build without using someone else components.
  - d. Off-the-shelf software components are unavailable in many application domains.
4. **Which of the following can be elements of software systems?**
  - a. documentation
  - b. b. software
  - c. people
  - d. hardware
5. **The functionality of most computer systems does not need to be enhanced in the lifetime of the system.**
  - a. True
  - b. False
6. **Change cannot be easily accommodated in most software systems, unless the system was designed with change in mind.**
  - a. True
  - b. False
7. **Most software development projects are initiated to try to meet some business need.**
  - a. True
  - b. False
8. **In general software only succeeds if its behaviour is consistent with the objectives of its designers.**
  - a. True
  - b. False
9. **Software engineers do not need to consider hardware when designing a computer-based system.**
  - a. True
  - b. False

10. To construct a system model the engineer should consider which of the following restraining factors?
- a. assumptions
  - b. budget
  - c. constraints
  - d. schedule
11. An example of the risk involved in software development is:
- a. key personnel may resign before the product is complete.
  - b. the manufacturer of critical components (e.g. the hardware associated with a real-time system) may go bankrupt.
  - c. technology changes may render the product obsolete.
  - d. competitors may market a fully functional lower-cost equivalent package.
  - e. All of the above
12. Software Engineering is best described as:
- a. the practice of designing, building, and maintaining off-the-shelf software from prefabricated parts.
  - b. the practice of designing, building and maintaining ad-hoc software without the use of formal methods.
  - c. the practice of designing, building and maintaining reliable and cost-effective software using standard techniques.
  - d. the practice of designing, building and maintaining fast and flexible software specifically for Engineering applications.
  - e. the practice of designing, building and maintaining flashy, cheap and buggy software engineered to generate large initially sales and an on-going market for updates.
13. What is the single largest computer-related cost for most organizations?
- a. Software analysis and design.
  - b. Software implementation.
  - c. Software testing.
  - d. Software maintenance.
  - e. Coca Cola and pizza.
14. A requirements specification is:
- a. A rough list of things that the proposed software ought to do.
  - b. A precise list of things that the proposed software ought to do.
  - c. A formal list of things that the proposed software must do.
  - d. A mathematical specification of the exact behaviour of the proposed software.
  - e. An estimate of the resources (time, money, personnel, etc.) which will be required to construct the proposed software.
15. The testing phase of software development doesn't require:
- a. testing that the implementation compiles correctly.
  - b. testing that the implementation matches the design.
  - c. testing that the implementation matches the requirements.
  - d. testing that the components of the implementation work separately and together.
  - e. testing that the implementation interacts correctly with the environment.

**16. System maintenance is necessary because:**

- a. Humans never get it right the first time.
- b. The deployment platform may change over time.
- c. The user's needs may change over time.
- d. All of the above.
- e. None of the above.

**17. Maintenance may involve:**

- a. only additional coding and testing.
- b. only additional analysis and design.
- c. only additional design, coding and testing.
- d. any of the development phases, except analysis.
- e. any of the development phases.

## Software Development Models

**1. Which of the following is not generally considered a player in the software process?**

- a. customers
- b. end-users
- c. project managers
- d. sales people

**2. The linear sequential model of software development is:**

- a. A reasonable approach when requirements are well defined.
- b. A good approach when a working program is required quickly.
- c. The best approach to use for projects with large development teams.
- d. An old-fashioned model that cannot be used in a modern context.

**3. The linear sequential model of software development is also known as the:**

- a. Fountain model
- b. Spiral model
- c. Waterfall model
- d. None of the above

**4. The incremental model of software development is:**

- a. A reasonable approach when requirements are well defined.
- b. A good approach when a working core product is required quickly.
- c. The best approach to use for projects with large development teams.
- d. A revolutionary model that is not used for commercial products.

**5. The spiral model of software development:**

- a. Ends with the delivery of the software product
- b. Is more chaotic than the incremental model
- c. Includes project risks evaluation during each iteration
- d. None of the above

6. **A simple way of looking at the spiral software life-cycle model is as a \_\_\_\_\_ model with each phase preceded by risk analysis.**
- a. Waterfall
  - b. Incremental
  - c. Synchronize and stabilize
  - d. Formal methods
  - e. Agile process
7. **In an analysis of some of the life cycle models, we can conclude that the \_\_\_\_\_ model is the best.**
- a. Waterfall
  - b. Spiral
  - c. XP
  - d. Formal method
  - e. Re-use
  - f. None of the above.
8. **Process models are described as agile because they**
- a. eliminate the need for cumbersome documentation
  - b. emphasize manoeuvrability and adaptability
  - c. do not waste development time on planning activities
  - d. make extensive use of prototype creation
9. **Software processes can be constructed out of pre-existing software process models to best meet the needs of a software project.**
- a. True
  - b. False
10. **Which of the following is not one of the CBSE activities that take place for requirements that can be addressed with commercial off-the-shelf (COTS) components?**
- a. component adaptation
  - b. component composition
  - c. component design
  - d. component qualification
11. **What are the two parallel engineering activities found the CBSE process model?**
- a. component-based development and library development
  - b. domain engineering and component-based development
  - c. domain engineering and process development
  - d. none of the above
12. **In the most general sense a component is a modular building block for computer software.**
- a. True
  - b. False
13. **Software engineers always need to create components from scratch in order to meet customer expectations fully.**
- a. True
  - b. False

**14. Reusable software components must be**

- a. catalogued for easy reference.
- b. standardized for easy application.
- c. validated for easy integration.
- d. all of the above.

**15. A software process model is:**

- a. A representation of the way in which software is developed
- b. A representation of the way in which software processes data
- c. A representation of the way in which software is used
- d. A representation of the way in which software may fail
- e. An attractive young person used in the process of selling software

**16. The Waterfall Model is inadequate because:**

- a. Water is a continuous medium whereas code comes in discrete chunks (i.e. functions, objects, etc.), so all water-based analogies for software development are doomed to failure.
- b. it incorrectly suggests that the sequence of development is a progression from stage to stage, with no backwards steps.
- c. it incorrectly suggests that the sequence of development is a random process of rising and falling from stage to stage, with backwards progress just as likely as forwards.
- d. it incorrectly suggests that the sequence of development is a process unpredictable in the details, but predictable in its overall effect, like a waterfall.
- e. it incorrectly suggests that the sequence of software development is susceptible to uncontrollable external and internal forces (analogous to gravity and surface tension).

**17. The five general phases in the Spiral model are:**

- a. Analysis, Design, Implementation, Testing, and Review
- b. Review, Decision, Engineering, Acceptance, and Planning
- c. Analysis, Design, Engineering, Testing, and Payment
- d. Review, Risk-analysis, Prototyping, Engineering, and Planning
- e. Review, Risk-analysis, Design, Implementation, and Planning

**18. The Engineering phase of the Spiral model incorporates:**

- a. implementation only
- b. design and implementation
- c. analysis, design, and implementation
- d. analysis, design, implementation, and testing

**19. The Waterfall model of software development**

- a. Involves developing a series of prototypes
- b. Incorporates risk management
- c. Is considered the best way to develop software
- d. Suggests that one should perform the steps in a sequential manner without iterating.
- e. Does not allow one to correct any mistakes.

20. Which of the following is not a disadvantage of the prototyping process model?

- a. Not really a complete development methodology
- b. Product is not a complete system but may be treated as such by management
- c. Document is often sparse or completely absent
- d. Assumes a linear development approach

## Software Requirements

1. Which of the following is not captured by software requirements?

- a. System services
- b. Interface with other systems
- c. System constraints
- d. Resource estimates

2. During project inception the intent of the tasks are to determine

- a. basic problem understanding
- b. nature of the solution needed
- c. people who want a solution
- d. none of the above

3. Three things that make requirements elicitation difficult are problems of

- a. budgeting
- b. scope c. understanding d. volatility

4. The work products produced during requirement elicitation will vary depending on the

- a. size of the budget
- b. size of the product being built
- c. software process being used
- d. stakeholder's needs

5. It is relatively common for different customers to propose conflicting requirements, each arguing that his or her version is the right one.

- a. True
- b. False

6. Methods of requirements gathering include

- a. interviews using structured techniques and close-ended questions
- b. interviews using structured techniques and open-ended questions
- c. questionnaires
- d. an analysis of forms used by clients
- e. All of the above.

7. An advantage of scenarios is that they

- a. demonstrate the behaviour of the product in a way that is comprehensible to the user.
- b. can be understood by the users and therefore the users play active roles throughout the requirement gathering process.
- c. play an important role in system analysis.
- d. may be depicted in a number of ways e.g. lists of actions, storyboards. e. All of the above.

8. **The system specification describes the**
- a. function, performance and constraints of a software system
  - b. implementation of each allocated system
  - c. element of software architecture
  - d. time required for system simulation
9. **Requirements specifications that are written in a natural language such as English tend to have problems that include**
- a. Contradictions
  - b. Ambiguities
  - c. Omissions
  - d. None of the above
10. **The best way to conduct a requirements validation review is to**
- a. examine the system model for errors
  - b. have the customer look over the requirements
  - c. ask the design team and see if they have any concerns
  - d. use a checklist of questions to examine each requirement
11. **In requirements validation the requirements model is reviewed to ensure its technical feasibility.**
- a. True
  - b. False
12. **The use of traceability tables in requirements engineering helps to**
- a. debug programs following the detection of run-time errors
  - b. determine the performance of algorithm implementations
  - c. identify, control, and track requirements changes
  - d. none of the above
13. **A stakeholder is anyone who will purchase the completed software system under development.**
- a. True
  - b. False
14. **The job of the requirements engineer is to categorize all stakeholder information in a way that allows decision makers to choose an internally consistent set of requirements.**
- a. True
  - b. False
15. **An important aspect of prototyping is that**
- a. it is comprehensive
  - b. it is built for change
  - c. aspects such as error-checking capabilities, I/O and complex calculations are handled
  - d. it evolves into the final product
  - e. All of the above