

# VI. Windows Forms – Serialization, Dialogs, DataBinding

---

## Contents


1. Serialization/Deserialization .....	1
1.1. Binary Serialization .....	1
1.2. XML Serialization .....	2
1.3. TextFiles .....	2
2. Dialogs.....	3
3. Databinding.....	5

## 1. Serialization/Deserialization

### Activity

**C#** Sample code available at <http://online.ase.ro> – “SerializationBinaryXMLTextFile” Sample

1. Create a copy of the “BasicListView” project and name it “SerializationBinaryXMLTextFile”
2. Create the following UI



### 1.1. Binary Serialization

3. Add a menu for “Binary Serialization” (“Serialize” - btnSerializeBinary, “Deserialize” - btnDeserializeBinary), “XML Serialization” (“Serialize” - btnSerializeXML, “Deserialize” - btnDeserializeXML) and “TextFile” (“Export” – btnExport).
4. Handle the “Click” event for the “btnSerializeBinary” button as follows

```
private void btnSerialize_Click(object sender, EventArgs e) {  
    IFormatter formatter = new BinaryFormatter();  
    using (FileStream s = File.Create("serialized.bin"))  
        formatter.Serialize(s, _participants);  
}
```

5. Handle the “Click” event for the “btnDeserializeBinary” button as follows

```
private void btnDeserialize_Click(object sender, EventArgs e) {  
    IFormatter formatter = new BinaryFormatter();  
    using (FileStream s = File.OpenRead("serialized.bin")) {  
        _participants = (List<Participant>)formatter.Deserialize(s);  
        DisplayParticipants();  
    }  
}
```

## 1.2. XML Serialization

6. Handle the “Click” event for the “btnSerializeXML” button as follows

```
XmlSerializer serializer = new XmlSerializer(typeof(List<Participant>));
using (TextWriter writer = new StreamWriter("SerializedXML.xml"))
{
    serializer.Serialize(writer, _participants);
}
```

7. Handle the “Click” event for the “btnDeserializeXML” button as follows

```
XmlSerializer serializer = new XmlSerializer(typeof(List<Participant>));
using (StreamReader streamReader = new StreamReader("SerializedXML.xml"))
{
    _participants = (List<Participant>)serializer.Deserialize(streamReader);
    DisplayParticipants();
}
```

## 1.3. TextFiles

8. Handle the “Click” event for the “btnExport” button as follows

```
// Create an instance of the open file dialog box.
SaveFileDialog saveFileDialog = new SaveFileDialog();
saveFileDialog.Filter = "Text File | *.txt";
saveFileDialog.Title = "Save as text file";

if (saveFileDialog.ShowDialog() == DialogResult.OK)
{
    //Approach 1
    //StreamWriter sw = new StreamWriter(saveFileDialog.FileName);
    //try
    //{
    //    sw.WriteLine("LastName,FirstName,BirthDate");

    //    foreach (var participant in _participants)
    //    {
    //        sw.WriteLine("{0}, {1}, {2}"
    //            , participant.LastName
    //            , participant.FirstName
    //            , participant.BirthDate.ToShortDateString());
    //    }
    //}
    //finally
    //{
    //    sw.Dispose();
    //}

    //2. Approach 2 - recommended
    // generates the try{} finally{} in Version 1
    using (StreamWriter sw = new StreamWriter(saveFileDialog.FileName))
    {
        sw.WriteLine("LastName,FirstName,BirthDate");

        foreach (var participant in _participants)
        {
            sw.WriteLine("{0}, {1}, {2}"
```

```

        , participant.LastName
        , participant.FirstName
        , participant.BirthDate.ToShortDateString());
    }
}

```

### Activity

**C#** Sample code available at <http://online.ase.ro> – “TextFileSample” Sample

```

static void Main(string[] args)
{
    // Get the directories currently on the C drive.
    DirectoryInfo[] cDirs = new DirectoryInfo(@"c:\").GetDirectories();

    // Write each directory name to a file.
    using (StreamWriter sw = new StreamWriter("CDriveDirs.txt"))
    {
        foreach (DirectoryInfo dir in cDirs)
        {
            sw.WriteLine(dir.Name);
        }
    }

    // Read and show each line from the file.
    string line = "";
    using (StreamReader sr = new StreamReader("CDriveDirs.txt"))
    {
        while ((line = sr.ReadLine()) != null)
        {
            Console.WriteLine(line);
        }
    }
}


```

## 2. Dialogs

### Activity

**C#** Sample code available at <http://online.ase.ro> – “DialogSample” Sample

1. Create a copy of the “BasicListView” project and name it “DialogSample”
2. Create the following UI



3. Name the “Edit” button “btnEdit” and the “Delete” button “btnDelete”
4. Handle the “Click” event for the “btnDelete” button as follows


```

if (lvParticipants.SelectedItems.Count == 0)
{
    MessageBox.Show("Choose a participant");
    return;
}

if (MessageBox.Show("Are you sure?", "Delete participant", MessageBoxButtons.YesNo,
    MessageBoxIcon.Warning) ==
    DialogResult.Yes)
{
    _participants.Remove((Participant) lvParticipants.SelectedItems[0].Tag);
    DisplayParticipants();
}

```

5. Add a new Form to the project and name it "EditForm"
6. Create the following UI



7. Rename the controls as "tbLastName", "tbFirstName" and "dtpBirthDate"
8. Change the EditForm class, so that it is defined as follow

```

#region Attributes
private readonly Participant _participant;
#endregion

public EditForm(Participant participant)
{
    _participant = participant;

    InitializeComponent();
}

private void EditForm_Load(object sender, System.EventArgs e)
{
    tbLastName.Text = _participant.LastName;
    tbFirstName.Text = _participant.FirstName;
}

```

```

        dtpBirthDate.Value = _participant.BirthDate;
    }

```

9. Set the DialogResult for the “Cancel” button as “Cancel”

DialogResult	Cancel
Dock	None
Enabled	True

10. Rename the “OK” button as “btnOK”

11. Handle the “Click” event for the “btnOK” button as follows

```

_participant.LastName = tbLastName.Text;
_participant.FirstName = tbFirstName.Text;
_participant.BirthDate = dtpBirthDate.Value;

```

12. Handle the “Click” event for the “Edit” button in the “MainForm” as follows:

```

if (lvParticipants.SelectedItems.Count == 0)
{
    MessageBox.Show("Choose a participant");
    return;
}

EditForm editForm = new EditForm((Participant)lvParticipants.SelectedItems[0].Tag);
if (editForm.ShowDialog() == DialogResult.OK)
    DisplayParticipants();

```

### 3. DataBinding

1. Create a copy of the “BasicListView” project and name it “DialogSample”
2. Replace the “ListView” control with a “DataGrid” control
3. Add a “ViewModel” folder to your project
4. Add the following “MainFormViewModel” class in the “ViewModel” folder

```

internal class MainFormViewModel : INotifyPropertyChanged
{
    #region Properties

    #region LastName
    private string _lastName;
    public string LastName {
        get { return _lastName; }
        set
        {
            if (_lastName == value)
                return;
            _lastName = value;
            OnPropertyChanged();
        }
    }
    #endregion
}

```

```

#region FirstName
private string _firstName;
public string FirstName
{
    get { return _firstName; }
    set
    {
        if (_firstName == value)
            return;
        _firstName = value;
        OnPropertyChanged();
    }
}
#endregion

#region FirstName
private DateTime _birthDate;

public DateTime BirthDate
{
    get { return _birthDate; }
    set
    {
        if (_birthDate == value)
            return;
        _birthDate = value;
        OnPropertyChanged();
    }
}
#endregion

public BindingList<Participant> Participants { get; set; }
#endregion

public MainFormViewModel()
{
    Participants = new BindingList<Participant>();
    BirthDate = DateTime.Now;
}

#region Methods
public void AddParticipant()
{
    Participants.Add(new Participant(LastName, FirstName, BirthDate));
    LastName = FirstName = string.Empty;
    BirthDate = DateTime.Today;
}
#endregion

#region INotifyPropertyChanged
public event PropertyChangedEventHandler PropertyChanged;

[NotifyPropertyChangedInvocator]
protected virtual void OnPropertyChanged([CallerMemberName] string propertyName =
null)
{
    PropertyChanged?.Invoke(this, new PropertyChangedEventArgs(propertyName));
}
#endregion
}

```

5. Update the “MainForm” so that it is defined as follow.

```
public partial class MainForm : Form
{
    private readonly MainFormViewModel _viewModel;

    public MainForm()
    {
        InitializeComponent();
        Load += MainForm_Load;

        _viewModel = new MainFormViewModel();
    }

    private void MainForm_Load(object sender, EventArgs e)
    {
        dgvParticipants.DataSource = _viewModel.Participants;

        tbLastName.DataBindings.Add("Text", _viewModel, "LastName", false, DataSourceUpdateMode.OnPropertyChanged);
        tbFirstName.DataBindings.Add("Text", _viewModel, "FirstName", false, DataSourceUpdateMode.OnPropertyChanged);
        dtpBirthDate.DataBindings.Add("Value", _viewModel, "BirthDate", false, DataSourceUpdateMode.OnPropertyChanged);
    }

    private void btnAdd_Click(object sender, EventArgs e)
    {
        _viewModel.AddParticipant();
    }
}
```