

Interface name	Getting information of filter by Link-aggregation interface
Method	GET

URI parameter	type	overview	remarks
cluster_id	string	cluster ID	-
fabric_type	string	Device type	"leafs": Leaf
node_id	string	Node ID	-
lag_if_id	string	LAG IF ID	-

URI	/v1/filter/clusters/{cluster_id}/nodes/{fabric_type}/{node_id}/interfaces/lag-ifs/{lag_if_id}
-----	---

message	code	body	type	required	Allow null	Allow empty array	overview	remarks
request	-	-	-	-	-	-	-	-
response	200	lag if filter	object	○	×		LAG IF filter information	-
		cluster_id	string	○	×		cluster ID	-
		fabric_type	string	○	×		Device type	-
		node_id	string	○	×		Node ID	-
		lag_if_id	string	○	×		LAG IF ID	-
		terms	object[]	×	○	×	Term	-
		term_id	string	○	×		Term ID	-
		action	string	×	○		Action	Only “discard”
		direction	string	×	○		Direction	Only “in”
		source_mac_address	string	×	○		source MAC address	“address” + / + “prefix” ex. AB:CD:EF:00:11:22/48 IF prefix is not specified, “48”
		dest_mac_address	string	×	○		destination MAC address	“address” + / + “prefix” ex. AB:CD:EF:00:11:22/48 IF prefix is not specified, “48”
		source_ip_address	string	×	○		source IP address	“address” + / + “prefix” ex. 192.168.0.4/32
		dest_ip_address	string	×	○		destination IP address	“address” + / + “prefix” ex. 192.168.0.4/32
		protocol	string	×	○		protocol	-
		source_port	string	×	○		source port number	-
	dest_port	string	×	○		destination port number	-	
Refer to the “Error response format” sheet for error response								

Body uses JSON format.