

Interface name	Creating Link-aggregation interface
Method	POST

URI parameter	type	overview	remarks
cluster_id	string	cluster ID	–
fabric_type	string	Device type	“leafs”: Leaf Fixed “leaf”
node_id	string	Device ID	–

option parameter	type	required	overview	remarks
notification_address	string	×	Destination address to notify completion of operation	See “Asynchronous request format” sheet
notification_port	string	×	Destination port to notify completion of operation	

URI	/v1/clusters/{cluster_id}/nodes/{fabric_type}/{node_id}/interfaces/lag-ifs
-----	--

message	code	body	type	required	Allow null	Allow empty array	overview	remarks
request	–	physical_if_ids	string[ ]	○	×	○	Physical IF ID list	Specify one of physical_if_ids, breakout_if_ids.
		breakout_if_ids	string[ ]	○	×	○	breakout IF ID list	Specify one of physical_if_ids, breakout_if_ids.
response	202	operation_id	string	○	×		ID for acquiring information of asynchronous operation	–
	Refer to the “Error response format” sheet for error response							

Body uses JSON format.

Asynchronous response

message	code	body	type	required	Allow null	Allow empty array	overview	remarks
response	201	lag_if_id	string	○	×		LagIF ID	–
	Refer to the “Error response format” sheet for error response							

Body uses JSON format.