

Comparing *Quercus* Leaf model from Duputie vs. van der Meersch

Lizzie, Isabelle Chuine, Ben Cook, Victor van der Meersch

June 27, 2023

Overview

For the mean results for *Quercus* we wondered whether the Leaf model parameterization was driving the results. It's currently set to have a -4.5 maximum temperature. To check this we created an updated file (`Quercus_robur_ADuputie_updated23June2023.species`) using the leaf model parameterization from Van der Meersch & Chuine 2023 (`cmaes_fit_subset2_rep2.species`). Below is a comparison of the results.

Based on historical climate

See bottom panels of Fig. 1-2, trends are similar (MaturationIndex dominates fitness) but now fitness is VERY low as of latitude 44.

Based on simulated climate with mean warming

See Fig. 3-4. Fitness is now dominated by a mix depending on latitude (Survival at low latitude, MaturationIndex at mid and high).

Based on simulated climate with changing variance

See Fig. 5-6. Fitness dominated by MaturationIndex with extremely low fitness for reduced variance at low latitudes and all variance at mid and high latitudes.




Figure 1: *Quercus* fitness across latitude (historical climate data) based on Duputie parameters. You can see PHENOFIT4 output at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/input/phenofit/querob_19512020_Duputie.




Figure 2: *Quercus* fitness across latitude (historical climate data) based on updated Leaf Model parameters. You can see PHENOFIT4 output at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/input/phenofit/querob_19512020.




Figure 3: *Quercus* across 0 (1) to +5 (6) mean warming, based on Duputie parameters. To see the underlying components of the model, look for ‘meansim’ QR files at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims/querob_Duputie.




Figure 4: *Quercus* across 0 (1) to +5 (6) mean warming, based on updated parameters. To see the underlying components of the model, look for ‘meansim’ QR files in <https://github.com/lizzieinancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims>




Figure 5: *Quercus* across changing variance, based on Duputie parameters. To see the underlying components of the model, look for ‘dssim’ QR files at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims/querob_Duputie.




Figure 6: *Quercus* across changing variance, based on updated parameters. To see the underlying components of the model, look for 'sdsim' QR files in <https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims>