

Comparing *Quercus* model from Duputie vs. van der Meersch

Lizzie, Isabelle Chuine, Ben Cook, Victor van der Meersch

November 15, 2023

Overview

For the mean results for *Quercus* we wondered whether the Leaf model parameterization was driving the results. To check this we created an updated file (`Quercus_robur_ADuputie_updated23June2023.species`) using the leaf model parameterization from Van der Meersch & Chuine 2023 (`cmaes_fit_subset2_rep2.species`). After reviewing the results, Victor replied:

I am surprised by the fitness with the updated parameters, which seems veeery low, though there are *Quercus* individuals in these latitude. Maybe it is because we only extracted the leaf/flower parameters from the inverse calibration set? If it is not time consuming, you could try to run simulations directly with the "`cmaes_fit_subset2_rep2.species`" file, even though extra precautions must be taken when analysing the results.

And Isabelle agreed so now I ran with the new parameter set. So in July 2023, I ran with the FULL updated parameters and Duputie. Fitness was higher for the historical data and declined with higher levels of warming (compared to the historical where it was lowest for the lower warming scenarios).

And then on 15 november 2023, I updated to `Quercus_robur_ADuputie_updated23June2023` which is (similar to our Pinsyl and Fagsyl models) based on 'expert opinion,' not on inverse calibration as "`cmaes_fit_subset2_rep2.species`" is. Below is a comparison of the results between this new 'expert opinion' version and Duputie. [FIGURES updated, but not text yet....]

Based on historical climate

See bottom panels of Fig. ??-??, trends are similar (MaturationIndex dominates fitness) but now fitness is now low as of latitudes 41 and 44 and higher. I was also struck by how the FruitMatDate changed (see Fig. ??) which now clearly gets later at higher latitudes, and matters to fitness (whereas before neither of these things happened).




Figure 1: *Quercus* fitness across latitude (historical climate data) based on Duputie parameters. You can see PHENOFIT4 output at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/input/phenofit/querob_19512020_Duputie.

Based on simulated climate with mean warming

See Fig. ??-??. Fitness is again affected mostly by MaturationIndex, and low at high warming.

Based on simulated climate with changing variance

See Fig. ??-??. Fitness dominated by FruitIndex (I think) and decreasing with increasing variance.




Figure 2: *Quercus* fitness across latitude (historical climate data) based on updated model (ending in ‘updated23June2023’). You can see PHENOFIT4 output at https://github.com/lizzieinancouver/climatehazards/tree/main/analyses/input/phenofit/querob_19512020.




Figure 3: *Quercus* fitness as a function of FruitMaturationDate (historical climate data) based on updated model (ending in ‘updated23June2023’). You can see the previous plot using the Duputie parameters at https://github.com/lizzieinancouver/climatehazards/blob/faaca3adcab9bf8d615732abf1ebfe00a1d52370/analyses/graphs/phenofit/historical/allsp_xypoints_wprint_fruitmatdate_vsfittness.pdf.




Figure 4: *Quercus* across 0 (1) to +5 (6) mean warming, based on Duputie parameters. To see the underlying components of the model, look for ‘meansim’ QR files at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims/querob_Duputie.




Figure 5: *Quercus* across 0 (1) to +5 (6) mean warming, based on updated model ('updated23June2023'). To see the underlying components of the model, look for 'mean-sim' QR files in <https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims>




Figure 6: *Quercus* across changing variance, based on Duputie parameters. To see the underlying components of the model, look for ‘dssim’ QR files at https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims/querob_Duputie.




Figure 7: *Quercus* across changing variance, based on updated model ('updated23June202'). To see the underlying components of the model, look for 'sdsim' QR files in <https://github.com/lizzieinvancouver/climatehazards/tree/main/analyses/graphs/phenofit/sims>