



ConnectApi.BatchInput

Construct a set of inputs to be passed into a method at the same time.

Use this constructor when there isn't a binary input:


```
ConnectApi.BatchInput(Object input)
```

Use this constructor to pass one binary input:

```
ConnectApi.BatchInput(Object input, ConnectApi.BinaryInput binary)
```

Use this constructor to pass multiple binary inputs:

```
ConnectApi.BatchInput(Object input, List<ConnectApi.BinaryInput> binaries)
```

The constructors takes these parameters:

Argument	Type	Description	Available Version
input	Object	An individual input object to be used in the batch operation. For example, for <code>postFeedElementBatch()</code> , this should be <code>ConnectApi.FeedElementInput</code> .	32.0
binary	ConnectApi.BinaryInput	A binary file to associate with the input object.	32.0
binaries	List<ConnectApi.BinaryInput>	A list of binary files to associate with the input object.	32.0

See Also

- [Post a Batch of Feed Elements](#)
- [Post a Batch of Feed Elements with a New \(Binary\) File](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



MuleSoft
Tableau
Commerce Cloud
Lightning Design System
Einstein
Quip

Component Library
APIs
Trailhead
Sample Apps
Podcasts
AppExchange

Events and Calendar
Partner Community
Blog
Salesforce Admins
Salesforce Architects

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce, Inc.
Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)