



ConnectApi.BinaryInput

Create a `ConnectApi.BinaryInput` object to attach files to feed items and comments, to add repository files, to create managed content, and to replace managed content variants.

The constructor is:

```
ConnectApi.BinaryInput(blob, contentType, filename)
```

The constructor takes these arguments:

Argument	Type	Description	Available Version
blob	Blob	Contents of the file to be used for input	28.0
contentType	String	MIME type description of the content, such as image/jpg	28.0
filename	String	File name with the file extension, such as UserPhoto.jpg	28.0

See Also

- [Post a Feed Element with a New File \(Binary\) Attachment](#)
- [Post a Comment with a New File](#)
- [ConnectApi.BatchInput](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

Share your feedback



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)

COMMUNITY

- [Trailblazer Community](#)
- [Events and Calendar](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Admins](#)



© Copyright 2025 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc.
Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

 [Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)