

Theoretical Foundations of Buffer Stock Saving

2024-11-27

Christopher D Carroll and Akshay Shanker

Abstract

This paper builds foundations for rigorous and intuitive understanding of ‘buffer stock’ saving behaviour that can emerge in Bewley (1977)-like economies. After describing conditions under which a consumption function exists, the paper articulates stricter ‘Growth Impatience’ conditions sufficient to guarantee the existence of a buffer-stock target — either at the population level, or for individual consumers. Together, these analytical results, along with the included numerical illustrations, constitute a comprehensive toolkit for understanding buffer stock saving.

Keywords Precautionary saving, buffer stock saving, marginal propensity to consume, permanent income hypothesis, income fluctuation problem

JEL codes D81, D91, E21

Powered by Econ-ARK

REMARK: <https://econ-ark.org/materials/bufferstocktheory>
Dashboard: Click ‘Launch Dashboard’ Button
html: <https://llorracc.github.io/BufferStockTheory/>
PDF: [BufferStockTheory.pdf](#)
Slides: [BufferStockTheory-Slides.pdf](#)
GitHub: <https://github.com/llorracc/BufferStockTheory>

The paper’s results can be automatically reproduced using the Econ-ARK toolkit by executing the notebook; for reference to the toolkit itself see Acknowledging Econ-ARK. Thanks to the Consumer Financial Protection Bureau for funding the original creation of the Econ-ARK toolkit; and to the Sloan Foundation for funding Econ-ARK’s extensive further development that brought it to the point where it could be used for this project. The toolkit can be cited with its digital object identifier, <https://doi.org/10.5281/zenodo.1001067>, as is done in the paper’s own references as Christopher D. Carroll, Alexander M. Kaufman, Jacqueline L. Kazil, Nathan M. Palmer, and Matthew N. White (2018). Thanks to Will Du, James Feigenbaum, Joseph Kaboski, Miles Kimball, Qingyin Ma, Misuzu Otsuka, Damiano Sandri, John Stachurski, David Stern, Adam Szeidl, Alexis Akira Toda, Metin Uyanik, Mateo Velásquez-Giraldo, Weifeng Wu, Jiaxiong Yao, and Xudong Zheng for comments on earlier versions of this paper, John Boyd for help in applying his weighted contraction mapping theorem, Ryoji Hiraguchi for extraordinary mathematical insight that improved the paper greatly, David Zervos for early guidance to the literature, and participants in a seminar at the Johns Hopkins University, a presentation at the 2009 meetings of the Society of Economic Dynamics for their insights, and at a presentation at the Australian National University. Shanker gratefully acknowledges research support from the Australian Research Council (ARC LP190100732) and ARC Centre of Excellence in Population Ageing Research (CE17010005).

1	Introduction	1
2	Theoretical Foundations	4
2.1	Setup	5
2.1.1	Normalized Problem	7
2.1.2	Dynamic Programming Challenges	8
2.2	Consumer Patience Conditions	9
2.3	Perfect Foresight Benchmarks	12
2.3.1	Perfect Foresight without Liquidity Constraints	13
2.3.2	Perfect Foresight with Liquidity Constraints	14
2.4	Main Results for Problem with Uncertainty	15
2.4.1	Limiting MPCs	15
2.4.2	Existence of Limiting Non-degenerate Solution	16
2.4.3	The Liquidity Constrained Solution as a Limit	19
3	Individual Buffer Stock Stability	20
3.1	Unique ‘Stable’ Points	21
3.2	Example With Balanced-Growth $\tilde{m}$ But No Target $\hat{m}$	23
4	Aggregate Invariant Relationships	24
4.1	Aggregate Balanced Growth of Income, Consumption, and Wealth	26
4.2	Aggregate Balanced Growth and Idiosyncratic Covariances	27
4.3	Implications for Microfoundations	28
4.4	Mortality Yields Invariance	29
5	Consumer Patience and Limiting Consumption	30
5.1	Model with Perfect Foresight	32
5.1.1	Perfect Foresight Constrained Solution	34
5.2	Model with Uncertainty	36
5.2.1	Behavior Under Cases of Conditions	37
6	Conclusions	41
	Appendices	43
A	Appendix for Section 2	43
A.1	Recovering the Non-Normalized Problem	43
A.2	Perfect Foresight Benchmarks	43
A.3	Properties of the Consumption Function and Limiting MPCs	44
A.4	Existence of Limiting Solutions	47
A.5	Properties of the Converged Consumption Function	53
A.6	The Liquidity Constrained Solution as a Limit	54

B	Appendix for Section 3	56
B.1	Asymptotic Consumption Growth Factors	56
B.2	Existence of Buffer Stock Target	57
B.2.1	Existence of Individual Buffer Stock Target	57
B.2.2	Existence of Pseudo-Steady-State	59
C	Appendix for Section 4	61
C.1	Apparent Balanced Growth in $\bar{c}$ and $\text{cov}(c, \mathbf{p})$	61
C.2	$\log c$ and $\log \text{cov}(c, \mathbf{p})$ Grow Linearly	61
D	Appendix for Section 5	62
D.1	Perfect Foresight Unconstrained Solution	63
D.2	Perfect Foresight Liquidity Constrained Solutions	64
D.2.1	If GIC Fails	64
D.2.2	If GIC Holds	66
E	Relational Diagrams for the Inequality Conditions	70
E.1	The Unconstrained Perfect Foresight Model	70
F	Additional Standard Results	73

List of Figures

1	‘Stable’ (Target; Balanced Growth) m Values	21
2		23
3	$\{\text{FVAC}, \text{GIC}, \text{GIC-Mod}\}$: No Individual Target Exists But Aggregate Target Does	23
4	Convergence of the Consumption Rules	30
5	Limiting MPC’s	31
6	Upper and Lower Bounds on the Consumption Function	32
7	Perfect Foresight Relation of Consumer Patience Conditions	33
8	Relation of All Inequality Conditions	38
9	Appendix: $\log \mathbf{c}$ Appears to Grow Linearly	62
10	Appendix: $\log (-\text{cov}(c, \mathbf{p}))$ Appears to Grow Linearly	63
11	Appendix: Nondegenerate $\mathbf{c}$ Function with EHWC and RIC	70
12	Appendix: Inequality Conditions for Perfect Foresight Model	71
13	Appendix: Relation of All Inequality Conditions	73
14	Appendix: Numerical Relation of All Inequality Conditions	74

List of Tables

1	Microeconomic Model Calibration	36
2	Model Characteristics Calculated from Parameters	37
3	Definitions and Comparisons of Patience Conditions	40
4	Sufficient Conditions for Nondegenerate [†] Solution	42
5	Appendix: Perfect Foresight Liquidity Constrained Taxonomy	82

1 Introduction

{sec:intro}

The precautionary motive to save springs from the fact that extra resources improve a consumer’s ability to buffer spending against shocks. A consumer who, in the absence of shocks, would be impatient enough to plan to spend down their resources, will (when shocks are present) experience an intensifying precautionary motive as their buffering capacity shrinks. The result of this competition between impatience and ‘prudence’ (Kimball, 1990) has been described, starting with Deaton (1991), as ‘buffer stock saving,’ with a ‘target’ defined¹ as the point where the precautionary motive to accumulate becomes exactly strong enough to counter the impatience motive to decumulate.

The logic of buffer stock saving underpins key findings in heterogeneous-agent (HA) macroeconomics. For example, it can explain why, during the Great Recession, middle-class consumers cut spending more than the poor or the rich (Krueger, Mitman, and Perri, 2016). Buffer stock saving also can explain why consumption growth tracks income growth over much of the life cycle,² rather than being determined solely by preferences and interest rates as Irving Fisher (1930) proposed.

Buffer stock saving models are neither a subset nor a superset of the closely-related class of Bewley (1977) models (or, more generically, Schectman (1976) ‘income fluctuation’ problems; we will use the terms ‘Bewley model’ and ‘income fluctuation problem’ interchangeably). That is, not all Bewley models with fluctuating income exhibit buffer stock saving, and not all models that exhibit buffer stock saving satisfy the mathematical assumptions that guarantee boundedness of marginal utility imposed by Schectman or Bewley (and inherited by almost all of the subsequent literature through to the recent contributions of Ma, Stachurski, and Toda (2020, 2022a)).

The purpose of this paper is to provide a comprehensive statement and explanation of the conditions under which buffer stock saving arises in a class of problems broader in important respects than Bewley models. Specifically, we consider the problem of an agent who is subject to a Friedman-Muth(-Zeldes) income process incorporating permanent shocks to noncapital income (Friedman, 1957; Muth, 1960; Zeldes, 1989) in addition to the transitory shocks traditionally examined in the income fluctuation literature,³ and who does not face an ‘artificial’ borrowing constraint (a constraint that prohibits borrowing even when the loan could certainly be repaid).

In the course of proving our main theoretical results, we define a variety of alternative measures of ‘patience’ – an intuitive term that nonetheless has had multiple interpretations in the literature. Different measures of impatience guarantee two kinds of results: The existence of a nondegenerate limiting consumption function, and the existence of a buffer stock ‘target.’

¹In Carroll (1992).

²Carroll (1997), Gourinchas and Parker (2002)

³It is our view that the principal reason much of the literature has incorporated extremely ‘persistent’ but not completely permanent shocks is that the theoretical foundations for the case with permanent shocks have not previously been available.

Patience Requirements for Nondegeneracy We will define the ‘limiting’ consumption function as the limit of the sequence of consumption rules constructed by iterating backward from a terminal period T , and we will say that this limiting function is ‘nondegenerate’ if it exists, is real-valued, and is strictly positive for every reachable circumstance the consumer could be in.

When an artificial borrowing constraint is imposed and noncapital income is stationary – it is subject to no permanent shocks and exhibits no long-term growth – our problem coincides with a standard ‘income fluctuation problem.’ But our new proof methods allow us also to solve models where permanent income is unbounded above and below and there is no artificial constraint.

In the unconstrained perfect foresight version of our problem, one type of degeneracy arises if permanent income perpetually grows faster than the rate at which it is discounted: With no limiting upper bound to the PDV of future income and no borrowing constraint, there is no upper bound to limiting consumption. Imposition of a ‘Finite Human Wealth’ condition ($\mathcal{G} < R$) is required to prevent this. Another type of degeneracy arises if preferences fail the ‘return impatience’ condition: $(R\beta)^{1/\gamma}/R < 1$. Without return impatience, the limiting consumption function is zero everywhere.

Intuition would suggest that, by activating the precautionary saving motive, introduction of the Friedman-Muth stochastic income process might necessitate a stronger degree of impatience to avoid degeneracy. In fact, we show that the required impatience condition is *weaker*, for reasons that follow from the lack of an artificial borrowing constraint and the presence of a ‘natural’ borrowing constraint,⁴ (which has the additional effect of eliminating the need to impose the Finite Human Wealth condition). We further demonstrate that the artificial constraint emerges as the limit, as a certain parameter goes to zero, of the natural constraint. This provides an intuitive conceptual bridge between the two.

In the existing literature going all the way back to Fisher (1930),⁵, time preference ‘ β ’ and patience have often been treated as synonymous.

We show that, in the presence of nonstationary permanent income, the corresponding generalized mathematical steps yield a ‘finite value of autarky’ condition that incorporates characteristics of the growth process. The fact that the generalized condition involves terms other than β undermines the temptation to identify ‘patience’ solely with the pure time preference factor. We therefore propose that henceforth the literature should deprecate use of the term ‘patience’ unadorned with any adjective identifying precisely which *kind* of patience is under consideration.

The final section shows that for a consumer to have a non-degenerate value function in the limit as the planning horizon recedes, absolute patience cannot exceed *both* the market return factor R and the income growth factor $\mathcal{G}$. (Growth impatience must hold

⁴The ‘natural’ constraint arises as a consequence of the budget constraint and the CRRA utility function which implies that the utility of consuming zero is negative infinity. Its implications were first explored by Zeldes (1989) in a life cycle context. Carroll (1992) analyzed the infinite horizon case, and Aiyagari (1994) coined the term ‘natural borrowing constraint.’

⁵Fisher (1930) in Ch. IV, Section 3 states "I shall treat the two terms (impatience and time preference) as synonymous".

if return impatience fails and vice-versa.) When both growth impatience and return impatience fail, the limiting consumption function is either $c = 0$ or $c = \infty$.

Patience Requirements and the Existence of Buffer Stock Targets Once we have established the existence of a non-degenerate solution, the second (and more important) main result of the paper is to identify conditions under which buffer stock ‘targets’ exist, for individual consumers or in the aggregate.

As noted by Szeidl (2013) and Ma, Stachurski, and Toda (2022a), the impatience condition $(R\beta) < 1$ is commonly imposed in Bewley models to guarantee existence and stability of the stochastic distributions of wealth and other variables.

The appropriate definition of a buffer stock ‘target’ turns out to depend on whether we are interested in the microeconomic behavior of individual consumers, or the aggregate behavior of the entire population of consumers. The requirement for the existence of an individual target is ‘strong growth impatience,’ ($\mathbb{E}[(R\beta)^{1/\gamma}/\tilde{\mathcal{G}}] < 1$) which prevents the household’s ‘normalized market resources’ $m = \mathbf{m}/\mathbf{p}$ from growing without bound. Specifically, strong growth impatience guarantees that at some large-enough value $m = \acute{m}$ it must be the case that the expectation of next period’s m is less than this period’s: (if $m_t > \acute{m}$, then $\mathbb{E}_t[m_{t+1}] < m_t$). This turns out to guarantee that normalized market resources eventually revert back toward a target.

A weaker requirement, ‘growth impatience,’ ensures the existence of an aggregate buffer stock target even when individual target ratios are unbounded. Growth impatience requires the ratio of absolute patience to the *expected* growth factor of permanent income to be less than one: $(R\beta)^{1/\gamma}/\mathcal{G} < 1$.

The trick to understanding how there can be an aggregate target even when there is no individual target is to realize that one reason that $\mathbf{m}/\mathbf{p}$ can grow is that individuals can have negative shocks to $\mathbf{p}$. But the people whose ratio grows because their $\mathbf{p}$ shrinks by definition account for a smaller portion of the *level* of aggregate permanent income. That is, even as their m rises they become smaller contributors to the aggregate economy.

Thus in the aggregate, even with a fixed interest rate that differs from the time preference rate, a small open economy populated by buffer stock consumers has a balanced growth path in which growth rates of consumption, income, and market resources match the exogenous growth rate of aggregate permanent income (equivalent, here, to productivity growth). In the terms of Schmitt-Grohé and Uribe (2003), buffer stock saving is an appealing method of ‘closing’ a small open economy model, because it requires no *ad-hoc* assumptions. Not even borrowing constraints.

Relationship to Literature Although the elements of buffer stock saving behavior were informally articulated by Friedman (1957), the term was introduced to the literature by Deaton (1991) to describe the behavior of liquidity-constrained impatient consumers with transitory income shocks.⁶ Carroll (1992) showed (numerically) that buffer stock saving could arise even in the absence of borrowing constraints, and defined the individual

⁶Deaton (1991) also showed that impatient consumers facing only permanent shocks would end up remaining on the borrowing constraint forever, an insight that informs the work of Kaplan, Violante, and Weidner (2014).

buffer stock ‘target’ as the point where a measure of normalized resources is expected to stay the same.

Traditional Bellman approaches to showing existence rely on assumptions that guarantee the boundedness of utility and marginal utility (Stokey, Lucas, and Prescott, 1989).⁷ The results by Ma, Stachurski, and Toda (2020, 2022a) are the most general we are aware of that tackle income fluctuation problems, and can be specialized to show existence in a model one step away from our normalized model with a stochastic rate of return and stochastic effective discount factor. The discrepant step is that they impose an artificial constraint and positive minimum value of income; this bounds utility from below (it can never be lower than the marginal utility of consumption) and thus cannot be applied here.

Our approach to constructing the weighted-norm space of value functions uses results on unbounded dynamic programming by (Boyd, 1990).⁸ Our approach differs from previous approaches in its use of limiting marginal propensities to consume to construct per-period bounds on the Bellman operator. Moreover, our patience restrictions are grounded in intuitive economic ideas (rather than abstract mathematical assumptions) that arise naturally in the presence of permanent income uncertainty and growth. To the best of our knowledge, these economic mechanisms have not been explored elsewhere.

Our discussion of aggregate results builds on Szeidl (2013) and Harmenberg (2021) who give results on the existence and convergence of stationary wealth distributions that apply to the model presented here. While their conditions for stationarity resemble growth impatience and strong growth impatience, our objective is to establish existence of stable buffer stock targets, which is relatively easily tested empirically, rather than to establish stationarity of distributions, which is much harder to imagine testing with empirical data.

2 Theoretical Foundations

{sec:Theory}

This section formalizes the consumer income fluctuation problem and proves the existence of a limiting non-degenerate solution. In doing so, we also introduce our consumer patience conditions and use them to derive the consumer’s MPCs. The MPCs are formulae, for any period t earlier than the terminal period T , for the maximum and

⁷Our CRRA utility function does not satisfy Bewley’s assumption that $u(0)$ is well-defined, or that $u'(0)$ is bounded above. Our approach differs from that of Schectman and Escudero (1977) because they impose an artificial borrowing constraint and positive minimum income. It differs from Deaton (1991) because he imposes liquidity constraints; we accommodate separate transitory and permanent shocks; and our transitory shocks occasionally cause income to reach zero. Papers by Scheinkman and Weiss (1986), Clarida (Clarida, 1987), and others Chamberlain and Wilson (2000) all differ from ours for reasons resembling those articulated above. Alvarez and Stokey (1998) relaxed boundedness of the utility function, but they address only the deterministic case; Martins-da Rocha and Vailakis (2010)’s correction to Rincón-Zapatero and Rodríguez-Palmero (2003) only addresses the deterministic case. Matkowski and Nowak (2011) assume a framework with compact action sets and real-valued utility which cannot handle relative risk aversion greater than 1.

Two approaches do allow relative risk aversion greater than 1: A literature employing time iteration operators defined by Euler equations (Deaton, 1991; Li and Stachurski, 2014; Ma, Stachurski, and Toda, 2020), and one that employs transformations of the Bellman equation (Rincón-Zapatero, 2024), but in all of these cases an artificial borrowing constraint is present (or its moral equivalent, as in Bewley).

⁸Alvarez and Stokey (1998) showed how the approach could be used to address the homogeneous case (of which CRRA is an example) in a deterministic framework; later, Durán (2003) showed how to extend the Boyd (1990) approach to the stochastic case. See also the exposition by Stachurski (2022), Ch 12.

minimum MPCs as wealth approaches zero and infinity. If the environment is that of an infinite-horizon ‘income fluctuation problem,’ our formulae yield the limiting upper and lower bounds of the limiting non-degenerate solution.

We first state the finite horizon problem and then define the limiting solution as the limit of finite horizon solutions as the terminal period becomes arbitrarily distant. This way, the economic intuition of limiting consumer behaviour can be directly linked to consumer behaviour in life-cycle models (see Gourinchas and Parker (2002) for an instance where buffer stock saving is discussed in the context of a life-cycle model). Nonetheless for the class of problems we consider, a non-degenerate limiting solution, if it exists, is mathematically equivalent (Bertsekas (2012), Ch. 1.) to a stationary solution to an infinite stochastic sequence problem commonly used in the literature (for example, Ma, Stachurski, and Toda (2020)).

{sec:Foundations}

2.1 Setup

{subsec:Setup}

We start by stating the consumer problem with permanent income growth in levels and then normalize by permanent income. The normalized problem then becomes the subject of our formal results in the paper.

Our time index t can take on values in $\{T, T-1, T-2, \dots\}$. We assume that our consumer has a Constant Relative Risk Aversion (CRRA) per-period utility function, $u(c) = \frac{c^{1-\gamma}}{1-\gamma}$, where $\gamma > 1$. The term β is the (strictly positive) discount factor. In each period t , the consumer faces independently and identically distributed (iid) income shocks, with the permanent shock given by $\psi_t \in \mathbb{R}_{++}$ and the transitory shock by $\xi_t \in \mathbb{R}_+$.⁹

In each t , the finite horizon value function for the problem in levels will be denoted by $\mathbf{v}_t$, with $\mathbf{v}_t: \mathbb{R}_{++}^2 \rightarrow \mathbb{R}$. Value, $\mathbf{v}_t(\mathbf{m}_t, \mathbf{p}_t)$, depends on two strictly positive state variables: ‘market resources’ $\mathbf{m}_t$ and permanent income $\mathbf{p}_t$. After the terminal period, we assume the consumer cannot die in debt:

$$\mathbf{c}_T \leq \mathbf{m}_T. \quad (1)$$

{eq:NoDebtAtDeath}

Letting $\mathbf{v}_{T+1} = 0$, it follows that the value function for the terminal period satisfies $\mathbf{v}_T = u(\mathbf{m}_T)$. For $t < T$, the finite-horizon value functions are recursively defined by:

$$\mathbf{v}_t(\mathbf{m}_t, \mathbf{p}_t) = \max_{0 < \mathbf{c}_t \leq \mathbf{m}_t} u(\mathbf{c}_t) + \beta \mathbb{E}_t \mathbf{v}_{t+1}(\mathbf{m}_{t+1}, \mathbf{p}_{t+1}), \quad (\mathbf{m}_t, \mathbf{p}_t) \in \mathbb{R}_{++}^2 \quad (\mathcal{P}_L)$$

{eq:levelRecProblem}

where i) $\mathbf{c}_t$ is the level of consumption at time t , ii) $\mathbb{E}_t$ is the expectation operator over

⁹Formally, we assume $\{\psi_t, \xi_t\}_{t=-\infty}^T$ is a sequence of iid random variables defined on a common probability space $(\Omega, \Sigma, \mathbb{P})$. When used without the time subscript, ψ and ξ are the canonical random variables with distributions $\mathbb{P} \circ \psi_0^{-1}$ and $\mathbb{P} \circ \xi_0^{-1}$, respectively.

the shocks ψ_{t+1} and ξ_{t+1} , and iii) $\mathbf{m}_{t+1}$ is determined from this period's $\mathbf{m}_t$ and choice of $\mathbf{c}_t$ as follows:¹⁰

$$\begin{aligned} \mathbf{a}_t &= \mathbf{m}_t - \mathbf{c}_t \\ \mathbf{k}_{t+1} &= \mathbf{a}_t \\ \mathbf{p}_{t+1} &= \mathbf{p}_t \underbrace{\mathcal{G}^{\psi_{t+1}}}_{:=\tilde{\mathcal{G}}_{t+1}} \\ \mathbf{m}_{t+1} &= \underbrace{\mathbf{R}\mathbf{k}_{t+1}}_{:=\mathbf{b}_{t+1}} + \underbrace{\mathbf{p}_{t+1}\xi_{t+1}}_{:=\mathbf{y}_{t+1}}. \end{aligned}$$

The consumer's assets at the end of t , $\mathbf{a}_t$, translate one-for-one into capital $\mathbf{k}_{t+1}$ at the beginning of the next period. In turn, $\mathbf{k}_{t+1}$ is augmented by a fixed interest factor $\mathbf{R}$ to become the consumer's financial ('bank') balances $\mathbf{b}_{t+1} = \mathbf{R}\mathbf{k}_{t+1}$. 'Market resources,' $\mathbf{m}_{t+1}$, are the sum of financial wealth $\mathbf{R}\mathbf{k}_{t+1}$ and noncapital income $\mathbf{y}_{t+1} = \mathbf{p}_{t+1}\xi_{t+1}$ (permanent noncapital income $\mathbf{p}_{t+1}$ multiplied by the transitory shock ξ_{t+1}). Permanent noncapital income $\mathbf{p}_{t+1}$ is derived from $\mathbf{p}_t$ by application of a growth factor $\mathcal{G}$,¹¹ modified by the permanent income shock ψ_{t+1} ,¹² and the resulting idiosyncratic growth factor for permanent income is written as $\tilde{\mathcal{G}}_{t+1}$.

Letting n denote the planning horizon, the finite-horizon problems furnish a sequence of value functions $\{\mathbf{v}_T, \mathbf{v}_{T-1}, \dots, \mathbf{v}_{T-n}\}$ and associated consumption functions $\{\mathbf{c}_T, \mathbf{c}_{T-1}, \dots, \mathbf{c}_{T-n}\}$. The limiting consumption function, denoted by $\mathbf{c}(\mathbf{m}, \mathbf{p}) = \lim_{n \rightarrow \infty} \mathbf{c}_{T-n}(\mathbf{m}, \mathbf{p})$, will be called a 'non-degenerate limiting solution' if neither $\mathbf{c} = 0$ everywhere (for all $(\mathbf{m}, \mathbf{p})$) nor $\mathbf{c} = \infty$ everywhere.

Before turning to the normalized problem, we present the income process and its implications for the consumer problem. The following assumption defines the income process.

{ass:shocks}

Assumption I.1. (*Friedman-Muth Income Process*). For each t :

1. The permanent shock, ψ_t , satisfies $\mathbb{E}[\psi_t] = 1$ and $\psi_t \in [\underline{\psi}, \bar{\psi}]$ s.t. $0 < \underline{\psi} \leq 1$ and $1 \leq \bar{\psi} < \infty$.

¹⁰For maximal clarity, we have separately described every step in the dynamic budget evolution. The steps are broken down also so that the notation of the paper will correspond exactly to the variable names in the toolkit, because it is required for solving life cycle problems.

¹¹A time-varying $\mathcal{G}$ has straightforward consequences for the analysis below; this is an option allowed for in the HARK toolkit.

¹²While much of the literature employs an income process that is persistent but not permanent, evidence of the presence and large size of permanent (or very nearly permanent) shocks has long been observed in micro data. (Lillard and Weiss (1979), MaCurdy (1982); Abowd and Card (1989); Carroll and Samwick (1997); Jappelli and Pistaferri 2000; et. seq.) Daly, Hryshko, and Manovskii (2016) show that when measurement problems are handled correctly, administrative data yield serial correlation coefficients 0.98 – 1.00; and Hryshko and Manovskii (2020) suggests that survey data support the same conclusion. Most recently Crawley, Holm, and Tretvoll (2022) use data from the Norwegian national registry that encompass millions of observations over along time span, and argue that the parsimonious specification with permanent shocks is preferable to one that allows a persistent shock with a serial correlation coefficient very close to 1.

2. The transitory shock, ξ_t , satisfies:

$$\xi_t = \begin{cases} 0 & \text{with probability } \wp > 0 \\ \theta_t/(1 - \wp) & \text{with probability } (1 - \wp), \end{cases} \quad (2) \quad \{\text{eq:TranShkDef}\}$$

for iid random variable θ_t , with $\mathbb{E}[\theta_t] = 1$ and $\theta_t \in [\underline{\theta}, \bar{\theta}]$ s.t. $\underline{\theta} > 0$ and $\underline{\theta} \leq 1 \leq \bar{\theta} < \infty$.

Following Zeldes (1989), the income process incorporates a small probability $\wp$ that income will be zero (a ‘zero-income event’). At date $T - 1$, the (strictly positive) probability q of zero income in period T will prevent the consumer from spending all resources, because saving nothing would mean arriving in the following period with zero bank balances and thus facing the possibility of being required to consume 0, which would yield utility of $-\infty$. This logic holds recursively from $T - 1$ back, so the consumer will never spend everything, giving rise to what Aiyagari (1994) dubbed a ‘natural borrowing constraint.’¹³ (Thus, the upper-bound constraint on consumption in the problem $(\mathcal{P}_L)$ will not bind.)

The model looks more special than it is. In particular, a positive probability of zero-income events may seem objectionable (despite empirical support). However, a nonzero minimum value of ξ (motivated, say, by the existence of unemployment insurance) could be handled by capitalizing the present discounted value (PDV) of minimum income into current market assets,¹⁴ and transforming that model back into this one. And no key results would change if the transitory shocks were persistent but mean-reverting (instead of iid). Also, the assumption of a positive point mass for the worst realization of the transitory shock is inessential, but simplifies the proofs and is a powerful aid to intuition.

2.1.1 Normalized Problem

{subsubsec:ratio}

Let nonbold variables be the boldface counterpart normalized by $\mathbf{p}_t$, allowing us to reduce the number of states from two ($\mathbf{m}$ and $\mathbf{p}$) to one ($m = \mathbf{m}/\mathbf{p}$). Now, in a one-time deviation from the notational convention established in the last sentence, define nonbold ‘normalized value’ not as $\mathbf{v}_t/\mathbf{p}_t$ but as $v_t = \mathbf{v}_t/\mathbf{p}_t^{1-\gamma}$, because this allows us to write nonbold $\mathbf{v}_t$, with $\mathbf{v}_t: \mathbb{R}_{++} \rightarrow \mathbb{R}$, to denote the ‘normalized value function’:

$$\begin{aligned} v_t(m_t) &= \max_{0 < c_t < m_t} u(c_t) + \beta \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{1-\gamma} v_{t+1}(m_{t+1})], & m_t \in \mathbb{R}_{++} \\ \text{s.t.} & \\ a_t &= m_t - c_t & (\mathcal{P}_N) \quad \{\text{eq:veqnNrmRecBe}\} \\ b_{t+1} &= a_t R / \tilde{\mathcal{G}}_{t+1} = \tilde{\mathcal{R}}_{t+1} a_t \\ m_{t+1} &= b_{t+1} + \xi_{t+1}, \end{aligned}$$

¹³We specify zero as the lowest-possible-income event without loss of generality (Aiyagari, 1994).

¹⁴So long as unemployment benefits are proportional to $\mathbf{p}_t$; see the discussion in Section 2.1.1.

where $\tilde{\mathcal{R}}_{t+1} = (R/\tilde{\mathcal{G}}_{t+1})$ is a ‘permanent-income-growth-normalized’ return factor.¹⁵ (Appendix A.1 explains how the solution to the original problem in levels can be recovered from the normalized problem.)

The time t normalized consumption *policy function* for the finite-horizon problem, c_t , is defined by:

$$c_t(m_t) = \arg \max_{0 < c_t < m_t} u(c_t) + \beta \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{1-\gamma} v_{t+1}(m_{t+1})]. \quad (3) \quad \{\text{eq:cfuncq1}\}$$

The normalized problem’s first order condition becomes:

$$c_t^{-\gamma} = R\beta \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{-\gamma} c_{t+1}^{-\gamma}]. \quad (4) \quad \{\text{eq:scaled euler}\}$$

Since our main results pertain to the normalized problem, we define the limiting non-degenerate solution to the normalized problem formally.

Definition 1. (*Non-degenerate Limiting Solution*) $\mathcal{P}_N$ has a non-degenerate limiting solution if there exists c , with $c: \mathbb{R}_{++} \rightarrow \mathbb{R}_{++}$, and v , with $v: \mathbb{R}_{++} \rightarrow \mathbb{R}$, such that: {def:nondegenerac}

$$c(m) = \lim_{n \rightarrow \infty} c_{T-n}(m), \quad v(m) = \lim_{n \rightarrow \infty} v_{T-n}(m), \quad m \in \mathbb{R}_{++}.$$

We use $\mathbb{T}$ to denote the stationary Bellman operator for the normalized problem. To define $\mathbb{T}$, let $\tilde{\mathcal{R}} = R/\tilde{\mathcal{G}}$ and let $\mathbb{T}$ denote the mapping $v_{t+1} \mapsto v_t$ given by Problem $\mathcal{P}_N$:

$$\mathbb{T}v_{t+1}(m) = \max_{c \in (0, m)} \left\{ u(c) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v_{t+1}(\tilde{\mathcal{R}}(m - c) + \xi) \right\}, \quad m \in \mathbb{R}_{++}. \quad (5) \quad \{\text{eq:maintmap}\}$$

The mapping $m \mapsto (0, m)$ defines the feasibility correspondence. To define $\mathbb{T}$, we excluded the boundary of the feasible values that consumption can take (0 and m) to ensure the maximand above is real-valued for all feasible values of consumption. It is straightforward to show (using the Bellman Principle of Optimality) that a finite valued solution, v , to the functional equation $\mathbb{T}v = v$ defines a limiting non-degenerate solution. However, because the feasibility correspondence does not include the boundary of feasible consumption, existing dynamic programming arguments cannot be used to show that such a solution (a fixed point to $\mathbb{T}$) exists.

2.1.2 Dynamic Programming Challenges

Standard dynamic programming (Stachurski, 2022) works by showing that $\mathbb{T}$ is a well-defined contraction map on a Banach space, which would allow us to conclude that the sequence of value functions given by Problem $\mathcal{P}_N$ converges to a fixed point of $\mathbb{T}$, a non-degenerate solution. At first, we must contend with the fact that both u and v are unbounded below. We resolve unboundedness by constructing a weighted-norm (see below). Setting aside unboundedness, the natural liquidity constraint introduces a more pernicious challenge related to continuity: $\mathbb{T}$ will not be a well defined self-map on a {subsubsec:challeng}

¹⁵We omit k from this transition because our assumption that $\mathbf{k}_{t+1} = \mathbf{a}_t$ could lead to confusion about whether do denote $k_{t+1} = a_t$ or $k_{t+1} = a_t/\tilde{\mathcal{G}}_{t+1}$.

vector space of continuous functions. In particular, we cannot assert $\mathbb{T}$ maps continuous functions to continuous functions since the feasibility correspondence $m \mapsto (0, m)$ is not compact-valued.

Remark 1. *Since the correspondence $m \mapsto (0, m)$ is not compact valued, the conditions of Berge’s Maximum Theorem (Lemma 1, Jaśkiewicz and Nowak (2011)) fail and $\mathbb{T}f$ may not be continuous for continuous f .*

{remark:notComp}

If we reintroduce the boundary points 0 and m to the feasibility correspondence, the operator $\mathbb{T}$ will be able to map upper semicontinuous functions to upper semicontinuous functions (Lemma 1, Jaśkiewicz and Nowak (2011)). However, v must now be defined on $\mathbb{R}_+$ and take on values in $\mathbb{R}_+ \cup \{-\infty\}$ and spaces of such functions will not be a vector space. The approach taken by Ma, Stachurski, and Toda (2022b) is to impose an artificial liquidity constraint, which yields a real-valued continuation value, even if $c = m$, and forces the value function to be bounded below as a function of end-of-period assets. This allows Ma, Stachurski, and Toda (2022b) to define a functional operator operator within which the feasibility correspondence is the compact interval $[0, m]$. Without an artificial constraint, no such strategy is possible.¹⁶

A related approach, which uses Euler operators is used by Ma, Stachurski, and Toda (2020). While Ma, Stachurski, and Toda (2020) also assume an artificial liquidity constraint to bound the marginal utility of consumption, it is useful to consider how the structure of our model relates to theirs once the artificial liquidity constraint is imposed.

Remark 2. *If $\varrho = 0$, $(\mathcal{P}_N)$ becomes a special case of Ma, Stachurski, and Toda (2020), with $\tilde{\mathcal{R}}_{t+1} = R/\tilde{\mathcal{G}}_{t+1}$ corresponding to the stochastic rate of return on capital and $\beta\tilde{\mathcal{G}}_{t+1}^{1-\gamma}$ corresponding to the stochastic discount factor.*

{remark:stochdisc}

Notwithstanding Remark 2, there are important economic consequences relating consumer patience to buffer stock saving due to the fact that in our problem $\tilde{\mathcal{R}}_{t+1} = R/\tilde{\mathcal{G}}_{t+1}$ is tightly tied to the ‘normalized stochastic discount factor,’ $\beta\tilde{\mathcal{G}}_{t+1}^{1-\gamma}$; these will become apparent as we proceed.

2.2 Consumer Patience Conditions

{subsec:GICTheory}

In order to have a central reference point for them, we now collect conditions relating consumer discounting and patience to the rate of return and income growth that underpin results in the remainder of the paper. Assumptions L.1 - L.3 (finite value of autarky,

¹⁶The challenge of continuity and compactness remains unresolved in a general setting (Rincón-Zapatero, 2024). Relevant results include Feinberg, Kasyanov, and Zadoianchuk (2012), who generalize the requirement of continuity of feasibility correspondences to K-Inf-Compactness of the Bellman operator, yielding a mapping from semi-continuous to semi-continuous functions. Shanker (2017) introduces a generalization, mild-Sup-compactness, which can be verified in the weak topology generated on the infinite dimensional product space of feasible random variables controlled by the consumers. Our approach, by contrast, has the advantage that it can be used to verify existence using more standard tools.

return impatience and weak return impatience) will be used to prove the existence of limiting solutions in Section 2.4, and Assumptions S.1 - S.2 (growth impatience and strong growth impatience) are required for existence of alternative definitions of a stable target buffer stock in Section 3.

We start by generalizing the standard $\beta < 1$ condition to our setting with permanent income growth and uncertainty.¹⁷ The updated condition requires that the expected net discounted value of utility from consumption is finite under our definition of ‘autarky’ – where consumption is always equal to permanent income. A finite value of autarky helps guarantee that as the horizon extends, discounted value remains finite along *any* consumption path the consumer might choose. (See Appendix A).

Assumption L.1. (*Finite Value of Autarky*). $0 < \beta \mathcal{G}^{1-\gamma} \mathbb{E}(\psi^{1-\gamma}) < 1$.

{ass:FVAC}

We now turn to consumer patience and start with ‘absolute (im)patience.’ We will say that an unconstrained perfect foresight consumer exhibits absolute impatience if they optimally choose to spend so much today that their consumption must decline in the future. The growth factor for consumption implied by the Euler equation of a perfect foresight model is $c_{t+1}/c_t = (R\beta)^{1/\gamma}$,¹⁸ which motivates our definition of an ‘absolute patience factor’ whose centrality (to everything that is to come later) justifies assigning to it a special symbol; we have settled on the archaic letter ‘thorn’:

$$\mathfrak{P} = (R\beta)^{1/\gamma}. \quad (6)$$

{eq:APFac}

We will say that (in the perfect foresight problem) ‘an absolutely impatient’ consumer is one for whom $\mathfrak{P} < 1$; that is an absolutely impatient consumer prefers to consume more today than tomorrow (and vice versa for an ‘absolutely patient’ consumer, whose consumption will grow over time):

Assumption L.2. (*Absolute Impatience*). $\mathfrak{P} < 1$.

{ass:AIC}

A consumer who is absolutely impatient, $\mathfrak{P} < 1$, satisfies the standard impatience condition commonly used in the income fluctuation literature, $\beta R < 1$, which guarantees the existence of a stable asset distribution when there is no permanent income growth. However, as pointed out by Szeidl (2013) and Ma, Stachurski, and Toda (2022a), $\beta R < 1$ is not necessary for an infinite-horizon solution.

Recall now our earlier requirement that the limiting consumption function $c(m)$ in our model must be ‘sensible.’ We will show below that for the perfect foresight unconstrained problem this requires

Assumption L.3. (*Return Impatience*). $\mathfrak{P}/R < 1$.

{ass:RIC}

Return impatience can be best understood as the tension between the income effect of capital income and the substitution effect. As we show below in Section 2.3, in the

¹⁷In light of Remark 2, Ma, Stachurski, and Toda (2020) Assumption 2.1 is a generalization of this discount condition, albeit in a context with artificial liquidity constraints.

¹⁸See (12) below.

perfect foresight model, it is straightforward to derive the MPC out of overall (human plus nonhuman) wealth that would result in next period's wealth being identical to the current period's wealth. The answer turns out to be an MPC (' κ ') of $\kappa = (1 - \mathbf{P}/R)$. The interesting point here is that κ depends both on our absolute patience factor $\mathbf{P}$ and on the return factor. This is the manifestation in this context of the interaction of the income effect (higher wealth yields higher interest income if $R > 1$) and the substitution effect (which we have already captured with $\mathbf{P}$).

Next, consider the weaker condition of a consumer whose absolute patience factor is suitably adjusted to take account of the probability of zero income is less than the market return.

Assumption L.4. (*Weak Return Impatience*). $\frac{(\wp R \beta)^{1/\gamma}}{\underbrace{R}_{= \wp^{1/\gamma} \mathbf{P}}} < 1.$

{ass:WRIC}

This condition is 'weak' (relative to the plain return impatience) because the probability of the zero income events $\wp$ is strictly less than 1. The role of $\wp$ in this equation is related to the fact that a consumer with zero end-of-period assets today has a probability $\wp$ of having no income and no assets to finance consumption (and $m_{t+1} = 0$ would yield negative infinite utility). In the case with no artificial constraint, our main results below, in Section 2.4, show weak return impatience and finite value of autarky are sufficient to guarantee a sensible (non-degenerate) solution.

Weak return impatience cannot be relaxed further without an artificial liquidity constraint. Even though $\wp^{1/\gamma} \mathbf{P}/R \rightarrow 0$ as $\wp \rightarrow 0$ the weak return impatience condition *does not* approach irrelevance as the possibility of the zero income event approaches zero. Instead, we show below in Section 2.4.3 that the limiting consumption function with a natural constraint approaches the solution to a model with an artificial constraint.

Now that we have finished discussing the requirements for a non-degenerate solution, we turn to assumptions required for stability. We will call the ratio of the $\mathbf{P}$ to the expected growth factor for permanent income $\mathcal{G} = \mathbb{E}[\mathcal{G}\psi]$ the *growthpatiencefactor*:

$$\mathbf{P}/\mathcal{G}: = \mathbf{P}/\mathcal{G} \tag{7} \quad \{\text{eq:GPFacRaw}\}$$

as exhibiting 'growth impatience:'

We speak of a consumer whose absolute patience factor is less than the expected growth factor for their permanent income $\mathcal{G} = \mathbb{E}[\mathcal{G}\psi]$ as exhibiting 'growth impatience:'

{ass:GICRaw}

Assumption S.1. (*Growth Impatience*). $\mathbf{P}/\mathcal{G} < 1.$

A final useful definition is 'strong growth impatience'

$$\mathbb{E}[\mathbf{P}/\tilde{\mathcal{G}}] < 1 \tag{8} \quad \{\text{eq:GPFacMod}\}$$

which holds for a consumer for whom the expectation of the *ratio* of the absolute patience factor to the (stochastic) growth factor of permanent income is less than one,

Assumption S.2. (*Strong Growth Impatience*). $\mathbb{E} \left[\frac{\mathbf{P}}{\mathcal{G}\psi} \right] = \mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}] < 1$.

{ass:GICMod}

(The difference between growth impatience and strong growth impatience is that the first is the ratio of an expectation to an expectation, while the latter is the expectation of the ratio. With non-degenerate mean-one stochastic shocks to permanent income, the expectation of the ratio is strictly larger than the ratio of the expectations).

While neither growth impatience nor return impatience will by themselves be required for the existence of a limiting solution, the finite value of autarky condition stops individuals from becoming *both* growth and return patient.

Claim 1. *If growth impatience fails ($\mathbf{P}/\mathcal{G} \geq 1$) and return impatience fails ($\mathbf{P}/R \geq 1$), then finite value of autarky fails ($\beta\mathcal{G}^{1-\gamma}\mathbb{E}(\psi^{1-\gamma}) \geq 1$).*

{claim:noRICGIC}

Proof. Since $\mathbf{P}/R > 1$, $\mathbf{P}/R$ satisfies:

$$\mathbf{P}/R = \frac{(R\beta)^{\frac{1}{\gamma}}}{R} \geq 1. \quad (9)$$

Multiplying both sides by $R\mathcal{G}^{1-\gamma}$ gives us:

$$\beta\mathcal{G}^{1-\gamma}R^{\frac{1}{\gamma}}\beta^{\frac{1-\gamma}{\gamma}} \geq R\mathcal{G}^{1-\gamma} \Rightarrow \beta\mathcal{G}^{1-\gamma} \geq \left(\frac{\mathbf{P}}{\mathcal{G}}\right)^{\gamma-1}. \quad (10)$$

Finally, since $\gamma > 1$, applying $\mathbf{P}/\mathcal{G} \geq 1$ gives us the result. $\square$

We discuss further intuition for the consumer patience conditions below when they are used in the main results.

The relationship between the conditions and their implications for consumption behaviour will also be discussed in detail in Section 5.

2.3 Perfect Foresight Benchmarks

To understand the economic implications of the patience conditions, we begin with the perfect foresight case.

{subsec:PFBenchm}

Below, when we say we assume perfect foresight, what we mean mathematically is:

Assumption I.2. (*Perfect Foresight Income Process*). $\wp = 0$ and $\underline{\theta} = \bar{\theta} = \bar{\theta} = \underline{\psi} = \bar{\psi} = 1$

{ass:pfincome}

Throughout this sub-section, we assume Assumption I.2 remains in force.

Under perfect foresight, finite value of autarky reduces to a ‘perfect foresight finite value of autarky’ condition:

$$\beta\mathcal{G}^{1-\gamma} < 1. \quad (11) \quad \text{{eq:PFFVAC}}$$

2.3.1 Perfect Foresight without Liquidity Constraints

{subsubsec:PFUnco}

Consider the familiar analytical solution to the perfect foresight model without liquidity constraints. In this case, the consumption Euler Equation always holds as an equality; with $u'(\mathbf{c}) = \mathbf{c}^{-\gamma}$ and $u'(\mathbf{c}_t) = R\beta u'(\mathbf{c}_{t+1})$, we have:

$$\mathbf{c}_{t+1}/\mathbf{c}_t = (R\beta)^{1/\gamma}. \quad (12) \quad \{\text{eq:cGroFac}\}$$

Recalling $\mathcal{R} = R/\mathcal{G}$, ‘human wealth’, is the present discounted value of income:

$$\begin{aligned} \mathbf{h}_t &= \mathbf{p}_t + \mathcal{R}^{-1}\mathbf{p}_t + \mathcal{R}^{-2}\mathbf{p}_t + \cdots + \mathcal{R}^{t-T}\mathbf{p}_t \\ &= \underbrace{\left(\frac{1 - \mathcal{R}^{-(T-t+1)}}{1 - \mathcal{R}^{-1}} \right)}_{=: h_t} \mathbf{p}_t. \end{aligned}$$

For human wealth to have finite value, we must have:

{ass:FHWC}

Assumption I.3. (*Finite Limiting Human Wealth*).

$$\mathcal{R}^{-1} = \mathcal{G}/R < 1. \quad (13) \quad \{\text{eq:FHWC2}\}$$

If $\tilde{\mathcal{R}}^{-1}$ is less than one, human wealth will be finite in the limit as $T \rightarrow \infty$ because (noncapital) income growth is smaller than the interest rate at which that income is being discounted.

Under these conditions we can define a normalized finite-horizon perfect foresight consumption function (see Appendix D.1 for details) as follows:

$$\bar{c}_{T-n}(m_{T-n}) = \overbrace{(m_{T-n} - 1 + h_{T-n})}^{=: b_{T-n}} \underline{\kappa}_{t-n} \quad (14)$$

where $\underline{\kappa}_t$ is the marginal propensity to consume (MPC) and satisfies:

$$\underline{\kappa}_{T-n}^{-1} = 1 + (\mathbf{P}/R) \underline{\kappa}_{T-n+1}^{-1}. \quad (15) \quad \{\text{eq:PFMPCminInv}\}$$

Let $\underline{\kappa} = \lim_{n \rightarrow \infty} \underline{\kappa}_{T-n}$. For $\underline{\kappa}$ to be strictly positive, we must impose return impatience. The limiting consumption function then becomes:

$$\bar{c}(m) = (m + h - 1)\underline{\kappa}, \quad (16) \quad \{\text{eq:cFuncPFUnc}\}$$

where, under return impatience, the limiting MPC becomes:

$$\underline{\kappa} = 1 - \mathbf{P}/R. \quad (17) \quad \{\text{eq:MPCminDef}\}$$

In order to rule out the degenerate limiting solution in which $\bar{c}(m) = \infty$, we also require (in the limit as the horizon extends to infinity) that human wealth remain bounded (that is, we require ‘finite limiting human wealth’). Thus, while return impatience prevents

a consumer from saving everything in the limit, ‘finite limiting human wealth’ prevents infinite borrowing (against infinite human wealth) in the limit.

The following two results consider the normalized problem without liquidity constraints and with perfect foresight income (Assumption I.2).

Proposition 1. *A non-degenerate limiting solution exists if and only if finite limiting human wealth ($\mathcal{R}^{-1} < 1$) and return impatience (Assumption L.3) hold.*

{prop:pfUCFWC}

Proof. See Appendix D.1 for the proof.

Claim 2. *Assume finite limiting human wealth ($\mathcal{R}^{-1} < 1$). If growth impatience (Assumption S.1) holds, then finite value of autarky (Assumption L.1) holds. If finite value of autarky (Assumption L.1) holds, then return impatience (Assumption L.3) holds.*

{claim:PFConsPC}

Proof. See Appendix A.2 for the proof.

The claim implies that if we impose finite limiting human wealth, then growth impatience is sufficient for nondegeneracy since finite value of autarky and return impatience follow. However, there are circumstances under which return impatience and finite limiting human wealth can hold while the finite value of autarky fails. For example, if $\mathcal{G} = 0$, the problem is a standard ‘cake-eating’ problem with a non-degenerate solution under return impatience.

2.3.2 Perfect Foresight with Liquidity Constraints

Our ultimate interest is in the unconstrained problem with uncertainty. Here, we show that the perfect foresight constrained solution defines a useful limit for the unconstrained problem with uncertainty.

Consider that if a liquidity constraint requiring $a_t \geq 0$ binds at any m_t , it must bind at the lowest possible level of m_t , $m_t = 1$, defined by the lower bound of having arrived into the period with $b_t = 0$ (if the constraint were binding at any higher m_t , it would certainly be binding here, because $u'' < 0$ and $c' > 0$). At $m_t = 1$ the constraint binds if the marginal utility from spending all of today’s resources $c_t = m_t = 1$, exceeds the marginal utility from doing the same thing next period, $c_{t+1} = 1$; that is, if such choices would violate the Euler equation, Equation (4), yielding

$$1^{-\gamma} > R\beta\mathcal{G}^{-\gamma}1^{-\gamma}, \quad (18)$$

{eq:LiqConstrBinds}

which is just a restatement of growth impatience. So, the constraint is relevant if and only if growth impatience holds.

For the following result, consider the normalized perfect foresight problem with a liquidity constraint (that is, assume $c_t \leq m_t$ for each t .)

Proposition 2. *If return impatience (Assumption L.3) holds, then a non-degenerate solution exists. Moreover, if return impatience does not hold, then a non-degenerate solution exists if and only if growth impatience (Assumption S.1) holds.*

{prop:PFCExist}

The proof for the result follows from the discussion in Section 5.1.1, which outlines the cases under which perfect foresight liquidity constraint solutions are non-degenerate.

Importantly, if return impatience fails ($\mathbf{R} \leq \mathbf{P}$) and growth impatience holds ($\mathbf{P} < \mathcal{G}$), then finite limiting human wealth also fails ($\mathbf{R} \leq \mathcal{G}$). Despite the unboundedness of human wealth as the horizon extends arbitrarily, for any finite horizon the relevant liquidity constraint prevents borrowing. Similarly, when uncertainty is present, the natural borrowing constraint plays an analogous role in permitting a finite limiting solution with unbounded limiting human wealth – we discuss the various parametric cases in Section 5.

2.4 Main Results for Problem with Uncertainty

We are now ready to return to our primary interest, the model with permanent and transitory income shocks. Throughout this section, we assume the Friedman-Muth income process (Assumption I.1 holds) and examine the normalized problem, Problem $\mathcal{P}_N$.

2.4.1 Limiting MPCs

We first establish results regarding the shape of the consumption function.¹⁹

Proposition 3. *For each t , c_t is twice continuously differentiable, increasing and strictly concave.*

Proof. See Appendix A.3 for the proof.

Next, we note that the ratio of optimal consumption to market resources (c/m) is bounded by the minimal and maximal marginal propensities to consume (MPCs). Recall that the MPCs answer the question ‘if the consumer had an extra unit of resources, how much more spending would occur?’. The minimal and maximal MPCs are the limits of the MPC as $m \rightarrow \infty$ and $m \rightarrow 0$, which we denote by $\underline{\kappa}_t$ and $\bar{\kappa}_t$ respectively. Since the consumer spends everything in the terminal period, $\underline{\kappa}_T = 1$ and $\bar{\kappa}_T = 1$. Furthermore, Proposition 3 will imply:²⁰

$$\underline{\kappa}_t m_t \leq c_t(m_t) \leq \bar{\kappa}_t m_t. \quad (19)$$

We define:

$$\underline{\kappa} = \max\{0, 1 - \mathbf{P}/\mathbf{R}\}, \quad (20)$$

$$\bar{\kappa} = 1 - \wp^{1/\gamma} \mathbf{P}/\mathbf{R}, \quad (21)$$

as the ‘limiting minimal and maximal MPCs’. The following result verifies that the consumption share is bounded each period by the minimal and maximal MPCs, that

¹⁹Carroll and Kimball (1996) proved concavity but not continuous differentiability.

²⁰Note c'_t is positive, bounded above by 1 and decreasing, then apply L’Hôpital’s Rule.

the consumption function is asymptotically linear and that the MPCs converge to the limiting MPCs as the terminal period recedes.²¹

Lemma 1. (*Limiting MPCs*). *If weak return impatience (Assumption L.4) holds, then:*

{lemm:MPC}

(i) *For each n :*

$$\underline{\kappa}_{T-n}^{-1} = 1 + (\mathbf{P}/R) \underline{\kappa}_{T-n+1}^{-1}, \quad \bar{\kappa}_{T-n}^{-1} = 1 + (\wp^{1/\gamma} \mathbf{P}/R) \bar{\kappa}_{T-n+1}^{-1}. \quad (22)$$

{eq:MPCminInv}

(ii) *We have $\lim_{n \rightarrow \infty} \bar{\kappa}_{T-n} = \bar{\kappa} > 0$. Moreover, if return impatience (Assumption L.3) holds, then $\lim_{n \rightarrow \infty} \underline{\kappa}_{T-n} = \underline{\kappa} = 1 - \mathbf{P}/R > 0$.*

Proof. See Appendix A.3 for the proof.

The MPC bound as market resources approach infinity is easy to understand. Recall that $\bar{c}$ from the perfect foresight case will be an upper bound in the problem with uncertainty; analogously, $\underline{\kappa}$ becomes the MPC's lower bound. As the *proportion* of consumption that will be financed out of human wealth approaches zero, the proportional difference between the solution to the model with uncertainty and the perfect foresight model shrinks to zero.

To understand the maximal limiting MPC, the essence of the argument is that as market resources approach zero, the overriding consideration that limits consumption is the (recursive) fear of the zero-income events — this is why the probability of the zero income event $\wp$ appears in the expression for the maximal MPC. Weak return impatience is too weak to guarantee a lower bound on the share of consumption to market resources; it merely prevents the upper bound on the share of consumption to market resources from approaching zero. Weak return impatience thereby prevents a situation where *everyone* consumes an arbitrarily small share of current market resources as the terminal period recedes. This insight plays a key role in the proof for the existence of a non-degenerate solution in what follows.

2.4.2 Existence of Limiting Non-degenerate Solution

{subsubsec:eventual}

Let $\mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$ be the space of continuous functions from $\mathbb{R}_{++}$ to $\mathbb{R}$. To address the challenges posed by unbounded state-spaces, Boyd (1990) provided a weighted contraction mapping theorem. Our strategy is to use this approach to first show that while the stationary operator $\mathbb{T}$ may be undefined on a suitable Banach space (recall Remark 1), operators defining each period's problem (which we define below) will be contractions on a space of continuous functions with a finite weighted norm. We then show the sequence of finite horizon value functions given by Problem $(\mathcal{P}_N)$ generates a Cauchy sequence; since the weighted norm space is complete, the sequence of value functions converges to a non-degenerate solution in $\mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$.

²¹Benhabib, Bisin, and Zhu (2015) show that the consumption function becomes linear as wealth approaches infinity in a model with capital income risk and liquidity constraints; Ma and Toda (2020) show that these results generalize to the limits derived here if capital income is added to the model.

Definition 2. Fix f such that $f \in \mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$ and let φ be a function such that $\varphi \in \mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$ and $\varphi > 0$. The function f will be φ -bounded if the φ -norm of f , given by

$$\|f\|_\varphi = \sup_{s \in \mathbb{R}_{++}} \left[\frac{|f(s)|}{\varphi(s)} \right], \quad (23) \quad \{eq:phinorm\}$$

is finite. We will call $\mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$ the subspace of functions in $\mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$ that are φ -bounded.

We define the weighting function as

$$\varphi(x) = \zeta + x^{1-\gamma}, \quad (24)$$

where $\zeta \in \mathbb{R}_{++}$ is a constant derived from the model primitives and the upper and lower bound on the consumption share (see Claim 5 in Appendix A.4 for the parametrization of ζ).

Next, for any lower bound $\underline{\nu}$ and upper-bound $\bar{\nu}$ on the share of consumption to market resources, define the ‘MPC bounded Bellman operator’ $\mathbb{T}^{\underline{\nu}, \bar{\nu}}$, with $\mathbb{T}^{\underline{\nu}, \bar{\nu}} : \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R}) \rightarrow \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$, as:

$$\begin{aligned} & \mathbb{T}^{\underline{\nu}, \bar{\nu}} f(m) \\ &= \max_{c \in [\underline{\nu}m, \bar{\nu}m]} \left\{ u(c) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} f(\tilde{\mathcal{R}}(m - c) + \boldsymbol{\xi}) \right\}, \quad m \in \mathbb{R}_{++}, f \in \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R}). \end{aligned} \quad (25)$$

The value functions defined by Problem $(\mathcal{P}_N)$ will satisfy $v_t = \mathbb{T}^{\bar{\kappa}_t, \bar{\kappa}_t} v_{t+1}$ for each period t , since consumption shares are bounded by the minimal and maximal MPCs (Lemma 1 and Equation (19)). We now show the operator $\mathbb{T}^{\underline{\nu}, \bar{\nu}}$ is a contraction on $\mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$ for a suitably narrow interval $[\underline{\nu}, \bar{\nu}]$.

Theorem 1. (Contraction Mapping Under Consumption Bounds). If weak return impatience (Assumption L.4) and finite value of autarky (Assumption L.1) hold, then there exists k and $\alpha \in (0, 1)$ such that for all $[\underline{\nu}, \bar{\nu}]$ with $\bar{\kappa}_{T-k} \geq \bar{\nu} > \underline{\nu} > 0$, $\mathbb{T}^{\underline{\nu}, \bar{\nu}}$ is a contraction with modulus α . \{thm:cmap\}

Proof. See Appendix A.4 for the proof. □

The theorem says eventually the maximal MPCs will be small enough such that the Bellman operators generating the sequence of finite horizon value functions given by $(\mathcal{P}_N)$ are contraction maps.

We can now relate the sequence of contraction maps to the limiting solution defined in Section 2.1.1.

Theorem 2. (Existence of Non-degenerate Solution). If weak return impatience (Assumption L.4) and finite value of autarky (Assumption L.1) hold, then: \{thm:convgtobellm\}

- (i) There exists $k \in \mathbb{N}$ such that a) for all $n > k$ and $\underline{\nu}$ with $0 < \underline{\nu} < \bar{\kappa}_{T-n}$, $\mathbb{T}^{\underline{\nu}, \bar{\kappa}_{T-n}}$ is a contraction with modulus $\alpha < 1$ and b) the sequence $\{v_{T-n}\}_{n=0}^{\infty}$ converges point-wise to $v \in \mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$.
- (ii) The function v is a fixed point of $\mathbb{T}$ and there exists a measurable policy function, c , such that $c: \mathbb{R}_{++} \rightarrow \mathbb{R}$ and:

$$\mathbb{T}v(m) = u(c(m)) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v(\tilde{\mathcal{R}}(m - c(m)) + \xi), \quad m \in \mathbb{R}_{++}. \quad (26)$$

{eq:stationarybellman}

- (iii) The sequence $\{c_{T-n}\}_{n=0}^{\infty}$ converges point-wise to c and c and v are a limiting non-degenerate solution.

Proof. Item (i.)(a.) follows from Theorem 1, since $0 < \underline{\nu} < \bar{\kappa}_{T-n}$ and for each t , $\bar{\kappa}_{T-n} \leq \bar{\kappa}_{T-k}$ by Lemma 1. We now prove Item (i.)(b.), that $\{v_{T-n}\}_{n=0}^{\infty}$ converges point-wise to a limiting non-degenerate solution v . In the proof, to streamline the notation, we define $t_n := T - n$. Now, for all $n > k + 2$, $v_{t_n} = \mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_n}} v_{t_{n-1}}$ holds by definition of Problem $(\mathcal{P}_N)$. Moreover, since $\bar{\kappa}_{t_{n-1}} \geq \bar{\kappa}_{t_n}$ by Lemma 1, we have:

$$v_{t_n} = \mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_{n-1}}} v_{t_{n-1}},$$

and since $\underline{\kappa}_{t_n} \leq \underline{\kappa}_{t_{n-1}}$, we have:

$$\begin{aligned} v_{t_{n-1}} &= \mathbb{T}^{\underline{\kappa}_{t_{n-1}}, \bar{\kappa}_{t_{n-1}}} v_{t_{n-2}} \\ &= \mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_{n-1}}} v_{t_{n-2}}. \end{aligned} \quad (27)$$

Next, take the φ -norm distance between v_{t_n} and $v_{t_{n-1}}$, and note $\mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_{n-1}}}$ is a contraction. As such, the sequence of finite horizon value functions satisfy:

$$\|v_{t_n} - v_{t_{n-1}}\|_{\varphi} = \|\mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_{n-1}}} v_{t_{n-1}} - \mathbb{T}^{\underline{\kappa}_{t_n}, \bar{\kappa}_{t_{n-1}}} v_{t_{n-2}}\|_{\varphi} \leq \alpha \|v_{t_{n-1}} - v_{t_{n-2}}\|_{\varphi}.$$

As such, $\|v_{t_n} - v_{t_{n-1}}\|_{\varphi} \leq \alpha \|v_{t_{n-1}} - v_{t_{n-2}}\|_{\varphi}$; because n is arbitrary and α holds for all n by Theorem 1, this is a sufficient condition for $\{v_{T-n}\}_{n=k+2}^{\infty}$ to be a Cauchy sequence.

Since $\mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$ is a complete metric space, and $v_{t_{n-2}} \in \mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$ for each n , v_{t_n} converges to v , with $v \in \mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$. The proof for Item (i) and Item (ii) is continued in Appendix A.4.) $\square$

The proof above shows that the sequence of value functions produced by the iteration of the per-period Bellman operators $\mathbb{T}^{\underline{\kappa}_{T-n}, \bar{\kappa}_{T-n}}$ will be a Cauchy sequence converging to the limiting solution. Due to weak return impatience, the upper bound on the per-period consumption converges to a strictly positive share of market resources, preventing consumption from converging to zero.

Remark 3. Under return impatience, $\underline{\kappa}_{T-n} \geq \underline{\kappa} > 0$ for all n , and thus for $k \in \mathbb{N}$ large enough, $\mathbb{T}^{\underline{\kappa}, \bar{\kappa}_{T-k}}$ will be a stationary contraction map and we will have $v_{T-n} = \mathbb{T}^{\underline{\kappa}, \bar{\kappa}_{T-k}} v_{T-n+1}$ for all $n > k$. However, without return impatience, $\underline{\kappa} = 0$ and $\mathbb{T}^{0, \bar{\kappa}_{T-k}}$

will not be a well-defined operator from $\mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$ to $\mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$, even for k large enough (recall Section 2.1.2).

Finite value of autarky is the second assumption required to show existence of limiting solutions and guarantees the value is finite (in levels) for a consumer who spent exactly their permanent income every period (see Section 5.2). The intuition for the finite value of autarky condition is that, with an infinite-horizon, with any strictly positive initial amount of bank balances b_0 , in the limit your value can always be made greater than you would get by consuming exactly the sustainable amount (say, by consuming $(r/R)b_0 - \epsilon$ for some arbitrarily small $\epsilon > 0$).

Remark 4. Since $\bar{\kappa}m \geq c_{T-n}(m) \geq \underline{\kappa}m$ and c_{T-n} converges point-wise to c , $\bar{\kappa}m \geq c(m) \geq \underline{\kappa}m$. Moreover, since c satisfies Equation (26) and $v \in \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$, $c(m) > 0$ for $m > 0$.

Finally, we verify that the converged non-degenerate consumption functions satisfies the same marginal propensities to consume the per-period consumption functions.

Lemma 2. If weak return impatience (Assumption L.4) holds, then $\lim_{m \rightarrow \infty} c(m)/m = \underline{\kappa}m$ and $\lim_{m \rightarrow 0} c(m)/m = \bar{\kappa}m$.

Proof. See Appendix A for the proof.

2.4.3 The Liquidity Constrained Solution as a Limit

Recall the common assumption (Deaton, 1991; Aiyagari, 1994; Li and Stachurski, 2014; Ma, Stachurski, and Toda, 2020) of a strictly positive minimum value of income and a non-trivial artificial liquidity constraint, namely $a_t \geq 0$. We will refer to the set-up from Section 2.1, with Assumption 2 modified so $\varphi = 0$ as the “liquidity constrained problem.” Let $c_t(\bullet; \varphi)$ be the consumption function for a problem where Assumption I.1 holds for a given fixed φ , with $\varphi > 0$. Moreover, let $\bar{c}_t$ be the limiting consumption function for the liquidity constrained problem (note that the liquidity constraint $c_t \leq m_t$, or $a_t \geq 0$, becomes relevant only when $\varphi = 0$). The discussion in Appendix A.6 shows how an finite-horizon solution to the liquidity constrained problem, $\bar{c}_t$, is the limit of the problems as the probability φ of the zero-income event approaches zero.

Intuitively, if we impose the artificial constraint without changing φ and maintain $\varphi > 0$, it would not affect behavior. This is because the possibility of earning zero income over the remaining horizon already prevents the consumer from ending the period with zero assets. For precautionary reasons, the consumer will save something. However, the *extent* to which the consumer feels the need to make this precautionary provision depends on the *probability* that it will turn out to matter. As $\varphi \rightarrow 0$, the precautionary saving induced by the zero-income events approaches zero, and “zero” is the amount of precautionary saving that would be induced by a zero-probability event by the impatient liquidity constrained consumer. See Appendix A.6 for the formal proof.

3 Individual Buffer Stock Stability

{sec:indivStability}

In this section we analyse two notions of stability which will be useful for studying either an individual or a population of individuals who behave according to the converged consumption rule. Consider an individual who at time t holds normalized and non-normalized market resources m_t and $\mathbf{m}_t$ and follows the converged decision function c . The time- t consumption for the consumer will be $c_t = c(m_t)$ and the time $t + 1$ market resources will be a random variable $m_{t+1} = \tilde{\mathcal{R}}_{t+1}(m_t - c(m_t)) + \xi_{t+1}$.²² At the individual level, we are interested in whether the current level of market resources is above or below a ‘target’ level such that the magnitude of the precautionary motive (which causes a consumer to save) exactly balances the impatience motive (which makes them want to dissave). At the individual ‘target’, the expected market resources ratio in the next period, *conditioned on the current market resources ratio*, will be the same as the ratio in the current period. The intensifying strength of the precautionary motive with decreasing market resources can ensure stability of the target. Below the target, the urgency to save due to the precautionary motive leads to an expected rise in market resources. Conversely, above the target, impatience prevails, leading to an expected reduction of market resources. In this way, the ‘target’ essentially defines the desired ‘buffer stock’ of resources for the consumer.

To help motivate the theoretical results concerning existence of a target level of market resources, Figure 1 shows the expected growth factors for consumption, the level of market resources, and the market resources to permanent income ratio, $\mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t]$, $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t]$, and $\mathbb{E}_t[m_{t+1}/m_t]$. The figure is generated using parameters discussed in Section 5, Table 2. First, the figure shows how as $m_t \rightarrow \infty$ the expected consumption growth factor goes to $\mathbf{P}$, indicated by the lower bound in Figure 1. Moreover, as m_t approaches zero the consumption growth factor approaches ∞ . The following proposition establishes the asymptotic growth factors formally.

{prop:convGrowth}

Proposition 4. *We have $\lim_{m_t \rightarrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t] = \mathbf{P}$ and $\lim_{m_t \rightarrow 0} \mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t] = \infty$.*

Proof. See Appendix B.1 for the proof.

Next, consider the implications of Figure 1 for individual stability. The figure shows a value of the market resources ratio, $m_t = \tilde{m}$, at which point the expected growth factor of the level of market resources $\mathbf{m}$ matches the expected growth factor of permanent income $\mathcal{G}$. A distinct and larger target ratio, $\hat{m}$, also exists. At this ratio, $\mathbb{E}_t[m_{t+1}/m_t] = 1$, and the expected growth factor of consumption is less than $\mathcal{G}$. Importantly, at the individual level, this model does not have a single m at which $\mathbf{p}$, $\mathbf{m}$ and $\mathbf{c}$ are all expected to grow at the same rate. Yet, when we aggregate across individuals, balanced growth paths can exist, even if there does not exist a target ratio where $\mathbb{E}_t[m_{t+1}/m_t] = 1$.

²²None of the arguments in either of the two prior sections depended on the assumption that the consumption functions had converged. With more cumbersome notation, each derivation could have been replaced by the corresponding finite-horizon versions. This strongly suggests that it should be possible to extend the circumstances under which the problem can be shown to define a contraction mapping to the union of the parameter values under which $\{\text{RIC}, \text{FHWC}\}$ hold and $\{\text{FVAC}, \text{WRIC}\}$ hold. That extension is not necessary for our purposes here, so we leave it for future work.




Figure 1 ‘Stable’ (Target; Balanced Growth) m Values

{fig:cNrmTargetFig}

3.1 Unique ‘Stable’ Points

{subsec:onetarget}

One kind of ‘stable’ point is a ‘target’ value $\hat{m}$ such that if $m_t = \hat{m}$, then $\mathbb{E}_t[m_{t+1}] = m_t$. Existence of such a target requires the strong growth impatience condition.

{thm:target}

Theorem 3. (*Individual Market-Resources-to-Permanent-Income Ratio Target*). Consider the problem defined in Section 2.1. If weak return impatience (Assumption L.4), finite value of autarky (Assumption L.1) and strong growth impatience (Assumption S.2) hold, then there exists $\hat{m}$, with $\hat{m} > 0$, such that:

$$\mathbb{E}_t[m_{t+1}/m_t] = 1 \text{ if } m_t = \hat{m}, \quad (28) \quad \text{{eq:mTarget}}$$

and,

$$\begin{aligned} \forall m_t \in (0, \hat{m}), \mathbb{E}_t[m_{t+1}] &> m_t \\ \forall m_t \in (\hat{m}, \infty), \mathbb{E}_t[m_{t+1}] &< m_t. \end{aligned} \quad (29) \quad \text{{eq:stability}}$$

Proof. See Appendix B.2.1 for the proof.

If $\hat{m}$ satisfies (29), we say $\hat{m}$ is a point of ‘stability’.

Since $m_{t+1} = (m_t - c(m_t))\tilde{\mathcal{R}}_{t+1} + \xi_{t+1}$, the implicit equation for $\hat{m}$ becomes:

$$\begin{aligned} \mathbb{E}_t[(\hat{m} - c(\hat{m}))\tilde{\mathcal{R}}_{t+1} + \xi_{t+1}] &= \hat{m} \\ (\hat{m} - c(\hat{m}))\underbrace{\mathbb{RE}_t[\psi^{-1}]}_{:=\tilde{\mathcal{R}}} + 1 &= \hat{m}. \end{aligned} \quad (30) \quad \text{{eq:mTargImplicit}}$$

The market-resources-to-permanent-income ratio target is the most restrictive among several competing definitions of stability. Our least restrictive definition of ‘stability’

derives from a traditional aggregate question in macro models: whether or not there is a ‘balanced growth’ equilibrium in which aggregate variables (income, consumption, market resources) all grow by the same factor $\mathcal{G}$. In particular, if growth impatience holds, the problem will exhibit a balanced-growth ‘pseudo-steady-state’ point, by which we mean that there is some $\tilde{m}$ such that if $m_t > \tilde{m}$, then $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] < \mathcal{G}$. Conversely if $m_t < \tilde{m}$ then $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] > \mathcal{G}$. The target $\tilde{m}$ will be such that $\mathbf{m}$ growth matches $\mathcal{G}$, allowing us to write the implicit equation for $\tilde{m}$ as follows:

$$\begin{aligned} \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &= \mathbb{E}_t[\mathbf{p}_{t+1}]/\mathbf{p}_t \\ \mathbb{E}_t[m_{t+1}\mathcal{G}\psi_{t+1}\mathbf{p}_t]/(m_t\mathbf{p}_t) &= \mathbb{E}_t[\mathbf{p}_t\mathcal{G}\psi_{t+1}]/\mathbf{p}_t \\ \mathbb{E}_t \left[\psi_{t+1} \underbrace{((m_t - c(m_t)\mathcal{R}/(\mathcal{G}\psi_{t+1})) + \xi_{t+1}))}_{m_{t+1}} \right] / m_t &= 1 \\ \mathbb{E}_t \left[(\tilde{m} - c(\tilde{m})) \overbrace{\mathcal{R}/\mathcal{G}}^{\mathcal{R}} + \psi_{t+1}\xi_{t+1} \right] &= \tilde{m} \\ (\tilde{m} - c(\tilde{m}))\mathcal{R} + 1 &= \tilde{m}. \end{aligned} \tag{31} \quad \{\text{eq:balgrostable}\}$$

The only difference between (31) and (30) is the substitution of $\mathcal{R}$ for $\tilde{\mathcal{R}}$.^{23,24} Under the weaker growth impatience condition, we can verify the existence of this pseudo-steady-state market resources to permanent income ratio, $\tilde{m}$.

Theorem 4. (*Individual Balanced-Growth ‘Pseudo Steady State’*). *Consider the problem defined in Section 2.1. If weak return impatience (Assumption L.4), finite value of autarky (Assumption L.1) and growth impatience (Assumption S.1) hold, then there exists a unique $\tilde{m}$, with $\tilde{m} > 0$ such that:*

$$\mathbb{E}_t[\psi_{t+1}m_{t+1}/m_t] = 1 \text{ if } m_t = \tilde{m}. \tag{33} \quad \{\text{eq:mBalLvl}\}$$

²³A third ‘stable point’ is the $\tilde{m}$ where $\mathbb{E}_t[\log \mathbf{m}_{t+1}] = \log \mathcal{G}\mathbf{m}_t$; this can be conveniently rewritten as $\mathbb{E}_t \left[\log \left((\tilde{m} - c(\tilde{m}))\tilde{\mathcal{R}} + \psi_{t+1}\xi_{t+1} \right) \right] = \log \tilde{m}_t$. Because the expectation of the log of a stochastic variable is less than the log of the expectation, if a solution for $\tilde{m}$ exists it will satisfy $\tilde{m} > \hat{m}$; in turn, if $\hat{m}$ exists, $\hat{m} > \tilde{m}$. The target $\tilde{m}$ is guaranteed to exist when the log growth impatience condition is satisfied (see below). For our purposes, little would be gained by an analysis of this point parallel to those of the other points of stability; but to accommodate potential practical uses, the Econ-ARK toolkit computes the value of this point (when it exists) as `mBalLog`.

²⁴Our choice to call to this the individual problem’s ‘individual balanced-growth pseudo-steady-state’ $\tilde{m}$ is motivated by what happens in the case where all draws of all future shocks just happen to take on their expected value of 1.0. (They unexpectedly always take on their expected values). In that infinitely improbable case, the economy *would* exhibit balanced growth:

$$\mathbb{E}_t[m_{t+1}/m_t | \psi_{t+1} = \xi_{t+1} = 1] = \frac{\mathcal{G}((\tilde{m} - c(\tilde{m}))\mathcal{R} + 1)}{m} = \mathcal{G}. \tag{32}$$




Figure 2

Figure 3 ~~{FVAC,GIC,GIC-Mod}~~: No Individual Target Exists But Aggregate Target Does

{fig:GICModFailsB}

Moreover, $\tilde{m}$ is a point of stability in the sense that:

$$\begin{aligned} \forall m_t \in (0, \tilde{m}), \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &> \mathcal{G} \\ \forall m_t \in (\tilde{m}, \infty), \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &< \mathcal{G}. \end{aligned} \tag{34} \quad \{eq:stabilityStE\}$$

Proof. See Appendix B.2.2 for the proof. □

3.2 Example With Balanced-Growth $\tilde{m}$ But No Target $\hat{m}$

Because the equations defining target and pseudo-steady-state m , (30) and (31), differ only by substitution of $\mathcal{R}$ for $\tilde{\mathcal{R}} = \mathcal{R}\mathbb{E}[\psi^{-1}]$, if there are no permanent shocks ($\psi \equiv 1$), the conditions are identical. For many parameterizations (e.g., under the baseline parameter values used for constructing figure 1), $\hat{m}$ and $\tilde{m}$ will not differ much.

An illuminating exception is exhibited in Figure 3, which modifies the baseline parameter values by quadrupling the variance of the permanent shocks, enough to cause failure of strong growth impatience; now there is no target level of market resources $\hat{m}$. Nonetheless, the pseudo-steady-state still exists because it turns off realizations of

the permanent shock. It is tempting to conclude that the reason target $\hat{m}$ does not exist is that the increase in the size of the shocks induces a precautionary motive that increases the consumer's effective patience. The interpretation is not correct because as market resources approach infinity, precautionary saving against noncapital income risk becomes negligible (as the proportion of consumption financed out of such income approaches zero). The correct explanation is more prosaic: The increase in uncertainty boosts the expected uncertainty-modified rate of return factor from $\mathcal{R}$ to $\tilde{\mathcal{R}} > \mathcal{R}$ which reflects the fact that in the presence of uncertainty the expectation of the inverse of the growth factor increases: $\underline{\mathcal{G}} > \mathcal{G}$. That is, in the limit as $m \rightarrow \infty$ the increase in effective impatience reflected in $\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}] < \mathbf{P}/\mathcal{G}$ is entirely due to the certainty-equivalence growth adjustment, not to a (limiting) change in precaution. In fact, the next section will show that an aggregate balanced growth equilibrium will exist even when realizations of the permanent shock are not turned off: The required condition for aggregate balanced growth is the regular growth impatience, which ignores the magnitude of permanent shocks.²⁵

Before we get to the formal arguments, the key insight can be understood by considering an economy that starts, at date t , with the entire population at $m_t = \tilde{m}$, but then evolves according to the model's assumed dynamics between t and $t + 1$. Equation (31) will still hold, so for this first period, at least, the economy will exhibit balanced growth: the growth factor for aggregate $\mathbf{M}$ will match the growth factor for permanent income $\mathcal{G}$. It is true that there will be people for whom the financial balances ratio, b_{t+1} , where $b_{t+1} = a_t \mathbf{R}/(\mathcal{G}\psi_{t+1})$, is boosted by a small draw of ψ_{t+1} . However, their contribution to the *level* of the aggregate variable is given by $\mathbf{b}_{t+1} = b_{t+1}\mathbf{p}_t\mathcal{G}\psi_{t+1}$, so their b_{t+1} is reweighted by an amount that exactly unwinds that divisor-boosting. This means that it is possible for the consumption-to-permanent-income ratio for every consumer to be small enough that their market resources ratio is expected to rise, and yet for the economy as a whole to exhibit a balanced growth equilibrium with a finite aggregate balanced growth steady state $\tilde{\mathbf{M}}$ (this is not numerically the same as the individual pseudo-steady-state ratio $\tilde{m}$ because the problem's nonlinearities have consequences when aggregated).²⁶

4 Aggregate Invariant Relationships

In this section, we move from characterizing the individual decision rule to properties of a distribution of individuals following the converged non-degenerate consumption rule c. Assume a continuum of *ex ante* identical buffer-stock households, with constant total mass normalized to one and indexed by i . Szeidl (2013) proved that such a population,

²⁵Szeidl (2013)'s impatience condition, discussed below, also tightens as uncertainty increases, but this is also not a consequence of a precaution-induced increase in patience – it represents an increase in the tightness of the requirements of the ‘mixing condition’ used in his proof.

²⁶Still, the pseudo-steady-state can be calculated from the policy function without any simulation, and therefore serves as a low-cost starting point for the numerical simulation process; see Harmenberg-Aggregation for an example.

following the consumption rule c , will be characterized by invariant distributions of m , c , and a under the log growth impatience condition:²⁷

$$\log \mathbf{P}/\mathcal{G} < \mathbb{E}[\log \psi] \quad (36) \quad \{\text{eq:GICSdl}\}$$

which is stronger than our growth impatience ($\mathbf{P}/\mathcal{G} < 1$), but weaker than our strong growth impatience ($\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}] < 1$).²⁸

Harmenberg (2021) substitutes a clever change of probability-measure into Szeidl’s proof, with the implication that under growth impatience, invariant permanent-income-weighted distributions of m and c exist. In particular, let $\mathcal{F}_{m_t, p_t}$ be the joint CDF of normalized market resources and permanent income at time t .²⁹ The permanent-income-weighted CDF of m_t , $\tilde{\mathcal{F}}_{m_t}$, will be:

$$\tilde{\mathcal{F}}_{m_t}(x) = \mathcal{G}^{-t} \int_0^x \int_0^\infty \mathbf{p} \mathcal{F}_{m_t, p_t}(dm, d\mathbf{p}) \quad (37) \quad \{\text{eq:HarmCDF}\}$$

Simply put, the permanent-income-weighted CDF shows how the total ‘mass’ of permanent income is distributed along normalized market resources.³⁰ The change of variables allows Harmenberg (2021) to prove a conjecture from an earlier draft of this paper (Carroll (2019, Submitted)) that under growth impatience, aggregate consumption grows at the same rate $\mathcal{G}$ as aggregate noncapital income in the long run (with the corollary that aggregate assets and market resources grow at that same rate). Harmenberg (2021) also shows how the reformulation can reduce costs of calculation by over a factor of 100.³¹ The remainder of this section draws out the implications of these points for aggregate balanced growth factors.

²⁷Szeidl (2013)’s equation (9), in our notation, is:

$$\begin{aligned} \mathbb{E} \log R(1 - \kappa) &< \mathbb{E} \log \mathcal{G}\psi \\ \mathbb{E} \log R\mathbf{P}/R &< \mathbb{E} \log \mathcal{G}\psi \\ \log \mathbf{P}/\mathcal{G} &< \mathbb{E} \log \psi \end{aligned} \quad (35)$$

which, exponentiated, yields (36).

²⁸Under our default (though not required) assumption that $\log \psi \sim \mathcal{N}(-\sigma_\psi^2/2, \sigma_\psi^2)$; strong growth impatience in this case, is $\mathbf{P}/\mathcal{G} < \exp(-\sigma^2)$, so if strong growth impatience holds then Szeidl’s condition will hold.

²⁹In the notation in Harmenberg (2021), the permanent-income-weighted measures are denoted as $\tilde{\psi}^m$.

³⁰The change of variables is analogous to weighting the mass of objects by coordinates and integrating to calculate the center of gravity. Wolf and Shanker (2021) also use a similar approach to compare the relative dependence on labour and capital income across the wealth distribution.

³¹The Harmenberg method is implemented in the Econ-ARK; see the last part of `test_Harmenbergs_method.sh`. Confirming the computational advantage of Harmenberg’s method, this notebook finds that the Harmenberg method reduces the simulation size required for a given degree of accuracy by two orders of magnitude under the baseline parameter values defined above.

4.1 Aggregate Balanced Growth of Income, Consumption, and Wealth

Define $\mathbb{M}$ to yield the expected value operator with respect to the empirical distribution of a variable across the population (as distinct from the operator $\mathbb{E}$ which represents beliefs about the future for a given individual).³² Using boldface capitals for aggregates, the growth factor for aggregate noncapital income becomes:

$$\mathbf{Y}_{t+1}/\mathbf{Y}_t = \mathbb{M}[\boldsymbol{\xi}_{t+1}\mathcal{G}\psi_{t+1}\mathbf{p}_t]/\mathbb{M}[\mathbf{p}_t\boldsymbol{\xi}_t] = \mathcal{G}$$

because of the independence assumptions we have made about the shocks $\boldsymbol{\xi}$ and ψ .

Consider an economy that satisfies the Szeidl impatience condition (36) and has existed for long enough by date t that we can consider it as Szeidl-converged. In such an economy a microeconomist with a population-representative panel dataset could calculate the growth factor of consumption for each individual household, and take the average:

$$\begin{aligned}\mathbb{M}[\Delta \log \mathbf{c}_{t+1}] &= \mathbb{M}[\log c_{t+1}\mathbf{p}_{t+1} - \log c_t\mathbf{p}_t] \\ &= \mathbb{M}[\log \mathbf{p}_{t+1} - \log \mathbf{p}_t] + \mathbb{M}[\log c_{t+1} - \log c_t].\end{aligned}\tag{38}$$

Because this economy is Szeidl-converged, distributions of c_t and c_{t+1} will be identical, so that the second term in (38) disappears; hence, mean cross-sectional growth factors of consumption and permanent income are the same:

$$\mathbb{M}[\Delta \log \mathbf{c}_{t+1}] = \mathbb{M}[\Delta \log \mathbf{p}_{t+1}] = \log \mathcal{G}.\tag{39}$$

In a Harmenberg-invariant economy (and therefore also any Szeidl-invariant economy), a similar proposition holds in the cross-section as a direct implication of the fact that a constant proportion of total permanent income is accounted for by the successive sets of consumers with any particular m (recall Equation (37)). This fact is one way of interpreting Harmenberg's definition of the density of the permanent-income-weighted invariant distribution of m ; call this density $\tilde{f}$. To understand $\tilde{f}$, we can see how total aggregate market resources held by people with given m will be:

$$\mathbf{M}_t = \mathbf{P}_t\tilde{f}(m)m\tag{40}$$

By implication of Theorem 4, $\mathbf{M}_t$ grows at a rate $\mathcal{G}$. We will now use this property of $\tilde{f}$ to show that aggregate consumption also grows at rate $\mathcal{G}$. Call $\mathbf{C}_t(m)$ the total amount of consumption at date t by persons with market resources m , and note that in the

³²Formally, fix an individual i and let $\{\tilde{c}_t^i\}_{t=0}^\infty$ and $\{\tilde{m}_t^i\}_{t=0}^\infty$ be a stochastic recursive sequence generated by the converged consumption rule as follows, $\tilde{c}_t^i = c(\tilde{m}_t^i)$ and $\tilde{m}_{t+1}^i = \tilde{\mathcal{R}}_{t+1}^i(\tilde{m}_t^i - c(\tilde{m}_t^i)) + \boldsymbol{\xi}_{t+1}^i$, where the sequence of exogenous shocks are each defined on a *theoretical probability space* $(\Omega, \Sigma, \mathbb{P})$. Integration with respect to the measure $\mathbb{P}$ in the expected value operator $\mathbb{E}$ will be equivalent to *empirical* integration $\mathbb{M}$ with respect to a suitable measure of agents on a nonatomic agent space. In particular, for all j , $\mathbb{E}g(\tilde{c}_t^j) = \int \tilde{c}_t^j d\mathbb{P} = \mathbb{M}g(\tilde{c}_t) = \int g(\tilde{c}_t^i)\lambda(di)$, where λ is the measure of agents and for any measurable function g . For technical steps required to assert this claim, see Shanker (2017), which utilizes relatively recent results by Sun and Zhang (2009) and also the detailed construction by Cao (2020).

invariant economy this is given by the converged consumption function $c(m)$ multiplied by the amount of permanent income accruing to such people $\tilde{f}(m)\mathbf{P}_t$. Since $\tilde{f}(m)$ is invariant and aggregate permanent income grows according to $\mathbf{P}_{t+1} = \mathcal{G}\mathbf{P}_t$, for any m , the following characterizes the growth of total consumption:

$$\begin{aligned}\log \mathbf{C}_{t+1} - \log \mathbf{C}_t &= \log c(m)\tilde{f}(m)\mathbf{P}_{t+1} - \log c(m)\tilde{f}(m)\mathbf{P}_t \\ &= \log \mathcal{G}.\end{aligned}$$

4.2 Aggregate Balanced Growth and Idiosyncratic Covariances

Harmenberg shows that the covariance between the individual consumption ratio c and the idiosyncratic component of permanent income $\mathbf{p}$ does not shrink to zero; thus, covariances are another potential measurement for construction of microfoundations.

Consider a date- t Harmenberg-converged economy, and define the mean value of the consumption ratio as $\bar{c}_{t+n} \equiv \mathbb{M}[c_{t+n}]$. Normalizing period- t aggregate permanent income to $\mathbf{P}_t = 1$, total consumption at $t+1$ and $t+2$ are

$$\begin{aligned}\mathbf{C}_{t+1} &= \mathbb{M}[c_{t+1}\mathbf{p}_{t+1}] = \bar{c}_{t+1}\mathcal{G}^1 + \text{cov}_{t+1}(c_{t+1}, \mathbf{p}_{t+1}) \\ \mathbf{C}_{t+2} &= \mathbb{M}[c_{t+2}\mathbf{p}_{t+2}] = \bar{c}_{t+2}\mathcal{G}^2 + \text{cov}_{t+2}(c_{t+2}, \mathbf{p}_{t+2})\end{aligned}\tag{41}$$

and Harmenberg's proof that $\mathbf{C}_{t+2} - \mathcal{G}\mathbf{C}_{t+1} = 0$ allows us to obtain:

$$(\bar{c}_{t+2} - \bar{c}_{t+1})\mathcal{G}^2 = \mathcal{G}\text{cov}_{t+1} - \text{cov}_{t+2}.\tag{42}$$

In a Szeidl-invariant economy, $\bar{c}_{t+2} = \bar{c}_{t+1}$, so the economy exhibits balanced growth in the covariance:

$$\text{cov}_{t+2} = \mathcal{G}\text{cov}_{t+1}.\tag{43}$$

The more interesting case is when the economy is Harmenberg- but not Szeidl-invariant. In that case, if the cov and the $\bar{c}$ terms have constant growth factors Ω_{cov} and $\Omega_{\bar{c}}$,³³ an equation corresponding to (42) will hold in $t+n$:

$$\begin{aligned}(\overbrace{\Omega_{\bar{c}}^n \bar{c}_t}^{\bar{c}_{t+n}} - \Omega_{\bar{c}}^{n-1} \bar{c}_t)\mathcal{G}^n &= (\mathcal{G}\Omega_{\text{cov}}^{n-1} - \Omega_{\text{cov}}^n)\text{cov}_t \\ (\Omega_{\bar{c}}\mathcal{G})^{n-1}(\Omega_{\bar{c}} - 1)\bar{c}_t\mathcal{G} &= \Omega_{\text{cov}}^{n-1}(\mathcal{G} - \Omega_{\text{cov}})\text{cov}_t\end{aligned}\tag{44}$$

so for the LHS and RHS to grow at the same rates we need

$$\Omega_{\text{cov}} = \Omega_{\bar{c}}\mathcal{G}.\tag{45}$$

This is intuitive: In the Szeidl-invariant economy, it just reproduces our result above that the covariance exhibits balanced growth because $\Omega_{\bar{c}} = 1$. The revised result just

³³This 'if' is a conjecture, not something proven by Harmenberg (or anyone else). But see appendix C.1 for an example of a Harmenberg-invariant economy in which simulations suggest this proposition holds.

says that in the Harmenberg case where the mean value $\bar{c}$ of the consumption ratio c can grow, the covariance must rise in proportion to any ongoing expansion of $\bar{c}$ (as well as in proportion to the growth in $\mathbf{p}$).

4.3 Implications for Microfoundations

{subsec:microfound}

Thus we have microeconomic propositions, for both growth factors and for covariances of observable variables,³⁴ that can be tested in either cross-section or panel microdata to judge (and calibrate) the microfoundations that should hold for any macroeconomic analysis that requires balanced growth for its conclusions.

At first blush, these points are reassuring; one of the most persuasive arguments for the agenda of building microfoundations of macroeconomics is that newly available ‘big data’ allow us to measure cross-sectional covariances with great precision, so that we can use microeconomic natural experiments to disentangle questions that are hopelessly entangled in aggregate time-series data. Knowing that such covariances ought to be a stable feature of a stably growing economy is therefore encouraging.

But this discussion also highlights an uncomfortable point: In the model as specified, permanent income does not have a limiting distribution; it becomes ever more dispersed as the economy with infinite-horizon consumers continues to exist indefinitely.

A few microeconomic data sources permit direct measurement of ‘permanent income’; among the best (in data quality and span) is data from the Norwegian national registry, which has a long span of well-measured data for millions of Norwegians. Recent work by Crawley, Holm, and Tretvoll (2022) demonstrates that these data point strongly to the presence of a component of income shocks that is either truly permanent, or so extremely highly serially correlated as to be indistinguishable from permanent shocks. Using IRS tax data, DeBacker, Heim, Panousi, Ramnath, and Vidangos (2013) similarly find a large permanent (or very nearly permanent) component to income shocks. In quite a different exercise Carroll, Slacalek, Tokunaka, and White (2017) show that their calibration of the magnitude of permanent shocks (and mortality; see below) yield a simulated distribution of permanent income that matches answers in the U.S. Survey of Consumer Finances (‘SCF’) to a question designed to elicit a direct measure of respondents’ permanent income.

For macroeconomists who want to build microfoundations by comparing the microeconomic implications of their models to micro data (directly – not in ratios to difficult-to-measure ‘permanent income’), it would be something of a challenge to determine how to construct empirical-data-comparable simulated results from a model with no limiting distribution of permanent income.

Death can solve this problem.

³⁴Parallel results to those for consumption can be obtained for other measures like market assets.

4.4 Mortality Yields Invariance

Most heterogeneous-agent models incorporate a constant positive probability of death, following Blanchard (1985) and Yaari (1965). In the Blanchardian model, if the probability of death exceeds a threshold that depends on the size of the permanent shocks, Carroll, Slacalek, Tokuoka, and White (2017) show that the limiting distribution of permanent income has a finite variance. Blanchard (1985) assumes a universal annuitization scheme in which estates of dying consumers are redistributed to survivors in proportion to survivors' wealth, giving the recipients a higher effective rate of return. This treatment has considerable analytical advantages, most notably that the effect of mortality on the time preference factor is the exact inverse of its effect on the (effective) interest factor. That is, if the 'pure' time preference factor is β and probability of remaining alive (not dead) is $\mathcal{L}$, then the assumption that no utility accrues after death makes the effective discount factor $\underline{\beta} = \beta\mathcal{L}$ while the enhancement to the rate of return from the annuity scheme yields an effective interest factor $\bar{R} = R/\mathcal{L}$ (recall that because of white-noise mortality, the average wealth of the two groups is identical). Combining these, the effective patience factor in the new economy $\underline{\beta}\bar{R}$ is unchanged from its value in the infinite-horizon model:

$$\underline{\beta}\bar{R} = (\beta\mathcal{L}R/\mathcal{L})^{1/\gamma} = (R\beta)^{1/\gamma} = \mathbf{P}. \quad (46)$$

The only adjustments this requires to the analysis above are therefore to the few elements that involve a role for the interest factor distinct from its contribution to $\mathbf{P}$ (principally, the RIC, which becomes $\mathbf{P}/\bar{R}$).

Blanchard (1985)'s innovation was valuable not only for the insight it provided but also because when he wrote, the principal alternative, the Life Cycle model of Modigliani (1966), was computationally challenging given then-available technologies. Despite its (considerable) conceptual value, Blanchard's analytical solution is now rarely used because essentially all modern modeling incorporates uncertainty, constraints, and other features that rule out analytical solutions anyway.

The simplest alternative to Blanchard is to follow Modigliani in constructing a realistic description of income over the life cycle and assuming that any wealth remaining at death occurs accidentally (not implausible, given the robust finding that for the great majority of households, bequests amount to less than 2 percent of lifetime earnings, Hendricks (2001, 2016)).

Even if bequests are accidental, a macroeconomic model must make some assumption about how they are disposed of: As windfalls to heirs, estate tax proceeds, etc. We again consider the simplest choice, because it represents something of a polar alternative to Blanchard. Without a bequest motive, there are no behavioral effects of a 100 percent estate tax; we assume such a tax is imposed and that the revenues are effectively thrown in the ocean: The estate-related wealth effectively vanishes from the economy.

The chief appeal of this approach is the simplicity of the change it makes in the condition required for the economy to exhibit a balanced growth equilibrium (for consumers without a life cycle income profile). If $\mathcal{L}$ is the probability of remaining alive,




Figure 4 Convergence of the Consumption Rules

{fig:cFuncsConverge}

the condition changes from the plain growth impatience to a looser mortality-adjusted version of growth impatience:

$$\mathcal{L}\mathcal{P}_G < 1. \quad (47)$$

{eq:GICLivMod}

With no income growth, what is required to prohibit unbounded growth in aggregate wealth is the condition that prevents the per-capita wealth-to-permanent-income ratio of surviving consumers from growing faster than the rate at which mortality diminishes their collective population. With income growth, the aggregate wealth-to-income ratio will head to infinity only if a cohort of consumers is patient enough to make the desired rate of growth of wealth fast enough to counteract combined erosive forces of mortality and productivity.

5 Consumer Patience and Limiting Consumption

{sec:GICdiscussion}

Having established our formal results, we are ready to describe how the various patience conditions determine the characteristics of the limiting consumption function. To fix ideas, we start with a quantitative example using the familiar benchmark case where return impatience, growth impatience and finite human wealth all hold, shown by Figure 4. The figure depicts the successive consumption rules that apply in the last period of life (c_T), the second-to-last period, and earlier periods under parameter values




Figure 5 Limiting MPC's

{fig:mpclimits}

listed in Table 2. (The 45 degree line is $c_T(m) = m$ because in the last period of life it is optimal to spend all remaining resources.)

Under the same parameter values, Figures 5–6 capture the theoretical bounds and MPCs of the converged consumption rule. In Figure 5, as m rises, the marginal propensity to consume approaches $\underline{\kappa} = (1 - \mathbf{P}/R)$ as $m \rightarrow \infty$, the same as the perfect foresight MPC. Moreover, as m approaches zero, the MPC approaches $\bar{\kappa} = (1 - \wp^{1/\gamma} \mathbf{P}/R)$.

While in the presence of a constraint neither return impatience nor growth impatience is individually necessary for nondegeneracy of $c(m)$, a key conclusion of this section is that if both return impatience and growth impatience fail, the consumption function will be degenerate (limiting either to $c(m) = 0$ or $c(m) = \infty$ as the horizon recedes). So, for a useful solution, at least one of these conditions must hold.³⁵ The case with growth impatience but return patience is particularly surprising, because it is not immediately clear what prevents our earlier conclusion (in other circumstances) that return patience leads $c(m)$ to asymptote to zero. The trick is to note that if return patience holds, $R < \mathbf{P}$, while failure of growth impatience means $\mathbf{P} < \mathcal{G}$; together these inequalities tell us that $R < \mathcal{G}$ so (limiting) human wealth is infinite.³⁶ But, if at any m human wealth is unbounded, what prevents c from asymptoting to $c(m) = \infty$ as the horizon

³⁵Recall Claim 1 showing that a double-impatience failure implies autarky value is not finite; and see

³⁶This logic holds even if both R and $\mathcal{G}$ are less than one – in this case, because the agent can borrow at a negative interest rate and always repay with income that shrinks more slowly than their debt.




Figure 6 Upper and Lower Bounds on the Consumption Function

{fig:cFuncBounds}

gets arbitrarily long? This is where the natural borrowing constraint comes in. We will show that growth impatience is sufficient, at any fixed m , to guarantee an upper bound to $c(m)$. The insight is best understood by first abstracting from uncertainty and studying the perfect foresight case (with and without constraints).

5.1 Model with Perfect Foresight

{subsec:PFBdiscuss}

Claims 1-2 established the relationship between the finite value of autarky, return impatience and growth impatience in the context of a model with uncertainty. The easiest way to grasp the relations among these conditions is by studying Figure 7. Each node represents a quantity defined above. The arrow associated with each inequality imposes the condition, which is defined by the originating quantity being smaller than the arriving quantity. For example, one way we wrote the finite value of autarky (under perfect foresight) in Equation (11) is $\mathbf{p} < \mathbf{R}^{1/\gamma}\mathcal{G}^{1-1/\gamma}$, so imposition of finite value of autarky is captured by the diagonal arrow connecting $\mathbf{p}$ and $\mathbf{R}^{1/\gamma}\mathcal{G}^{1-1/\gamma}$. Traversing the boundary of the diagram clockwise starting at $\mathbf{p}$ involves imposing first growth impatience ($\mathbf{p} < \mathcal{G}$) then finite human wealth ($\mathcal{G} < \mathcal{G}(\mathbf{R}/\mathcal{G})^{1/\gamma} \iff \mathcal{G} < \mathbf{R}$), and the consequent arrival at the bottom right node tells us that these two conditions jointly imply perfect-foresight-finite-value-of-autarky. Reversal of a condition reverses the arrow's direction; so, for example, the bottom-most arrow going rightwards to $\mathbf{R}^{1/\gamma}\mathcal{G}^{1-1/\gamma}$ implies finite human wealth fails; but we can cancel the cancellation and

reverse the arrow. This would allow us to traverse the diagram clockwise from $\mathbf{P}$ through $\mathcal{G}$ to $R^{1/\gamma}\mathcal{G}^{1-1/\gamma}$ to R , revealing that imposition of growth impatience and finite human wealth (and, redundantly, finite human wealth again) let us conclude that return impatience holds because the starting point is $\mathbf{P}$ and the endpoint is R (and we have traversed a chain of ‘is greater than’ relations).³⁷




Figure 7 Perfect Foresight Relation of Consumer Patience Conditions

The acronyms in this figure refer to each of the consumer patience conditions in the perfect foresight case. Refer to Table 3 for their definitions. An arrowhead points to the larger of the two quantities being compared; so, following the diagonal arrow imposes that absolute patience is smaller than the limit defined by the finite value of autarky factor, $\mathbf{P} < \mathcal{G}(R/\mathcal{G})^{1/\gamma}$ (this is one way of writing the PFFVAC, equation (11)). (The $\neq$ symbols indicate that the diagram is not commutative; that is, the different ways of reaching the conclusion that the PFFVAC holds are not equivalent to each other).

In the unconstrained case, finite human wealth was necessary since, without constraints, only this condition could prevent infinite borrowing in the limit (Proposition 1). Looking at Figure 7, following the diagonal from $\mathbf{P}$ to the bottom-right corner corresponds to the direct of imposition of the finite value of autarky, which implies

³⁷Consult Appendix E for an exposition of diagrams of this type, which are a simple application of Category Theory (Riehl (2017)).

that the existence of a non-degenerate solution *requires* return impatience to hold. To see why, if return impatience failed, proceeding clockwise from the bottom left node of $\mathbf{R}$ would lead to $\mathbf{R} > \mathbf{R}^{1/\gamma} \mathcal{G}^{1-1/\gamma}$, (equivalently $(\mathcal{G}/\mathbf{R})^{1-1/\gamma} < 1$) which corresponds to failure of finite human wealth (see also Case 3 in Section 5.2.1).

We can understand how failure of finite human wealth leads to infinite borrowing thinking about growth impatience. From Figure 7, let finite value of autarky hold (traverse the diagonal from $\mathbf{P}$) and then reverse the downward arrow from $\mathcal{G}$, signifying the failure of finite human wealth, so that as the horizon extends and income grows faster than the rate at which it is discounted, there is no upper bound to the present discounted value of future income (cf. Equation (18)). But the cancellation of finite human wealth also indirectly implies that growth impatience holds $\mathbf{P} > \mathbf{R}^{1/\gamma} \mathcal{G}^{1-\gamma} > \mathcal{G}$ which tells us that this is a consumer who wants to spend out of their human wealth. And therefore, at any fixed level of market resources, there is no upper bound to how much the consumer would choose to borrow as the horizon recedes.

Thus, in the perfect foresight unconstrained model, return impatience is the only condition at our disposal that can prevent consumption from limiting to zero as the terminal period recedes. However, when we impose a liquidity constraint, the range of admissible parameters becomes more interesting.

5.1.1 Perfect Foresight Constrained Solution

{subsec:PFCon}

We now sketch the perfect foresight constrained solution and demonstrate that a solution can exist either under return impatience or without return impatience but with growth impatience (Proposition 2). Our discussion proceeds by examining implications of possible configurations of the patience conditions. (Tables 3 and 4 codify.)

Case 1: Growth impatience fails and return impatience holds. If growth impatience fails but return impatience holds, Appendix D shows that, for some $m_{\#}$, with $0 < m_{\#} < 1$, an unconstrained consumer behaving according to the perfect foresight solution (16) would choose $c < m$ for all $m > m_{\#}$. In this case the solution to the constrained consumer's problem is simple; for any $m \geq m_{\#}$ the constraint does not bind (and will never bind in the future). For such m the constrained consumption function is identical to the unconstrained one. If the consumer were somehow³⁸ to arrive at an $m_{\#}$ such that $m < m_{\#} < 1$ the constraint would bind and the consumer would consume $c = m$. Using $\bar{c}$ for the perfect foresight consumption function in the presence of constraints (and analogously for all other functions):

$$\bar{c}(m) = \begin{cases} m & \text{if } m < m_{\#} \\ \bar{c}(m) & \text{if } m \geq m_{\#} \end{cases}$$

where $\bar{c}(m)$ is the unconstrained perfect foresight solution.

³⁸“Somehow” because $m < 1$ could only be obtained by entering the period with $b < 0$ which the constraint forbids.

Case 2: Growth impatience holds and return impatience holds. When return impatience and growth impatience both hold, Appendix D shows that the limiting constrained consumption function is piecewise linear, with $\bar{c}(m) = m$ up to a first ‘kink point’ at $m_{\#}^0 > 1$, and with discrete declines in the MPC at a set of kink points $\{m_{\#}^1, m_{\#}^2, \dots\}$. As $m \rightarrow \infty$ the constrained consumption function $\bar{c}(m)$ becomes arbitrarily close to the unconstrained $\bar{c}(m)$, and the marginal propensity to consume, $\bar{c}'(m)$, limits to $\underline{\kappa}$.³⁹ Similarly, the value function $\bar{v}(m)$ is non-degenerate and limits to the value function of the unconstrained consumer.

This logic holds even when finite human wealth fails, because the constraint prevents the (limiting) consumer⁴⁰ from borrowing against unbounded human wealth to finance unbounded current consumption. Under these circumstances, the consumer who starts with any $b_t > 0$ will, over time, run those resources down so that after some finite number of periods τ the consumer will reach $b_{t+\tau} = 0$, and thereafter will set $\mathbf{c} = \mathbf{p}$ for eternity (which finite value of autarky says yields finite value). Using the same steps as for Equation (97), value of the interim program is also finite:

$$\mathbf{v}_{t+\tau} = \mathcal{G}^{\tau(1-\gamma)} \mathbf{u}(\mathbf{p}_t) \left(\frac{1 - (\beta \mathcal{G}^{1-\gamma})^{T-(t+\tau)+1}}{1 - \beta \mathcal{G}^{1-\gamma}} \right). \quad (48)$$

So, even when finite human wealth fails, the limiting consumer’s value for any finite m will be the sum of two finite numbers: One due to the unconstrained choice made over the finite-horizon leading up to $b_{t+\tau} = 0$, and one reflecting the value of consuming $\mathbf{p}_{t+\tau}$ thereafter.

Case 3: Growth impatience holds and return impatience fails. The most peculiar possibility occurs only when return impatience fails. As noted above, this possibility is unavailable to us without a constraint. Without return impatience, finite human wealth must also fail (Appendix D), and the constrained consumption function is (surprisingly) non-degenerate. (See appendix Figure 11 for a numerical example). Even though human wealth is unbounded at any given level of m , since borrowing is ruled out, consumption cannot become unbounded at that m in the limit as the horizon recedes. However, the failure of return impatience does have some power: It means that as m rises without bound, the MPC approaches zero ($\lim_{m \rightarrow \infty} \bar{c}'(m) = 0$). Nevertheless $\bar{c}(m)$ is finite, strictly positive, and strictly increasing in m . This result reconciles the conflicting intuitions from the unconstrained case, where failure of return impatience would suggest a degenerate limit of $\bar{c}(m) = 0$ while failure of finite human wealth would suggest a degenerate limit of $\bar{c}(m) = \infty$.

³⁹See Carroll, Holm, and Kimball (2019) for details.

⁴⁰That is, one obeying $c(m) = \lim_{n \rightarrow \infty} c_{t-n}(m)$.

Table 1 Microeconomic Model Calibration

Calibrated Parameters			
Description	Parameter	Value	Source
Permanent Income Growth Factor	$\mathcal{G}$	1.03	PSID: Carroll (1992)
Interest Factor	R	1.04	Conventional
Time Preference Factor	β	0.96	Conventional
Coefficient of Relative Risk Aversion	γ	2	Conventional
Probability of Zero Income	$\wp$	0.005	PSID: Carroll (1992)
Std Dev of Log Permanent Shock	σ_ψ	0.1	PSID: Carroll (1992)
Std Dev of Log Transitory Shock	σ_θ	0.1	PSID: Carroll (1992)

5.2 Model with Uncertainty

We now examine the case with uncertainty but without constraints, which we argued was a close parallel to the model with constraints but without uncertainty (recall Section 2.4.3).

Tables 1 and 2 present calibrations and values of model conditions in the case with uncertainty, where return impatience, growth impatience and finite value of autarky all hold. The full relationship among conditions is represented in Figure 8. Though the diagram looks complex, it is merely a modified version of the earlier simple diagram (Figure 7) with further (mostly intermediate) inequalities inserted. (Arrows with a “because” now label relations that always hold under the model’s assumptions.)⁴¹

Beyond finite value of autarky, the additional condition sufficient for contraction, weak return impatience, can be seen to be weak by asking ‘under what circumstances would the finite value of autarky hold but the weak return impatience fail?’ Algebraically, the requirement becomes:

$$\beta \mathcal{G}^{1-\gamma} \underline{\underline{\psi}}^{1-\gamma} < 1 < (\wp \beta)^{1/\gamma} / R^{1-1/\gamma}. \quad (49)$$

where $\underline{\underline{\psi}} = (\mathbb{E}[\psi^{1-\gamma}])^{1/(1-\gamma)} < 1$. If we require $R \geq 1$, the weak return impatience is ‘redundant’ because now $\beta < 1 < R^{\gamma-1}$, so that (with $\gamma > 1$ and $\beta < 1$) return impatience (and weak return impatience) must hold. But neither theory nor evidence demand that $R \geq 1$. We can therefore approach the question of the relevance of weak return impatience by asking just how low R must be for the condition to be relevant. Suppose for illustration that $\gamma = 2$, $\underline{\underline{\psi}}^{1-\gamma} = 1.01$, $\mathcal{G}^{1-\gamma} = 1.01^{-1}$ and $\wp = 0.10$. In that case (49) reduces to:

$$\beta < 1 < (0.1\beta/R)^{1/2}, \quad (50)$$

⁴¹Again, readers unfamiliar with such diagrams should see Appendix E for a more detailed exposition.

Table 2 Model Characteristics Calculated from Parameters

{table:Calibration}

Description	Symbol and Formula		Approximate Calculated Value
Finite Human Wealth Factor	$\tilde{\mathcal{R}}^{-1}$	$\equiv \mathcal{G}/R$	0.990
PF Value of Autarky Factor	$\sqsupset$	$\equiv \beta \mathcal{G}^{1-\gamma}$	0.932
Growth Compensated Permanent Shock	$\underline{\psi}$	$\equiv (\mathbb{E}[\psi^{-1}])^{-1}$	0.990
Uncertainty-Adjusted Growth	$\underline{\mathcal{G}}$	$\equiv \mathcal{G} \underline{\psi}$	1.020
Utility Compensated Permanent Shock	$\underline{\underline{\psi}}$	$\equiv (\mathbb{E}[\psi^{1-\gamma}])^{1/(1-\gamma)}$	0.990
Utility Compensated Growth	$\underline{\underline{\mathcal{G}}}$	$\equiv \mathcal{G} \underline{\underline{\psi}}$	1.020
Absolute Patience Factor	$\mathbf{P}$	$\equiv (R\beta)^{1/\gamma}$	0.999
Return Patience Factor	$\mathbf{P}/R$	$\equiv \mathbf{P}/R$	0.961
Growth Patience Factor	$\mathbf{P}/\mathcal{G}$	$\equiv \mathbf{P}/\mathcal{G}$	0.970
Modified Growth Patience Factor	$\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}]$	$\equiv \mathbf{P}/\underline{\mathcal{G}}$	0.980
Value of Autarky Factor	$\sqsubseteq$	$\equiv \beta \mathcal{G}^{1-\gamma} \underline{\underline{\psi}}^{1-\gamma}$	0.941
Weak Return Impatience Factor	$\wp^{1/\gamma} \mathbf{P}$	$\equiv (\wp \beta R)^{1/\gamma}$	0.071

but since $\beta < 1$ by assumption, the binding requirement becomes:

$$R < \beta/10,$$

so that for example if $\beta = 0.96$ we would need $R < 0.096$ (that is, a perpetual riskfree rate of return of worse than -90 percent a year) in order for weak return impatience to be nonredundant.

Perhaps the best way of thinking about this is to note that the space of parameter values for which the weak return impatience remains relevant shrinks out of existence as $\wp \rightarrow 0$, which Section 2.4.3 showed was the precise limiting condition under which behavior becomes arbitrarily close to the liquidity constrained solution (in the absence of other risks). On the other hand, when $\wp = 1$, the consumer has no noncapital income (so finite human wealth holds) and with $\wp = 1$ weak return impatience is identical to weak return impatience. However, weak return impatience is the only condition required for a solution to exist for a perfect foresight consumer with no noncapital income. Thus weak return impatience forms a sort of ‘bridge’ between the liquidity constrained and the unconstrained problems as $\wp$ moves from 0 to 1.

5.2.1 Behavior Under Cases of Conditions

{subsubsec:casesUC}

Case 1: Return impatience fails and growth impatience holds In the unconstrained perfect foresight problem (Section 2.3), return impatience was necessary for existence of a non-degenerate solution. It is surprising, therefore, that in the presence of uncertainty, the much weaker weak return impatience is sufficient for nondegeneracy (assuming that finite value of autarky holds). Given finite value of autarky, we can derive




Figure 8 Relation of All Inequality Conditions

Refer to Table 3 for definitions of acronyms. See Table 2 for Numerical Values of Nodes Under Baseline Parameters {fig:Inequalities}

the features the problem must exhibit for return impatience to fail (that is, $R < (R\beta)^{1/\gamma}$) (given that growth impatience holds) as follows:

$$\begin{aligned}
 R &< (R\beta)^{1/\gamma} < (R(\underline{\underline{\mathcal{G}}}\underline{\underline{\psi}})^{\gamma-1})^{1/\gamma} \\
 \Rightarrow R &< (R/\underline{\underline{\mathcal{G}}})^{1/\gamma} \underline{\underline{\mathcal{G}}}\underline{\underline{\psi}}^{1-1/\gamma} \\
 \Rightarrow R/\underline{\underline{\mathcal{G}}} &< \underline{\underline{\psi}}
 \end{aligned} \tag{51} \quad \text{{eq:RICimplies}}$$

but since $\underline{\underline{\psi}} < 1$ (for $\gamma > 1$ and non-degenerate $\underline{\underline{\psi}}$), this requires $R/\underline{\underline{\mathcal{G}}} < 1$. Thus, given finite value of autarky, return impatience can fail only if human wealth is unbounded and growth impatience holds.⁴²

As in the perfect foresight constrained problem, unbounded limiting human wealth here does not lead to a degenerate limiting consumption function (finite human wealth is not required for Theorem 2). But, from equation (15) and the discussion surrounding it, an implication of the failure of return impatience is that $\lim_{m \rightarrow \infty} c'(m) = 0$. Thus, interestingly, in this case (unavailable in the perfect foresight unconstrained) model the presence of uncertainty both permits unlimited human wealth (in the $n \rightarrow \infty$ limit) and

⁴²This algebraically complicated conclusion could be easily reached diagrammatically in Figure 8 by starting at the R node and imposing the failure of return impatience, which reverses the return impatience arrow and lets us traverse the diagram along any clockwise path to the perfect foresight finite value of autarky node at which point we realize that we *cannot* impose finite human wealth because that would let us conclude $R > R$.

at the same time prevents unlimited human wealth from resulting in (limiting) infinite consumption (at any finite m). Intuitively, the utility-imposed ‘natural constraint’ that arises from the possibility of a zero income event prevents infinite borrowing and at the same time allows infinite human wealth to prevent patience from resulting, as it does under other conditions, in the degenerate $c(m) = 0$ as the terminal period recedes. Thus, in presence of uncertainty of the kind we assume, pathological patience (which in the perfect foresight model results in a limiting consumption function of $c(m) = 0$) plus unbounded human wealth (which the perfect foresight model prohibits because it leads to a limiting consumption function $c(m) = \infty$ for any finite m) combine to yield a unique finite limiting (as $n \rightarrow \infty$) level of consumption and MPC for any finite value of m .

Note the close parallel to the conclusion in the perfect foresight liquidity constrained model in the case where return impatience fails (Case 3 in Section 5.1.1). There, too, the tension between infinite human wealth and pathological patience was resolved with a non-degenerate consumption function whose limiting MPC was zero.⁴³

Case 2: Return impatience holds and growth impatience holds with finite human wealth This is the benchmark case we presented at the start of the Section. If return impatience and finite human wealth both hold, a perfect foresight solution exists (Section 2.3). As $m \rightarrow \infty$ the limiting c and v functions become arbitrarily close to those in the perfect foresight model, because human wealth pays for a vanishingly small portion of spending (Section 2.4.1).

Case 3: Return impatience holds and growth impatience holds with infinite human wealth The more exotic case is where finite human wealth fails but both growth impatience and return impatience also hold. In the unconstrained perfect foresight model, this is the degenerate case with limiting $\bar{c}(m) = \infty$. Here, infinite human wealth and finite value of autarky implies that (perfect foresight) finite value of autarky holds and that $\mathbf{P} < \mathcal{G}$. To see why, traverse Figure 8 clockwise from $\mathbf{P}$ by imposing perfect foresight finite value of autarky to reach the PF-FVAF node. Because the bottom arrow pointing to the right, connecting the R and perfect foresight finite value of autarky nodes, imposes the failure of finite human wealth (and here we are assuming that condition holds), we can reverse the bottom arrow and traverse the resulting clockwise path from FVAF to see that

$$\mathbf{P} < (\mathbf{R}/\mathcal{G})^{1/\gamma} \mathcal{G} \Rightarrow \mathbf{P} < \mathcal{G} \quad (52)$$

where the transition from the first to the second lines is justified because failure of finite human wealth implies $\Rightarrow (\mathbf{R}/\mathcal{G})^{1/\gamma} < 1$. So, under return impatience and finite human wealth, we must have growth impatience.

However, we are not entitled to conclude that strong growth impatience holds: $\mathbf{P} < \mathcal{G}$ does not imply $\mathbf{P} < \underline{\psi}\mathcal{G}$ where $\underline{\psi} < 1$.

⁴³Ma and Toda (2020) derive conditions under which the limiting MPC is zero in an even more general case where there is also capital income risk.

We have now established the principal points of comparison between the perfect foresight solutions and the solutions under uncertainty; these are codified in the remaining parts of Tables 3 and 4.

Table 3 Definitions and Comparisons of Patience Conditions

Perfect Foresight Versions	Uncertainty Versions
Finite Limiting Human Wealth (FHCW)	
$\mathcal{G}/R < 1$ The growth factor for permanent income $\mathcal{G}$ must be smaller than the discounting factor R for human wealth to be finite.	$\mathcal{G}/R < 1$ The model's risks are mean-preserving spreads, so the PDV of future income is unchanged by their introduction.
Absolute Impatience Condition	
$\mathbf{p} < 1$ The unconstrained consumer is sufficiently impatient that the level of consumption will be declining over time: $\mathbf{c}_{t+1} < \mathbf{c}_t$	$\mathbf{p} < 1$ <i>If wealth is large enough, the expectation of consumption next period will be smaller than this period's consumption:</i> $\lim_{m_t \rightarrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}] < \mathbf{c}_t$
Return Impatience	
Return Impatience Condition (RIC)	Weak RIC (WRIC)
$\mathbf{p}/R < 1$ The growth factor for consumption $\mathbf{p}$ must be smaller than the discounting factor R , so that the PDV of current and future consumption will be finite: $c'(m) = 1 - \mathbf{p}/R < 1$	$\wp^{1/\gamma} \mathbf{p}/R < 1$ If the probability of the zero-income event is $\wp = 1$ then income is always zero and the condition becomes identical to the RIC. Otherwise, weaker. $c'(m) < 1 - \wp^{1/\gamma} \mathbf{p}/R < 1$
Growth Impatience	
Growth Impatience Condition (GIC)	Strong Growth Impatience (GIC-Mod)
$\mathbf{p}/\mathcal{G} < 1$ For an unconstrained PF consumer, the ratio of $\mathbf{c}$ to $\mathbf{p}$ will fall over time. For constrained, guarantees the constraint eventually binds. Guarantees $\lim_{m_t \uparrow \infty} \mathbb{E}_t[\psi_{t+1} m_{t+1}/m_t] = \mathbf{p}/\mathcal{G}$	$\mathbf{p} \mathbb{E}[\psi^{-1}]/\mathcal{G} < 1$ By Jensen's inequality stronger than GIC. Ensures consumers will not expect to accumulate m unboundedly. $\lim_{m_t \rightarrow \infty} \mathbb{E}_t[m_{t+1}/m_t] = \mathbf{p}/\mathcal{G} \mathbb{E}[\psi^{-1}]$
Finite Value of Autarky	
PFFVAC	FVAC
$\beta \mathcal{G}^{1-\gamma} < 1$ equivalently $\mathbf{p} < R^{1/\gamma} \mathcal{G}^{1-1/\gamma}$ The discounted utility of constrained consumers who spend their permanent income each period should be finite.	$\beta \mathcal{G}^{1-\gamma} \mathbb{E}[\psi^{1-\gamma}] < 1$ By Jensen's inequality, stronger than the PFFVAC because for $\gamma > 1$ and nondegenerate ψ , $\mathbb{E}[\psi^{1-\gamma}] > 1$.

{table:Comparison}

6 Conclusions

Numerical solutions to optimal consumption problems, in both life cycle and infinite-horizon contexts, have become standard tools since the first reasonably realistic models were constructed in the late 1980s. One contribution of this paper is to show that finite-horizon (‘life cycle’) versions of the simplest such models, with assumptions about income shocks (transitory and permanent) dating back to Friedman (1957) and standard specifications of preferences — and without plausible (but computationally and mathematically inconvenient) complications like liquidity constraints — have attractive properties (like continuous differentiability of the consumption function, and analytical limiting MPC’s as resources approach their minimum and maximum possible values).

The main focus of the paper, though, is on the limiting solution of the finite-horizon model as the time horizon approaches infinity. This simple model has other appealing features: A ‘Finite Value of Autarky’ condition guarantees convergence of the consumption function, under the mild additional requirement of a ‘Weak Return Impatience Condition’ that will never bind for plausible parameterizations, but provides intuition for the bridge between this model and models with explicit liquidity constraints. The paper also provides a roadmap for the model’s relationships to the perfect foresight model without and with constraints. The constrained perfect foresight model provides an upper bound to the consumption function (and value function) for the model with uncertainty, which explains why the conditions for the model to have a non-degenerate solution closely parallel those required for the perfect foresight constrained model to have a non-degenerate solution.

The main use of infinite-horizon versions of such models is in heterogeneous-agent macroeconomics. The paper articulates intuitive ‘Growth Impatience Conditions’ under which populations of such agents, with Blanchardian (tighter) or Modiglianian (looser) mortality will exhibit balanced growth. Finally, the paper provides the analytical basis for many results about buffer-stock saving models that are so well understood that even without analytical foundations researchers uncontroversially use them as explanations of real-world phenomena like the cross-sectional pattern of consumption dynamics in the Great Recession.

Table 4 Sufficient Conditions for Nondegenerate[‡] Solution

Consumption Model(s)	Conditions	Comments
$\bar{c}(m)$: PF Unconstrained $\underline{c}(m) = \underline{\kappa}m$ Section 2.3.1: Section 2.3.1: Eq (55) in Appendix A.2: Eq (54) in Appendix A.2:	RIC, FHWC [°]	RIC $\Rightarrow v(m) < \infty$; FHWC $\Rightarrow 0 < v(m) $ PF model with no human wealth ($h = 0$) RIC prevents $\bar{c}(m) = \underline{c}(m) = 0$ FHWC prevents $\bar{c}(m) = \infty$ PFFVAC+FHWC $\Rightarrow$ RIC GIC+FHWC $\Rightarrow$ PFFVAC
$\dot{c}(m)$: PF Constrained Section 5.1.1: Appendix D:	$\mathcal{GIC}$, RIC $\mathcal{GIC}$, RIC	FHWC holds ($\mathcal{G} < \mathbf{D} < \mathbf{R} \Rightarrow \mathcal{G} < \mathbf{R}$) $\dot{c}(m) = \bar{c}(m)$ for $m > m_{\#} < 1$ ($\mathcal{RIC}$ would yield $m_{\#} = 0$ so $\dot{c}(m) = 0$) $\lim_{m \rightarrow \infty} \dot{c}(m) = \bar{c}(m)$, $\lim_{m \rightarrow \infty} \dot{\kappa}(m) = \underline{\kappa}$ kinks where horizon to $b = 0$ changes*
Appendix D:	$\mathcal{GIC}$, $\mathcal{RIC}$	$\lim_{m \rightarrow \infty} \dot{\kappa}(m) = 0$ kinks where horizon to $b = 0$ changes*
$c(m)$: Friedman/Muth Section 2.4.2: Section 5.2: Figure 8: Section 5.2.1: Case 3 Section 5.2.1: Case 1 Section 3.1: Theorem 3: Theorem 4:	Section 2.4.1 & 2.4.2 $\mathcal{FVAC}$, $\mathcal{WRIC}$	$\underline{c}(m) < c(m) < \bar{c}(m)$ $\underline{v}(m) < v(m) < \bar{v}(m)$ Sufficient for Contraction $\mathcal{WRIC}$ is weaker than RIC $\mathcal{FVAC}$ is stronger than PFFVAC $\mathcal{FHWC} + \mathcal{RIC} \Rightarrow \mathcal{GIC}$, $\lim_{m \rightarrow \infty} \kappa(m) = \underline{\kappa}$ $\mathcal{RIC} \Rightarrow \mathcal{FHWC}$, $\lim_{m \rightarrow \infty} \kappa(m) = 0$ “Buffer Stock Saving” Conditions $\mathcal{GIC} \Rightarrow \exists \tilde{m} \text{ s.t. } 0 < \tilde{m} < \infty$ $\mathcal{GIC}\text{-Mod} \Rightarrow \exists \hat{m} \text{ s.t. } 0 < \hat{m} < \infty$

[‡]For feasible m satisfying $0 < m < \infty$, a nondegenerate limiting consumption function defines a unique optimal value of c satisfying $0 < c(m) < \infty$; a nondegenerate limiting value function defines a corresponding unique value of $-\infty < v(m) < 0$.

[°]RIC, FHWC are necessary as well as sufficient for the perfect foresight case. *That is, the first kink point in $c(m)$ is $m_{\#}$ s.t. for $m < m_{\#}$ the constraint will bind now, while for $m > m_{\#}$ the constraint will bind one period in the future. The second kink point corresponds to the m where the constraint will bind two periods in the future, etc.

**In the Friedman/Muth model, the RIC+FHWC are sufficient, but *not* necessary for nondegeneracy

Appendices

A Appendix for Section 2

A.1 Recovering the Non-Normalized Problem

Letting nonbold variables be the boldface counterpart normalized by $\mathbf{p}_t$ (as with $m = \mathbf{m}/\mathbf{p}$), consider the problem in the second-to-last period:

$$\begin{aligned} \mathbf{v}_{T-1}(\mathbf{m}_{T-1}, \mathbf{p}_{T-1}) &= \max_{0 < c_{T-1} < m_{T-1}} u(\mathbf{p}_{T-1} c_{T-1}) + \beta \mathbb{E}_t[u(\mathbf{p}_T m_T)] \\ &= \mathbf{p}_{T-1}^{1-\gamma} \left\{ \max_{0 < c_{T-1} \leq m_{T-1}} u(c_{T-1}) + \beta \mathbb{E}_t[u(\tilde{\mathcal{G}}_T m_T)] \right\}. \end{aligned} \quad (53)$$

Since $v_T(m_T) = u(m_T)$, defining $v_{T-1}(m_{T-1})$ from Problem $(\mathcal{P}_N)$, we obtain:

$$\mathbf{v}_{T-1}(\mathbf{m}_{T-1}, \mathbf{p}_{T-1}) = \mathbf{p}_{T-1}^{1-\gamma} v_{T-1}(\underbrace{\mathbf{m}_{T-1}/\mathbf{p}_{T-1}}_{=m_{T-1}}).$$

This logic induces to earlier periods; if we solve the normalized one-state-variable problem $(\mathcal{P}_N)$, we will have solutions to the original problem for any $t < T$ from:

$$\begin{aligned} \mathbf{v}_t(\mathbf{m}_t, \mathbf{p}_t) &= \mathbf{p}_t^{1-\gamma} v_t(m_t), \\ \mathbf{c}_t(\mathbf{m}_t, \mathbf{p}_t) &= \mathbf{p}_t c_t(m_t). \end{aligned}$$

A.2 Perfect Foresight Benchmarks

Proof of Claim 2. First we show that if finite limiting human wealth (Assumption I.3) and growth impatience (Assumption S.1) are both satisfied, perfect foresight finite value of autarky (Equation (11)) holds. In particular, note that:

$$\begin{aligned} \mathbf{P} &< \mathcal{G} < \mathbf{R} \\ \mathbf{P}/\mathbf{R} &< \mathcal{G}/\mathbf{R} < (\mathcal{G}/\mathbf{R})^{1-1/\gamma} < 1. \end{aligned} \quad (54)$$

The last line above holds because finite human wealth implies $0 \leq (\mathcal{G}/\mathbf{R}) < 1$ and $\gamma > 1 \Rightarrow 0 < 1 - 1/\gamma < 1$.

Next, we show that if finite limiting human wealth is satisfied, perfect foresight finite value of autarky (Equation (11)) implies return impatience (Assumption L.3). To see why, divide both sides of the second inequality in Equation (11) by $\mathbf{R}$, and after some straightforward algebra, arrive at:

$$\mathbf{P}/\mathbf{R} < (\mathcal{G}/\mathbf{R})^{1-1/\gamma}. \quad (55)$$

Due to finite limiting human wealth, the RHS above is strictly less than 1 because $(\mathcal{G}/\mathbf{R}) < 1$ (and the RHS is raised to a positive power (because $\gamma > 1$)).

□

A.3 Properties of the Consumption Function and Limiting MPCs

For the following, a function with k continuous derivatives is called a $\mathbf{C}^k$ function.

Lemma 3. *Let $t < T$. If $\mathbf{v}_t$ is strictly negative, strictly increasing, strictly concave, $\mathbf{C}^3$ and satisfies $\lim_{m \rightarrow 0} \mathbf{v}_t(m) = -\infty$, then c_t is $\mathbf{C}^2$.*

Proof. Start by defining an end-of-period value function $\mathbf{v}_t$ as:

$$\mathbf{v}_t(a) := \beta \mathbb{E}_t \left[\tilde{\mathcal{G}}_{t+1}^{1-\gamma} \mathbf{v}_{t+1} \left(\tilde{\mathcal{R}}_{t+1} a + \boldsymbol{\xi}_{t+1} \right) \right], \quad a \in \mathbb{R}_{++}. \quad (56)$$

Since there is a positive probability that $\boldsymbol{\xi}_{t+1}$ will attain its minimum of zero and since $\tilde{\mathcal{R}}_{t+1} > 0$, we will have that $\lim_{a \rightarrow 0} \mathbf{v}_t(a) = -\infty$. Moreover, note that $\mathbf{v}_t(a)$ is real-valued iff $a > 0$. As such, by Leibniz Rule, $\mathbf{v}_t$ will be $\mathbf{C}^3$.

Next, define $\underline{\mathbf{v}}_t(m, c)$ as:

$$\underline{\mathbf{v}}_t(m, c) := u(c) + \mathbf{v}_t(m - c), \quad (m, c) \in \mathbb{R}_{++}.$$

Note that for fixed m , $c \mapsto \underline{\mathbf{v}}_t(m, c)$ is $\mathbf{C}^3$ on $(0, m)$ since $\mathbf{v}_t$ and u are both $\mathbf{C}^3$. Observe that the value function defined by Problem $(\mathcal{P}_N)$ can be written as:

$$\mathbf{v}_t(m) = \max_{0 < c < m} \underline{\mathbf{v}}_t(m, c), \quad m \in \mathbb{R}_{++}$$

where the function $\underline{\mathbf{v}}_t$ is real-valued if and only if $0 < c < m$. Furthermore, $\lim_{c \rightarrow 0} \underline{\mathbf{v}}_t(m, c) = \lim_{c \rightarrow m} \underline{\mathbf{v}}_t(m, c) = -\infty$, $\frac{\partial^2 \underline{\mathbf{v}}_t(m, c)}{\partial c^2} < 0$, $\lim_{c \rightarrow 0} \frac{\partial \underline{\mathbf{v}}_t(m, c)}{\partial c} = +\infty$, and $\lim_{c \rightarrow m} \frac{\partial \underline{\mathbf{v}}_t(m, c)}{\partial c} = -\infty$.

Letting $\underline{\mathbf{v}}_t(m, 0) = -\infty$ and $\underline{\mathbf{v}}_t(m, m) = -\infty$, consider that $c_t(m)$ is given by:

$$c_t(m) = \arg \max_{0 < c < m} \underline{\mathbf{v}}_t(m, c) = \arg \max_{0 \leq c \leq m} \underline{\mathbf{v}}_t(m, c)$$

where the maximizer exists, is unique and an interior solution. As such, note that c_t satisfies the first order condition:

$$u'(c_t(m)) = \mathbf{v}'_t(m - c_t(m)).$$

By the Implicit Function Theorem, c_t is continuous and differentiable and:

$$c'_t(m) = \frac{\mathbf{v}''_t(a_t(m))}{u''(c_t(m)) + \mathbf{v}''_t(a_t(m))},$$

where the function a_t is defined by the evaluation $a_t(m) = m - c_t(m)$. Since both u and $\mathbf{v}_t$ are three times continuously differentiable and c_t is continuous, the RHS of the above equation is continuous and we can conclude that c'_t is continuous and c_t is in $\mathbf{C}^1$.

Finally, $c'_t(m)$ is differentiable because $\mathbf{v}_t''$ is $\mathbf{C}^1$, $c_t(m)$ is $\mathbf{C}^1$ and $u''(c_t(m)) + \mathbf{v}_t''(a_t(m)) < 0$. The second derivative $c''_t(m)$ will then be given by:

$$c''_t(m) = \frac{a'_t(m)\mathbf{v}_t'''(a_t) [u''(c_t) + \mathbf{v}_t''(a_t)] - \mathbf{v}_t''(a_t) [c'_t(m)u'''(c_t) + a'_t(m)\mathbf{v}_t'''(a_t)]}{[u''(c_t) + \mathbf{v}_t''(a_t)]^2},$$

where $a_t = a_t(m)$ in the equation above. Since $\mathbf{v}_t''(a_t(m))$ is continuous, $c''_t(m)$ is also continuous. □

{prop:vfc3}

Claim 3. For each t , v_t is strictly negative, strictly increasing, strictly concave, $\mathbf{C}^3$ and satisfies $\lim_{m \rightarrow 0} v_t(m) = -\infty$.

Proof. We will say a function is ‘nice’ if it satisfies the properties stated by the Proposition. Assume that for some $t+1$, v_{t+1} is nice. Our objective is to show that this implies v_t is also nice; this is sufficient to establish that v_{t-n} is nice by induction for all $n > 0$ because $v_T(m) = u(m)$ and u , where $u(m) = m^{1-\gamma}/(1-\gamma)$, is nice by inspection. By Lemma 3, if v_{t+1} is nice, c_t is in $\mathbf{C}^2$. Next, since both u and $\mathbf{v}_t$ are strictly concave, both c_t and a_t , where $a_t(m) = m - c_t(m)$, are strictly increasing (Recall Equation (A.3)). This implies that $v_t(m)$ is nice, since $v_t(m) = u(c_t(m)) + \mathbf{v}_t(a_t(m))$. □

Proof for Proposition 3. By Claim 3, each v_t is strictly negative, strictly increasing, strictly concave, $\mathbf{C}^3$ and satisfies $\lim_{m \rightarrow 0} v_t(m) = -\infty$. As such, apply Lemma 3 to conclude that c_t is in $\mathbf{C}^2$. To see that c_t is strictly increasing, note (A.3). To see that c_t is strictly concave, see Theorem 1. in Carroll and Kimball (1996). □

Proof of Lemma 1 (Limiting MPCs). Part (1.): Minimal MPCs

Fix any t and for any m_t with $m_t > 0$, we can define $e_t(m_t) = c_t(m_t)/m_t$ and $a_t(m_t) = m_t - c_t(m_t)$. The Euler equation, Equation (4), can be rewritten as:

$$e_t(m_t)^{-\gamma} = \beta \mathbb{R} \mathbb{E}_t \left(e_{t+1}(m_{t+1}) \left(\frac{\overbrace{\text{Ra}_t(m_t) + \tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}^{=m_{t+1}\tilde{\mathcal{G}}_{t+1}}}{m_t} \right) \right)^{-\gamma} \quad (57) \quad \{\text{eq:eFuncEuler}\}$$

where $m_{t+1} = \tilde{\mathcal{R}}_{t+1}(m_t - c_t(m_t)) + \boldsymbol{\xi}_{t+1}$. The minimal MPC’s are obtained by letting where $m_t \rightarrow \infty$. Note that $\lim_{m_t \rightarrow \infty} m_{t+1} = \infty$ almost surely and thus $\lim_{m_t \rightarrow \infty} e_{t+1}(m_{t+1}) = \underline{\kappa}_{t+1}$ almost surely. Turning to the second term inside the marginal utility on the RHS, we can write:

$$\begin{aligned} \lim_{m_t \rightarrow \infty} \frac{\text{Ra}_t(m_t) + \tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}{m_t} &= \lim_{m_t \rightarrow \infty} \frac{\text{Ra}_t(m_t)}{m_t} + \lim_{m_t \rightarrow \infty} \frac{\tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}{m_t} \\ &= R(1 - \underline{\kappa}_t) + 0, \end{aligned} \quad (58)$$

since $\tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}$ is bounded. Thus, we can assert:

$$\lim_{m_t \rightarrow \infty} \left(e_{t+1}(m_{t+1}) \left(\frac{\text{Ra}_t(m) + \tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}{m_t} \right) \right)^{-\gamma} = (\underline{\text{R}}_{\underline{\kappa}_{t+1}}(1 - \underline{\kappa}_t))^{-\gamma}, \quad (59)$$

almost surely. Next, the term inside the expectation operator at Equation (57) is bounded above by $(\underline{\text{R}}_{\underline{\kappa}_{t+1}}(1 - \bar{\kappa}_t))^{-\gamma}$. Thus, by the Dominated Convergence Theorem, we have:

$$\lim_{m_t \rightarrow \infty} \beta \mathbb{R} \mathbb{E}_t \left(e_{t+1}(m_{t+1}) \left(\frac{\text{Ra}_t(m_t) + \tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}{m_t} \right) \right)^{-\gamma} = \beta \text{R}(\underline{\text{R}}_{\underline{\kappa}_{t+1}}(1 - \underline{\kappa}_t))^{-\gamma}. \quad (60)$$

Again applying L'Hôpital's rule to the LHS of Equation (57), letting $\lim_{m \rightarrow \infty} e_t(m) = \underline{\kappa}_t$ and equating limits to the RHS, we arrive at:

$$\mathbf{P}/\underline{\text{R}}_{\underline{\kappa}_t} = (1 - \underline{\kappa}_t)\underline{\kappa}_{t+1}$$

Thus the minimal marginal propensity to consume satisfies the following recursive formula:

$$\underline{\kappa}_t^{-1} = 1 + \underline{\kappa}_{t+1}^{-1} \mathbf{P}/\text{R}, \quad (61)$$

which implies $\{\underline{\kappa}_{T-n}^{-1}\}_{n=0}^{\infty}$ is an increasing sequence. Define:

$$\underline{\kappa}^{-1} := \lim_{n \rightarrow \infty} \underline{\kappa}_{T-n}^{-1} \quad (62)$$

as the limiting (inverse) marginal MPC. If return impatience (Assumption L.3) does *not* hold, then $\lim_{n \rightarrow \infty} \underline{\kappa}_{T-n}^{-1} = \infty$ and so the limiting MPC is $\underline{\kappa} = 0$. Otherwise if return impatience (Assumption L.3) holds, then $\underline{\kappa} > 0$.

Part (2): Maximal MPCs

The Euler Equation (4) can be rewritten as:

$$\begin{aligned} e_t(m_t)^{-\gamma} &= \beta \mathbb{R} \mathbb{E}_t \left[\left(e_{t+1}(m_{t+1}) \left(\frac{\overbrace{\text{Ra}_t(m) + \tilde{\mathcal{G}}_{t+1}\boldsymbol{\xi}_{t+1}}^{=m_{t+1}\tilde{\mathcal{G}}_{t+1}}}}{m_t} \right) \right)^{-\gamma} \right] \\ &= (1 - \wp) \beta \text{R} m_t^{\gamma} \mathbb{E}_t \left[\left(e_{t+1}(m_{t+1}) m_{t+1} \tilde{\mathcal{G}}_{t+1} \right)^{-\gamma} \mid \boldsymbol{\xi}_{t+1} > 0 \right] \\ &\quad + \wp \beta \text{R}^{1-\gamma} \mathbb{E}_t \left[\left(e_{t+1}(\tilde{\mathcal{R}}_{t+1} a_t(m)) \frac{m_t - c_t(m)}{m_t} \right)^{-\gamma} \mid \boldsymbol{\xi}_{t+1} = 0 \right] \end{aligned} \quad (63)$$

Now consider the first conditional expectation in the second line of Equation (63). Recall that if $\xi_{t+1} > 0$, then $\xi_{t+1} = \theta_{t+1}/(1 - \wp)$ by Assumption I.1. Since $\lim_{m_t \rightarrow 0} a_t(m_t) = 0$, $\mathbb{E}_t[(e_{t+1}(m_{t+1})m_{t+1}\tilde{\mathcal{G}}_{t+1})^{-\gamma} \mid \xi_{t+1} > 0]$ is contained in the bounded interval $[(e_{t+1}(\underline{\theta}/(1 - \wp))\mathcal{G}\underline{\psi}\underline{\theta}/(1 - \wp))^{-\gamma}, (e_{t+1}(\bar{\theta}/(1 - \wp))\mathcal{G}\bar{\psi}\bar{\theta}/(1 - \wp))^{-\gamma}]$. As such, the first term after the second equality above converges to zero as m_t^γ converges to zero.

Turning to the second term after the second equality above, once again apply Dominated Convergence Theorem as noted above at Equation (60). As $m_t \rightarrow 0$, the expectation converges to $\bar{\kappa}_{t+1}^{-\gamma}(1 - \bar{\kappa}_t)^{-\gamma}$.

Equating the limits on the LHS and RHS of Equation (63), we have $\bar{\kappa}_t^{-\gamma} = \beta\wp R^{1-\gamma}\bar{\kappa}_{t+1}^{-\gamma}(1 - \bar{\kappa}_t)^{-\gamma}$. Exponentiating by γ on both sides, we can conclude:

$$\bar{\kappa}_t = \wp^{-1/\gamma}(\beta R)^{-1/\gamma}R(1 - \bar{\kappa}_t)\bar{\kappa}_{t+1}$$

and,

$$\underbrace{\wp^{1/\gamma} R^{-1}(\beta R)^{1/\gamma}}_{\equiv \wp^{1/\gamma} \mathbf{P}/R} \bar{\kappa}_t = (1 - \bar{\kappa}_t)\bar{\kappa}_{t+1} \quad (64) \quad \{\text{eq:MPSminDef}\}$$

The equation above yields a recursive formula for the maximal marginal propensity to consume after some algebra:

$$\begin{aligned} (\wp^{1/\gamma} \mathbf{P}/R\bar{\kappa}_t)^{-1} &= (1 - \bar{\kappa}_t)^{-1}\bar{\kappa}_{t+1}^{-1} \\ \Rightarrow \bar{\kappa}_t^{-1}(1 - \bar{\kappa}_t) &= \wp^{1/\gamma} \mathbf{P}/R\bar{\kappa}_{t+1}^{-1} \\ \Rightarrow \bar{\kappa}_t^{-1} &= 1 + \wp^{1/\gamma} \mathbf{P}/R\bar{\kappa}_{t+1}^{-1} \end{aligned}$$

As noted in the main text, we need weak return impatience(Assumption L.4) for this to be a convergent sequence:

$$0 \leq \wp^{1/\gamma} \mathbf{P}/R < 1, \quad (65) \quad \{\text{eq:WRICapndx}\}$$

Since $\bar{\kappa}_T = 1$, iterating (65) backward to infinity, we obtain:

$$\lim_{n \rightarrow \infty} \bar{\kappa}_{T-n} = \bar{\kappa} \equiv 1 - \wp^{1/\gamma} \mathbf{P}/R \quad (66) \quad \{\text{eq:MPCmaxDef}\}$$

□

A.4 Existence of Limiting Solutions

We state Boyd's contraction mapping Theorem (Boyd,1990) for completeness. {\sec:Tcontractionm}

Theorem 5. (*Boyd's Contraction Mapping*) Let $\mathbb{B} : \mathcal{C}_\varphi(S, Y) \rightarrow \mathcal{C}_\varphi(S, Y)$ with $S \subset \mathbb{R}$ and $Y \subset \mathbb{R}$. {\thm:Boyd}

If,

1. the operator $\mathbb{B}$ is non-decreasing, i.e. $x \leq y \Rightarrow \mathbb{B}x \leq \mathbb{B}y$,

Appendices

2. we have $\mathbb{B}\mathbf{0} \in \mathcal{C}_\varphi(S, Y)$, where $\mathbf{0}$ is the null vector,
3. there exists α with $0 < \alpha < 1$ such that for all λ with $\lambda > 0$, we have:

$$\mathbb{B}(\mathbf{x} + \lambda\varphi) \leq \mathbb{B}\mathbf{x} + \lambda\alpha\varphi,$$

then $\mathbb{B}$ defines a contraction with a unique fixed point.

Claim 4. If weak return impatience (Assumption L.4) holds, then there exists k such that for all $0 \leq \bar{\nu} \leq \bar{\kappa}_{T-k}$, we have:

$$\wp\beta(\mathbf{R}(1 - \bar{\nu}))^{1-\gamma} < 1 \quad (67)$$

Proof. By straightforward algebra and Equation (21) from the main text, we have:

$$\begin{aligned} \wp\beta(\mathbf{R}(1 - \bar{\kappa}))^{1-\gamma} &= \wp\beta\mathbf{R}^{1-\gamma} \left(\wp^{1/\gamma} \frac{(\mathbf{R}\beta)^{1/\gamma}}{\mathbf{R}} \right)^{1-\gamma} \\ &= \wp^{1/\gamma} \frac{(\mathbf{R}\beta)^{1/\gamma}}{\mathbf{R}} < 1, \end{aligned}$$

where the inequality holds by weak return impatience (Assumption L.4). Finally, the expression $\bar{\nu} \mapsto \wp\beta(\mathbf{R}(1 - \bar{\nu}))^{1-\gamma}$ is continuous and increasing in $\bar{\nu}$, and we have $1 > \bar{\kappa} > 0$ and $\bar{\kappa}_{T-n} \rightarrow \bar{\kappa}$ as $n \rightarrow \infty$. As such, there exists k such that $\wp\beta(\mathbf{R}(1 - \bar{\kappa}_{T-k}))^{1-\gamma} < 1$ and Equation (67) holds for all $\bar{\nu} \leq \bar{\kappa}_{T-n}$. □

Remark 5. By the finite value of autarky (Assumption L.1) and for k large enough, fix α such that:

$$\alpha = \max\{\wp\beta(\mathbf{R}(1 - \bar{\kappa}_k))^{1-\gamma}, \beta\mathbb{E}\tilde{\mathcal{G}}^{1-\gamma}\} < 1 \quad (68)$$

Note that this implies

$$\alpha(1 - \alpha^{-1}\beta\mathbb{E}\tilde{\mathcal{G}}^{1-\gamma}) > 0. \quad (69)$$

We define the constant ζ as follows:

$$\zeta = \frac{\beta\mathbb{E}\tilde{\mathcal{G}}^{1-\gamma}(1 - \wp)^{\gamma}\underline{\theta}^{1-\gamma}}{\alpha(1 - \alpha^{-1}\beta\mathbb{E}\tilde{\mathcal{G}}^{1-\gamma})}, \quad (70)$$

and the bounding function, φ , as follows $\varphi(x) = \zeta + x^{1-\gamma}$.

Claim 5. If $\mathbf{x} \in \mathcal{C}_\varphi(S, Y)$, then $\mathbb{T}^{\underline{\nu}, \bar{\nu}}\mathbf{x} \in \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R}_+)$.

Proof. By definition, we have

$$\mathbb{T}^{\underline{\nu}, \bar{\nu}}\mathbf{x}(m_t) = \max_{c_t \in [\underline{\nu}m_t, \bar{\nu}m_t]} \left\{ u(c_t) + \beta\mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x}(m_{t+1}) \right] \right\}, \quad m_t \in \mathbb{R}_{++} \quad (71)$$

where $m_{t+1} = \tilde{\mathcal{R}}(m_t - c_t) + \xi$.

First we verify that the mapping $c_t \mapsto \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x}(m_{t+1}) \right]$, which we denote as g , is continuous. To proceed define the mapping $\tilde{g}: \mathbb{R}_{++} \times \Omega \rightarrow \mathbb{R}$ by $c, \omega \mapsto \left[\tilde{\mathcal{G}}(\omega)^{1-\gamma} \mathbf{x} \left(\tilde{\mathcal{R}}(\omega) (m_t - c_t) + \boldsymbol{\xi}(\omega) \right) \right]$ and the mapping $g: \mathbb{R}_{++} \times [\underline{\psi}, \bar{\psi}] \times [0, \bar{\theta}] \rightarrow \mathbb{R}$ by $c, \psi, \boldsymbol{\xi} \mapsto \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x} \left(\tilde{\mathcal{R}}(m_t - c_t) + \boldsymbol{\xi} \right) \right]$. Fix c and note that for any compact interval $[\bar{c}, \underline{c}]$ such that $c \in [\bar{c}, \underline{c}] \subset \mathbb{R}_{++}$, $c \in \mathbb{R}_{++}$, $g(c, \bullet, \bullet)$ is continuous on $[\bar{c}, \underline{c}] \times [\underline{\psi}, \bar{\psi}] \times [0, \bar{\theta}]$. Thus, g is bounded above and below by $\bar{\Xi}$ and $\underline{\Xi}$ for any $c \in [\bar{c}, \underline{c}]$ (where $\bar{\Xi}$ and $\underline{\Xi}$ do not depend on c). To show continuity of $\mathbb{E}\tilde{g}(c, \bullet)$ for any $c \in \mathbb{R}_{++}$, note there exists $[\bar{c}, \underline{c}]$ such that $c \in [\bar{c}, \underline{c}] \subset \mathbb{R}_{++}$. Thus consider $\{c^i\}_i$, let $c^i \rightarrow c$ and we can assume $c^i \in [\bar{c}, \underline{c}]$ for all i . Since for each i , $\tilde{g}(c^i, \omega)$ is bounded above and below by $\bar{\Xi}$ and $\underline{\Xi}$, by the Dominated Convergence Theorem, we must have $\lim_{i \rightarrow \infty} \mathbb{E}\tilde{g}(c_i, \bullet) = \mathbb{E}\tilde{g}(c, \bullet)$.

Next, by Berge's Maximum Theorem (Theorem 17.31 in Aliprantis and Border (2006)), since the feasibility correspondence $m_t \mapsto [\underline{\nu}m_t, \bar{\nu}m_t]$ has a closed graph and is and compact valued, $\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{x}$ must be continuous.

Finally, to show that $\|\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{x}\|_{\varphi} < \infty$. We have:

$$\begin{aligned} \|\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{x}\|_{\varphi} &= \sup_m \left\{ \frac{\left| u(c(m)) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x}(m^{\text{next}}) \right] \right|}{\zeta + m^{1-\gamma}} \right\} \\ &\leq \sup_m \left\{ \frac{\left| \frac{m^{1-\gamma}}{1-\gamma} + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x}(m^{\text{next}}) \right] \right|}{\zeta + m^{1-\gamma}} \right\} \\ &\leq \sup_m \left\{ \frac{\frac{m^{1-\gamma}}{1-\gamma}}{\zeta + m^{1-\gamma}} \right\} + \sup_m \left\{ \frac{\beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} |\mathbf{x}(m)| \right]}{\zeta + m^{1-\gamma}} \right\} \\ &< \infty, \end{aligned} \tag{72}$$

where $m^{\text{next}} = \tilde{\mathcal{R}}(m - c) + \boldsymbol{\xi}$ and the final inequality follows from the triangle inequality and the fact that $\mathbf{x}$ is φ -bounded. $\square$

Proof of Theorem 1. Fix k such that Equation (67) holds. By Claim 5, $\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbb{T}^{\underline{\nu}, \bar{\nu}}$ maps from $\mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$ to $\mathcal{C}_{\varphi}(\mathbb{R}_{++}, \mathbb{R})$. We now verify conditions (1)-(3) of Boyd's Theorem (5).

Condition (1). By definition of $\mathbb{T}^{\underline{\nu}, \bar{\nu}}$, we have:

$$\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{x}(m_t) = \max_{c_t \in [\underline{\nu}m_t, \bar{\nu}m_t]} \left\{ u(c_t) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} \mathbf{x}(m_{t+1}) \right] \right\}, \tag{73} \quad \{\text{eq:condition1}\}$$

where $m_{t+1} = \tilde{\mathcal{R}}(m_t - c_t) + \boldsymbol{\xi}$. As such, $\mathbf{x} \leq \mathbf{y}$ implies $\mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{x}(m_t) \leq \mathbb{T}^{\underline{\nu}, \bar{\nu}} \mathbf{y}(m_t)$ by inspection.

Condition (2.) Condition (2.) requires that $\mathbb{T}^{\mathbb{L}, \bar{\nu}} \mathbf{0} \in \mathcal{C}_\varphi(\mathcal{A}, \mathcal{B})$. By definition,

$$\mathbb{T}^{\mathbb{L}, \bar{\nu}} \mathbf{0}(m_t) = \max_{c_t \in [\underline{\nu} m_t, \bar{\nu} m_t]} \left\{ \left(\frac{c_t^{1-\gamma}}{1-\gamma} \right) + \beta 0 \right\}$$

the solution to which implies $\mathbb{T}^{\mathbb{L}, \bar{\nu}} \mathbf{0}(m_t) = u(\bar{\nu} m_t)$. Thus, Condition (2) will hold if $(\bar{\nu} m_t)^{1-\gamma}$ is φ -bounded, which it is if we use the bounding function

$$\varphi(x) = \zeta + x^{1-\gamma}, \quad (74)$$

defined in Remark 5.

Condition (3). Finally, we turn to condition (3), which requires us to show $\mathbb{T}^{\mathbb{L}, \bar{\nu}}(z + \lambda\varphi)(m_t) \leq \mathbb{T}^{\mathbb{L}, \bar{\nu}} z(m_t) + \lambda\alpha\varphi(m_t)$ for $0 < \alpha < 1$ and $\lambda > 0$.

To proceed, define $\check{c}$ as the consumption function⁴⁴ associated with $\mathbb{T}^{\mathbb{L}, \bar{\nu}} z$ and $\hat{c}$ as the consumption function associated with $\mathbb{T}^{\mathbb{L}, \bar{\nu}}(z + \zeta\varphi)$; using this notation, Condition (3.) can be rewritten as:

$$u(\hat{c}) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}(z + \zeta\varphi) \circ \hat{m}^{\text{next}} \leq u(\check{c}) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} z \circ \check{m}^{\text{next}} + \zeta\alpha\varphi,$$

where $\check{m}^{\text{next}}(m) = \tilde{\mathcal{R}}(m - \check{c}(m)) + \boldsymbol{\xi}$ and $\hat{m}^{\text{next}}(m) = \tilde{\mathcal{R}}(m - \hat{c}(m)) + \boldsymbol{\xi}$. If we now force the consumer facing z as the next period value function to consume the amount optimal for the consumer facing $z + \zeta\varphi$, the value for the z consumer must be weakly lower. That is,

$$u(\hat{c}) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} z \circ \hat{m}^{\text{next}} \leq u(\check{c}) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} z \circ \check{m}^{\text{next}}.$$

Thus, condition (3.) will certainly hold under the stronger condition

$$\begin{aligned} u \circ \hat{c} + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}(z + \lambda\varphi) \circ \hat{m}^{\text{next}} &\leq u \circ \hat{c} + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} z \circ \hat{m}^{\text{next}} + \lambda\alpha\varphi \\ \Leftrightarrow \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}(z + \lambda\varphi) \circ \hat{m}^{\text{next}} &\leq \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} z \circ \hat{m}^{\text{next}} + \lambda\alpha\varphi \\ \Leftrightarrow \beta \lambda \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} \varphi \circ \hat{m}^{\text{next}} &\leq \lambda\alpha\varphi \\ \Leftrightarrow \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} \varphi \circ \hat{m}^{\text{next}} &\leq \alpha\varphi \end{aligned}$$

To show (75) holds, recall by Claim 4 that $\wp\beta(\mathbf{R}(1 - \bar{\kappa}_{T-k}))^{1-\gamma} < 1$ for k large enough. As such, define α by Equation (68) and note that $\wp\beta(\mathbf{R}(1 - \bar{\kappa}_k))^{1-\gamma} < \alpha < 1$ and $\alpha \geq \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}$. Letting $\hat{a} = m - \hat{c}(m)$, Equation (75) will be satisfied if:

$$\beta \mathbb{E} [\tilde{\mathcal{G}}^{1-\gamma}(\hat{a} \tilde{\mathcal{R}} + \boldsymbol{\xi})]^{1-\gamma} - \alpha m^{1-\gamma} < \alpha \zeta (1 - \alpha^{-1} \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}),$$

⁴⁴Note that the maximand on the RHS of Equation (73) is continuous (Claim 5) and the feasible set of consumption choices is compact-valued. As such, a solution to the maximization problem exists for any m_t . Thus, letting Θ be the solution correspondence for the maximization problem, $\Theta(m_t)$ will be non-empty and will admit a selector function $\check{c}$. See Section 17.11 in Aliprantis and Border (2006).

which, by imposing finite value of autarky (Assumption L.1) and Equation (69) can be rewritten as:

$$\zeta > \frac{\beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} (\hat{a}\tilde{\mathcal{R}} + \xi)^{1-\gamma} \right] - \alpha m^{1-\gamma}}{\alpha(1 - \alpha^{-1}\beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma})} =: \bar{M}. \quad (75) \quad \{\text{eq:KeyCondition}\}$$

Thus, the proof reduces to showing Equation (75) holds. To proceed, consider that the numerator of (75) is bounded above as follows:

$$\begin{aligned} \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} (\hat{a}\tilde{\mathcal{R}} + \xi)^{1-\gamma} \right] - \alpha m^{1-\gamma} &= (1 - \wp) \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} (\hat{a}\tilde{\mathcal{R}} + \theta/(1 - \wp))^{1-\gamma} \right] \\ &\quad + \wp \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} (\hat{a}\tilde{\mathcal{R}})^{1-\gamma} \right] - \alpha m^{1-\gamma} \\ &\leq (1 - \wp) \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} ((1 - \bar{\nu})m\tilde{\mathcal{R}} + \theta/(1 - \wp))^{1-\gamma} \right] \\ &\quad + \wp \beta \mathbb{R}^{1-\gamma} ((1 - \bar{\nu})m)^{1-\gamma} - \alpha m^{1-\gamma} \\ &= (1 - \wp) \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} ((1 - \bar{\nu})m\tilde{\mathcal{R}} + \theta/(1 - \wp))^{1-\gamma} \right] \quad (76) \\ &\quad + m^{1-\gamma} \left(\underbrace{\wp \beta (\mathbb{R}(1 - \bar{\nu}))^{1-\gamma}}_{< \alpha \text{ by Claim 4}} - \alpha \right) \\ &< (1 - \wp) \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} (\underline{\theta}/(1 - \wp))^{1-\gamma} \right] \\ &= \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} (1 - \wp)^\gamma \underline{\theta}^{1-\gamma}. \end{aligned}$$

Using Claim 4, we have that $\wp \beta (\mathbb{R}(1 - \bar{\nu}))^{1-\gamma} < \alpha$ since $\alpha = \max\{\wp \beta (\mathbb{R}(1 - \bar{\kappa}_{T-k}))^{1-\gamma}, \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma}\}$ and $\bar{\nu} \leq \bar{\kappa}_k$. We can thus conclude that equation (75) will hold since we have

$$\zeta \geq \frac{\beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} (1 - \wp)^\gamma \underline{\theta}^{1-\gamma}}{\alpha(1 - \alpha^{-1}\beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma})} > \bar{M}. \quad (77)$$

The proof that $\mathbb{T}^{\mathbb{L}, \bar{\nu}}$ defines a contraction mapping under the conditions (L.4) and (L.1) is now complete. $\square$

Proof of Theorem 2 (continued). *Proof of part (ii).* We next establish the point-wise convergence of consumption the functions $\{c_{t_n}\}_{n=0}^\infty$ along a sub-sequence. Fix any $m \in S$ and consider a convergent subsequence $\{c_{t_{n(i)}}(m)\}_{i=0}^\infty$ of $\{c_{t_n}(m)\}_{n=0}^\infty$. Let the function c denote the mapping from m to the limit of $\{c_{t_{n(i)}}(m)\}_{i=0}^\infty$. Since $c_{t_{n(i)}}(m)$ solves the time $t_{n(i)}$ finite horizon problem, we have:

$$\begin{aligned} & u(c_{t_{n(i)}}(m)) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v_{t_{n(i)}+1}(m_{t_{n(i)}+1}) \right] \\ & \geq u(c) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v_{t_{n(i)}+1}(\hat{m}^{\text{next}}) \right], \end{aligned} \quad (78)$$

for any $c \in (0, \bar{\kappa}m]$, where $m_{t_{n(i)}+1} = \tilde{\mathcal{R}}(m - c_{t_{n(i)}}(m)) + \xi_{t_{n(i)}+1}$ and $\hat{m}^{\text{next}} = \tilde{\mathcal{R}}(m - c) + \xi_{t_{n(i)}+1}$. Allowing $n(i)$ to tend to infinity, the left-hand side converges to:

$$u(c(m)) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}}) \right], \quad (79)$$

where $m^{\text{next}} = \tilde{\mathcal{R}}(m - c(m)) + \xi$. Moreover, the right-hand side converges to:

$$u(c) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v(\hat{m}^{\text{next}}) \right]. \quad (80)$$

Hence, as $n(i)$ tends to infinity, the following inequality is implied:

$$u(c(m)) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}}) \right] \geq u(c) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v(\hat{m}^{\text{next}}) \right]. \quad (81)$$

Since the c above was arbitrary, we have:

$$c(m) \in \arg \max_{c \in (0, \bar{\kappa}m]} \left\{ u(c) + \beta \mathbb{E} \left[\tilde{\mathcal{G}}^{1-\gamma} v(\hat{m}^{\text{next}}) \right] \right\}. \quad (82) \quad \{\text{eq:statCbellman}\}$$

Next, since $c_{t_{n(i)}} \rightarrow c$ pointwise, and $v_{t_{n(i)}} \rightarrow v$ pointwise, we have:

$$v(m) = \lim_{i \rightarrow \infty} \left[u(c_{t_{n(i)}}(m)) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v_{t_{n(i)}+1}(m_{t_{n(i)}+1}) \right] = u(c(m)) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}}). \quad (83) \quad \{\text{eq:convgcvtftni}\}$$

where $m_{t_n} = \tilde{\mathcal{R}}(m - c_{t_n}(m))$ and $m^{\text{next}} = \tilde{\mathcal{R}}(m - c(m))$. The first equality stems from the fact that $v_{t_n} \rightarrow v$ pointwise, and because pointwise convergence implies pointwise convergence along a sub-sequence. To see why $\lim_{i \rightarrow \infty} u(c_{t_{n(i)}}(m)) = u(c(m))$, note the continuity of u and the convergence of $c_{t_{n(i)}}$ to c point-wise. Turning to the second inequality, to see why $\lim_{i \rightarrow \infty} \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v_{t_{n(i)}+1}(m_{t_{n(i)}+1}) = \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}})$, note that $v_{t_{n(i)}+1}$ converges in the φ -norm, hence converges uniformly over compact sets in $\mathbb{R}_{++}$ (Fact 1, Appendix F). Thus, by Fact 2 in Appendix F, $v_{t_{n(i)}+1}(m_{t_{n(i)}+1})$ converges almost surely. Applying Dominated Convergence Theorem gives us $\lim_{i \rightarrow \infty} \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v_{t_{n(i)}+1}(m_{t_{n(i)}+1}) = \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}})$.

This completes the proof of part (ii) of the Theorem.

Proof of part (iii). The limits at Equation (83) immediately imply:

$$v(m) = \lim_{n \rightarrow \infty} \left[u(c_{t_n}(m)) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v_{t_n+1}(m_{t_n+1}) \right] = u(c(m)) + \beta \mathbb{E} \tilde{\mathcal{G}}^{1-\gamma} v(m^{\text{next}}), \quad (84)$$

since a real valued sequence can have at most one limit.

Finally, applying Fact 5 from Appendix F, we get $c_{t_n}(m) \rightarrow c(m)$, thus establishing that c_{t_n} converges point-wise to c . Since $v \in \mathcal{C}_\varphi(\mathbb{R}_{++}, \mathbb{R})$, we must have that $c(m) > 0$ for any $m > 0$, allowing us to conclude that v and c is a non-degenerate limiting solution. $\square$

A.5 Properties of the Converged Consumption Function

Let c be the limiting non-degenerate consumption function.

Claim 6. *If weak return impatience (Assumption L.4) holds, then c satisfies $c(m)^{-\gamma} = \mathbb{R}\beta\mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{-\gamma}c(m^{\text{next}})^{-\gamma}]$, where $m^{\text{next}} = \tilde{\mathcal{R}}(m - c(m)) + \xi$.*

Proof. By Theorem 2, c_{T-n} converges point-wise to c as $n \rightarrow \infty$. Since c_{T-n} is the optimal consumption function for time $T - n$, $c_{T-n}(m)^{-\gamma} = \mathbb{R}\beta\mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{-\gamma}c_{T-n+1}(m_{t+1})^{-\gamma}]$, where $m_{t+1} = \tilde{\mathcal{R}}(m - c_{T-n}(m)) + \xi$. Fixing $m > 0$, $\tilde{\mathcal{R}}(m - c_{T-n}(m)) + \xi$ converges almost surely to $\tilde{\mathcal{R}}(m - c(m)) + \xi$. Making use of the Dominated Convergence (see proof of Claim 5), $\mathbb{R}\beta\mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{-\gamma}c_{T-n+1}(m_{t+1})^{-\gamma}]$ converges to $\mathbb{R}\beta\mathbb{E}_t[\tilde{\mathcal{G}}_{t+1}^{-\gamma}c(m^{\text{next}})^{-\gamma}]$. Since $c_{T-n}(m)^{-\gamma}$ converges to $c(m)^{-\gamma}$ and $m \in \mathbb{R}_{++}$, the result follows. $\square$

Proof of Lemma 2. First, we verify c is concave. Since weak return impatience (Assumption L.4) holds, by Theorem 2, $c_{T-n} \rightarrow c$ point-wise on $\mathbb{R}_{++}$ as $n \rightarrow \infty$. Moreover, since $\mathbb{R}_{++}$ is open, we can apply Theorem 10.8 by Rockafellar (1972), which confirms that c is concave on $\mathbb{R}_{++}$.

Next, note that $c(m) > 0$ on $\mathbb{R}_{++}$ (recall Remark 4). Thus, we must have that $\frac{c(m)}{m}$ is non-increasing (see Claim 7 in Appendix F) and since $c(m)$ is feasible (Equation 82), $0 \leq \frac{c(m)}{m} \leq 1$. Because $\frac{c(m)}{m}$ is non-increasing and bounded above and below on $\mathbb{R}_{++}$, we can define $\bar{\kappa} := \lim_{m \downarrow 0} \frac{c(m)}{m}$ and $\underline{\kappa} := \lim_{m \rightarrow \infty} \frac{c(m)}{m}$ where $0 \leq \underline{\kappa} \leq \bar{\kappa} \leq 1$.

We first show $\bar{\kappa} = \bar{\kappa}$ and then show $\underline{\kappa} = \underline{\kappa}$. Since c satisfies the Euler equation by Claim 6, we have

$$e(m)^{-\gamma} = \beta\mathbb{R}\mathbb{E}_t \left(e(m) \left(\frac{\overbrace{\text{Ra}(m) + \tilde{\mathcal{G}}\xi}^{=m\tilde{\mathcal{G}}}}{m} \right) \right)^{-\gamma} \quad (85)$$

where $m^{\text{next}} = \tilde{\mathcal{R}}(m - c(m)) + \xi$. The minimal MPC's are obtained by letting $m \rightarrow \infty$. Note that $\lim_{m_t \rightarrow \infty} m^{\text{next}} = \infty$ almost surely and thus $\lim_{m_t \rightarrow \infty} e_{t+1}(m_{t+1}) = \underline{\kappa}$ almost surely. Turning to the second term inside the marginal utility on the RHS, we can write

$$\begin{aligned} \lim_{m \rightarrow \infty} \frac{\text{Ra}(m) + \tilde{\mathcal{G}}\xi}{m_t} &= \lim_{m \rightarrow \infty} \frac{\text{Ra}(m)}{m} + \lim_{m \rightarrow \infty} \frac{\tilde{\mathcal{G}}\xi}{m} \\ &= \mathbb{R}(1 - \underline{\kappa}) + 0, \end{aligned} \quad (86)$$

since $\tilde{\mathcal{G}}\xi$ is bounded. Thus, as m tends to ∞ , we have

$$\lim_{m \rightarrow \infty} e(m)^{-\gamma} = \underline{\kappa}^{-\gamma} = \beta \mathbf{R} \underline{\kappa}^{-\gamma} \mathbf{R}^{-\gamma} (1 - \underline{\kappa})^{-\gamma}. \quad (87)$$

Re-arranging the terms above gives us $\underline{\kappa} = 1 - \mathbf{P}/\mathbf{R} = \underline{\kappa}$ as required. Finally, analogously following the steps before Equation (64) and noting $\bar{\kappa} = \lim_{m \downarrow 0} \frac{c(m)}{m}$, we can conclude $\bar{\kappa} = \wp^{-1/\gamma} (\beta \mathbf{R})^{-1/\gamma} \mathbf{R} (1 - \bar{\kappa}) \bar{\kappa}$. Whence $\bar{\kappa} = 1 - \wp^{1/\gamma} \mathbf{P}/\mathbf{R} = \bar{\kappa}$. $\square$

A.6 The Liquidity Constrained Solution as a Limit

Formally, suppose we change the description of the problem by making the following two assumptions:

$$\begin{aligned} \wp &= 0 \\ c_t &\leq m_t, \end{aligned}$$

and we designate the solution to this consumer's problem $\dot{c}_t(m)$. We will henceforth refer to this as the problem of the 'restrained' consumer (and, to avoid a common confusion, we will refer to the consumer as 'constrained' only in circumstances when the constraint is actually binding).

Redesignate the consumption function that emerges from our original problem for a given fixed $\wp$ as $c_t(m; \wp)$ where we separate the arguments by a semicolon to distinguish between m , which is a state variable, and $\wp$, which is not. The proposition we wish to demonstrate is

$$\lim_{\wp \downarrow 0} c_t(m; \wp) = \dot{c}_t(m). \quad (88)$$

We will first examine the problem in period $T - 1$, then argue that the desired result propagates to earlier periods. For simplicity, suppose that the interest, growth, and time-preference factors are $\beta = \mathbf{R} = \mathcal{G} = 1$, and there are no permanent shocks, $\psi = 1$; the results below are easily generalized to the full-fledged version of the problem.

The solution to the restrained consumer's optimization problem can be obtained as follows. Assuming that the consumer's behavior in period T is given by $c_T(m)$ (in practice, this will be $c_T(m) = m$), consider the unrestrained optimization problem

$$\dot{a}_{T-1}^*(m) = \arg \max_a \left\{ u(m - a) + \int_{\underline{\theta}}^{\bar{\theta}} v_T(a + \theta) d\mathcal{F}_{\theta} \right\}. \quad (89)$$

As usual, the envelope theorem tells us that $v'_T(m) = u'(c_T(m))$ so the expected marginal value of ending period $T - 1$ with assets a can be defined as

$$\dot{v}'_{T-1}(a) \equiv \int_{\underline{\theta}}^{\bar{\theta}} u'(c_T(a + \theta)) d\mathcal{F}_{\theta},$$

and the solution to (89) will satisfy

$$u'(m - a) = \dot{v}'_{T-1}(a). \quad (90) \quad \{\text{eq:uPConstr}\}$$

$\dot{a}_{T-1}^*(m)$ therefore answers the question “With what level of assets would the restrained consumer like to end period $T - 1$ if the constraint $c_{T-1} \leq m_{T-1}$ did not exist?” (Note that the restrained consumer’s income process remains different from the process for the unrestrained consumer so long as $\wp > 0$.) The restrained consumer’s actual asset position will be

$$\dot{a}_{T-1}(m) = \max[0, \dot{a}_{T-1}^*(m)],$$

reflecting the inability of the restrained consumer to spend more than current resources, and note (as pointed out by Deaton (1991)) that

$$m_{\#}^1 = (\dot{v}'_{T-1}(0))^{-1/\gamma}$$

is the cusp value of m at which the constraint makes the transition between binding and non-binding in period $T - 1$.

Analogously to (90), defining

$$\dot{v}'_{T-1}(a; \wp) \equiv \left[\wp a^{-\gamma} + (1 - \wp) \int_{\underline{\theta}}^{\bar{\theta}} (c_T(a + \theta/(1 - \wp)))^{-\gamma} d\mathcal{F}_{\theta} \right], \quad (91) \quad \{\text{eq:vFrakPrime}\}$$

the Euler equation for the original consumer’s problem implies

$$(m - a)^{-\gamma} = \dot{v}'_{T-1}(a; \wp) \quad (92) \quad \{\text{eq:uPUnconstr}\}$$

with solution $\dot{a}_{T-1}^*(m; \wp)$. Now note that for any fixed $a > 0$, $\lim_{\wp \downarrow 0} \dot{v}'_{T-1}(a; \wp) = \dot{v}'_{T-1}(a)$. Since the LHS of (90) and (92) are identical, this means that $\lim_{\wp \downarrow 0} \dot{a}_{T-1}^*(m; \wp) = \dot{a}_{T-1}^*(m)$. That is, for any fixed value of $m > m_{\#}^1$ such that the consumer subject to the restraint would voluntarily choose to end the period with positive assets, the level of end-of-period assets for the unrestrained consumer approaches the level for the restrained consumer as $\wp \downarrow 0$. With the same a and the same m , the consumers must have the same c , so the consumption functions are identical in the limit.

Now consider values $m \leq m_{\#}^1$ for which the restrained consumer is constrained. It is obvious that the baseline consumer will never choose $a \leq 0$ because the first term in (91) is $\lim_{a \downarrow 0} \wp a^{-\gamma} = \infty$, while $\lim_{a \downarrow 0} (m - a)^{-\gamma}$ is finite (the marginal value of end-of-period assets approaches infinity as assets approach zero, but the marginal utility of consumption has a finite limit for $m > 0$). The subtler question is whether it is possible to rule out strictly positive a for the unrestrained consumer.

The answer is yes. Suppose, for some $m < m_{\#}^1$, that the unrestrained consumer is considering ending the period with any positive amount of assets $a = \delta > 0$. For any such δ we have that $\lim_{\wp \downarrow 0} \dot{v}'_{T-1}(a; \wp) = \dot{v}'_{T-1}(a)$. But by assumption we are considering a set of circumstances in which $\dot{a}_{T-1}^*(m) < 0$, and we showed earlier that $\lim_{\wp \downarrow 0} \dot{a}_{T-1}^*(m; \wp) =$

$\bar{a}_{T-1}^*(m)$. So, having assumed $a = \delta > 0$, we have proven that the consumer would optimally choose $a < 0$, which is a contradiction. A similar argument holds for $m = m_{\#}^1$.

These arguments demonstrate that for any $m > 0$, $\lim_{\wp \downarrow 0} c_{T-1}(m; \wp) = \bar{c}_{T-1}(m)$ which is the period $T - 1$ version of (88). But given equality of the period $T - 1$ consumption functions, backwards recursion of the same arguments demonstrates that the limiting consumption functions in previous periods are also identical to the constrained function.

Note finally that another intuitive confirmation of the equivalence between the two problems is that our formula (66) for the maximal marginal propensity to consume satisfies

$$\lim_{\wp \downarrow 0} \bar{\kappa} = 1,$$

which makes sense because the marginal propensity to consume for a constrained re-strained consumer is 1 by our definitions of ‘constrained’ and ‘restrained.’

B Appendix for Section 3

B.1 Asymptotic Consumption Growth Factors

Proof for Proposition 4. For consumption growth, as $m \rightarrow 0$ we have:

$$\begin{aligned} \lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{c(m_{t+1})}{c(m_t)} \right) \tilde{\mathcal{G}}_{t+1} \right] &> \lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\tilde{\mathcal{R}}_{t+1} a(m_t) + \xi_{t+1})}{\bar{\kappa} m_t} \right) \tilde{\mathcal{G}}_{t+1} \right] \\ &= \wp \lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\tilde{\mathcal{R}}_{t+1} a(m_t))}{\bar{\kappa} m_t} \right) \mathcal{G}_{t+1} \right] \\ &\quad + (1 - \wp) \lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\tilde{\mathcal{R}}_{t+1} a(m_t) + \theta_{t+1}/(1 - \wp))}{\bar{\kappa} m_t} \right) \tilde{\mathcal{G}}_{t+1} \right] \\ &> (1 - \wp) \lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\theta_{t+1}/(1 - \wp))}{\bar{\kappa} m_t} \right) \tilde{\mathcal{G}}_{t+1} \right] \\ &= \infty \end{aligned}$$

where the second-to-last line follows because $\lim_{m_t \rightarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\tilde{\mathcal{R}}_{t+1} a(m_t))}{\bar{\kappa} m_t} \right) \tilde{\mathcal{G}}_{t+1} \right]$ is positive, and the last line follows because the minimum possible realization of θ_{t+1} is $\underline{\theta} > 0$ so the minimum possible value of expected next-period consumption is positive.

Next we establish the limit of the expected consumption growth factor as $m_t \rightarrow \infty$:

$$\lim_{m_t \rightarrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t] = \lim_{m_t \rightarrow \infty} \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1} c_{t+1}/c_t].$$

But

$$\mathbb{E}_t[\tilde{\mathcal{G}}_{t+1} \underline{c}_{t+1}/\bar{c}_t] \leq \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1} c_{t+1}/c_t] \leq \mathbb{E}_t[\tilde{\mathcal{G}}_{t+1} \bar{c}_{t+1}/\underline{c}_t]$$

and

$$\lim_{m_t \rightarrow \infty} \tilde{\mathcal{G}}_{t+1} \underline{c}(m_{t+1}) / \bar{c}(m_t) = \lim_{m_t \rightarrow \infty} \tilde{\mathcal{G}}_{t+1} \bar{c}(m_{t+1}) / \underline{c}(m_t) = \lim_{m_t \rightarrow \infty} \tilde{\mathcal{G}}_{t+1} m_{t+1} / m_t,$$

while (for convenience defining $a(m_t) = m_t - c(m_t)$),

$$\begin{aligned} \lim_{m_t \rightarrow \infty} \tilde{\mathcal{G}}_{t+1} m_{t+1} / m_t &= \lim_{m_t \rightarrow \infty} \left(\frac{\text{Ra}(m_t) + \tilde{\mathcal{G}}_{t+1} \boldsymbol{\xi}_{t+1}}{m_t} \right) \\ &= (\text{R}\beta)^{1/\gamma} = \mathbf{P} \end{aligned}$$

because $\lim_{m_t \rightarrow \infty} a'(m) = \mathbf{P}/\text{R}^{45}$ and $\tilde{\mathcal{G}}_{t+1} \boldsymbol{\xi}_{t+1} / m_t \leq (\mathcal{G} \bar{\psi} \bar{\theta} / (1 - \wp)) / m_t$ which goes to zero as m_t goes to infinity. Hence we have:

$$\mathbf{P} \leq \lim_{m_t \rightarrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1} / \mathbf{c}_t] \leq \mathbf{P}$$

so as cash goes to infinity, consumption growth approaches its value $\mathbf{P}$ in the perfect foresight model. $\square$

This appendix proves Theorems 3-4 and:

Lemma 4. *If $\check{m}$ and $\hat{m}$ both exist, then $\check{m} \leq \hat{m}$.*

{lemma:orderingP}

B.2 Existence of Buffer Stock Target

B.2.1 Existence of Individual Buffer Stock Target

{subsubsec:AppxInc}

Proof of Theorem 3. First, observe that $\mathbb{E}_t[m_{t+1}/m_t] = \frac{\mathbb{E}_t((m_t - c(m_t))\tilde{\mathcal{R}}_{t+1} + \boldsymbol{\xi}_{t+1})}{m_t}$. Note that c is continuous since c is concave on $\mathbb{R}_{++}$ by Lemma 2. Thus for any convergent sequence $\{m_t^j\}_{j=0}^\infty$, with $m_t^j \in \mathbb{R}_{++}$, $(m_t^j - c(m_t^j))\tilde{\mathcal{R}}_{t+1} + \boldsymbol{\xi}_{t+1}$ will be bounded above and below. It follows that, using the Dominated Convergence Theorem, $\mathbb{E}_t[m_{t+1}/m_t]$ will be continuous in m_t .

The remainder of the proof proceeds as follows. To establish Equation (28), we will show (i) that there exists a point $\check{m}_t$ where $\mathbb{E}_t[\check{m}_{t+1}^*/\check{m}_t^*] < 1$ and (ii) a point $\hat{m}_t$ where $\mathbb{E}_t[\hat{m}_{t+1}/\hat{m}_t] > 1$. By continuity of $\mathbb{E}[m_{t+1}/m_t]$ in m_t and the Intermediate Value Theorem, there will exist $\hat{m}$ such that $\mathbb{E}_t[\hat{m}_{t+1}/\hat{m}_t] = 1$. In turn, to establish that $\hat{m}$ is a point of stability, Equation (29), we will show that (iii) $\mathbb{E}_t[m_{t+1}] - m_t$ is decreasing.

Part (i). Existence of $\check{m}_t$ where $\mathbb{E}_t[\check{m}_{t+1}/\check{m}_t] < 1$.

⁴⁵ $\lim_{m_t \rightarrow \infty} a(m_t)/m_t = 1 - \lim_{m_t \rightarrow \infty} c(m_t)/m_t = 1 - \lim_{m_t \rightarrow \infty} c'(m_t) = \mathbf{P}/\text{R}.$

To proceed, first suppose return impatience holds and take the steps analogous to those leading to Equation (93) in the proof of proof for Proposition 4, but dropping the $\mathcal{G}_{t+1}$ from the RHS:

$$\begin{aligned} \lim_{m_t \rightarrow \infty} \mathbb{E}_t[m_{t+1}/m_t] &= \lim_{m_t \rightarrow \infty} \mathbb{E}_t \left[\frac{\tilde{\mathcal{R}}_{t+1}(m_t - c(m_t)) + \boldsymbol{\xi}_{t+1}}{m_t} \right] \\ &= \mathbb{E}_t[(\mathbf{R}/\tilde{\mathcal{G}}_{t+1})\mathbf{P}/\mathbf{R}] \\ &= \mathbb{E}_t[\mathbf{P}/\tilde{\mathcal{G}}_{t+1}] \\ &< 1, \end{aligned}$$

where the inequality follows from strong growth impatience. By continuity of $\mathbb{E}_t[m_{t+1}/m_t]$ in m_t , there exists $\check{m}_t$ large enough such that $\mathbb{E}_t[\check{m}_{t+1}/\check{m}_t] < 1$.

Next, suppose return impatience fails. The fact that $\lim_{m_t \rightarrow \infty} \frac{c(m_t)}{m_t} = 0$ (Lemma 2) means the limit of the RHS of (93) as $m_t \rightarrow \infty$ is $\tilde{\mathcal{R}} = \mathbb{E}_t[\tilde{\mathcal{R}}_{t+1}]$. Equations (94)-(95) below show that when strong growth impatience holds and return impatience fails $\tilde{\mathcal{R}} < 1$.

Thus, we have $\lim_{m \rightarrow \infty} \mathbb{E}[m_{t+1}/m_t] < 1$ whether the return impatience holds or fails.

Part (ii). Existence of $\dot{m}_t > 1$ where $\mathbb{E}_t[\dot{m}_{t+1}/\dot{m}_t] > 1$.

Analogous to Equation (93), the ratio of $\mathbb{E}_t[m_{t+1}]$ to m_t is unbounded above as $m_t \rightarrow 0$ because $\lim_{m_t \rightarrow 0} \mathbb{E}[m_{t+1}] > 0$. Thus, if $\mathbb{E}_t[m_{t+1}/m_t]$ is continuous in m_t , and takes on values above and below one at $\dot{m}_t$ and $\check{m}_t$, by the Intermediate Value Theorem, there must be at least one point at which it is equal to one.

Part (iii). $\mathbb{E}_t[m_{t+1}] - m_t$ is strictly decreasing.

Finally to show $\mathbb{E}_t[m_{t+1}] - m_t$ is strictly decreasing m_t , define $\zeta(m_t) := \mathbb{E}_t[m_{t+1}] - m_t$ and note that:

$$\begin{aligned} \zeta(m_t) < 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] < 1 \\ \zeta(m_t) = 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] = 1 \\ \zeta(m_t) > 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] > 1, \end{aligned}$$

so that $\zeta(\dot{m}) = 0$. Our goal is to prove that $\zeta(\bullet)$ is strictly decreasing on $(0, \infty)$. Let Δ_ϵ be the finite forward difference for spacing $\epsilon > 0$. Fixing $\epsilon > 0$, we will have:

$$\begin{aligned} \Delta_\epsilon \zeta(m_t) &= \mathbb{E}_t \left[\Delta_\epsilon \left(\tilde{\mathcal{R}}(m_t - c(m_t)) + \boldsymbol{\xi}_{t+1} - m_t \right) \right] \\ &= \tilde{\mathcal{R}}(\epsilon - \Delta_\epsilon c(m_t)) - \epsilon = \epsilon \left(\tilde{\mathcal{R}} \left[1 - \frac{\Delta_\epsilon c(m_t)}{\epsilon} \right] - 1 \right). \end{aligned}$$

Notice that $\frac{\Delta_\epsilon c(m_t)}{\epsilon} \leq \frac{c(m_t)}{m_t} < 1$ since $\frac{c(m_t)}{m_t}$ is decreasing in m_t by Claim 7 in Appendix F. Consider the case when return impatience holds. Equation (17) and Lemma 2 indicate

$0 < \underline{\kappa} \leq \frac{c(m_t)}{m_t} < 1$. It follows that:

$$\begin{aligned} \bar{\mathcal{R}} \left[1 - \frac{\Delta_\epsilon c'(m_t)}{\epsilon} \right] - 1 &\leq \bar{\mathcal{R}} \left(1 - \underbrace{(1 - \mathbf{P}/R)}_{\underline{\kappa}} \right) - 1 \\ &= \bar{\mathcal{R}} \mathbf{P}/R - 1 \\ &= \mathbb{E}_t \left[\frac{R}{\mathcal{G}\psi_{t+1}} \frac{\mathbf{P}}{R} \right] - 1 \\ &= \mathbb{E}_t \left[\underbrace{\frac{\mathbf{P}}{\mathcal{G}\psi_{t+1}}}_{=\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}]} \right] - 1 \end{aligned}$$

which is negative because the strong growth impatience says $\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}] < 1$. Conversely, when return impatience holds fails, recall $\lim_{m_t \rightarrow \infty} \frac{c(m_t)}{m_t} = 0$. This means $\Delta_\epsilon \zeta(m_t)$ from (93) is guaranteed to be negative if:

$$\bar{\mathcal{R}} = \mathbb{E}_t \left[\frac{R}{\mathcal{G}\psi_{t+1}} \right] < 1. \quad (93) \quad \{\text{eq:RbarBelowOne}\}$$

But the combination of the strong growth impatience holding and the return impatience failing can be written:

$$\mathbb{E}_t \left[\underbrace{\frac{\mathbf{P}}{\mathcal{G}\mathbb{E}[\psi^{-1}]}_{\mathbf{P}/\mathcal{G}\mathbb{E}[\psi^{-1}]} \right] < 1 < \underbrace{\frac{\mathbf{P}}{R}}_{\mathbf{P}/R}, \quad (94) \quad \{\text{eq:GICStrRICfails}\}$$

and multiplying all three elements by $R/\mathbf{P}$ gives:

$$\mathbb{E}_t \left[\frac{R}{\mathcal{G}\psi_{t+1}} \right] < R/\mathbf{P} < 1, \quad (95) \quad \{\text{eq:GICStrRICfails}\}$$

which satisfies our requirement in (93), thus completing the proof. $\square$

B.2.2 Existence of Pseudo-Steady-State

Proof of Theorem 4. Since by assumption $0 < \underline{\psi} \leq \psi_{t+1} \leq \bar{\psi} < \infty$, our proof in B.2.1 that demonstrated existence and continuity of $\mathbb{E}[m_{t+1}/m_t]$ implies existence and continuity of $\mathbb{E}[\psi_{t+1}m_{t+1}/m_t]$. {\subsubsec:AppxPs}

Part (i). Existence of a stable point

Since by assumption $0 < \underline{\psi} \leq \psi_{t+1} \leq \bar{\psi} < \infty$, our proof in Subsection B.2.1 that the ratio of $\mathbb{E}[m_{t+1}]$ to m_t is unbounded as $m_t \rightarrow 0$ implies that the ratio $\mathbb{E}[\psi_{t+1}m_{t+1}]$ to m_t is unbounded as $m_t \rightarrow 0$. The limit of the expected ratio as $m_t \rightarrow \infty$ goes to infinity is

can be found as follows:

$$\begin{aligned}
\lim_{m_t \rightarrow \infty} \mathbb{E}_t[\psi_{t+1}m_{t+1}/m_t] &= \lim_{m_t \rightarrow \infty} \mathbb{E}_t \left[\frac{\tilde{\mathcal{G}}_{t+1} \left((R/\tilde{\mathcal{G}}_{t+1})a(m_t) + \boldsymbol{\xi}_{t+1} \right) / \mathcal{G}}{m_t} \right] \\
&= \lim_{m_t \rightarrow \infty} \mathbb{E}_t \left[\frac{(R/\mathcal{G})a(m_t) + \psi_{t+1}\boldsymbol{\xi}_{t+1}}{m_t} \right] \\
&= \lim_{m_t \rightarrow \infty} \left[\frac{(R/\mathcal{G})a(m_t) + 1}{m_t} \right] \\
&= (R/\mathcal{G})\mathbf{P}/R \\
&= \mathbf{P}/\mathcal{G} \\
&< 1,
\end{aligned}$$

where the last two lines are merely a restatement of growth impatience.

To conclude Part (i) of the proof, the Intermediate Value Theorem says that if $\mathbb{E}[\psi_{t+1}m_{t+1}/m_t]$ is continuous, and takes on values above and below 1, there must be at least one point at which it is equal to one.

Part (ii). $\mathbb{E}_t[\psi_{t+1}m_{t+1}] - m_t$ is monotonically decreasing.

Define $\zeta(m_t) := \mathbb{E}_t[\psi_{t+1}m_{t+1}] - m_t$ and note that:

$$\begin{aligned}
\zeta(m_t) < 0 &\leftrightarrow \mathbb{E}_t[\psi_{t+1}m_{t+1}/m_t] < 1 \\
\zeta(m_t) = 0 &\leftrightarrow \mathbb{E}_t[\psi_{t+1}m_{t+1}/m_t] = 1 \\
\zeta(m_t) > 0 &\leftrightarrow \mathbb{E}_t[\psi_{t+1}m_{t+1}/m_t] > 1,
\end{aligned}$$

so that $\zeta(\hat{m}) = 0$. Our goal is to prove that $\zeta(\bullet)$ is strictly decreasing on $(0, \infty)$. Letting Δ_ϵ be the forward difference operator, we have:

$$\begin{aligned}
\Delta_\epsilon \zeta(m_t) &= \mathbb{E} \left[\Delta_\epsilon \left(\frac{R}{\mathcal{G}}(m_t - c(m_t)) + \psi_{t+1}\boldsymbol{\xi}_{t+1} - m_t \right) \right] \\
&= \frac{R}{\mathcal{G}} (\epsilon - \Delta_\epsilon c'(m_t)) - \epsilon = \epsilon \left(\frac{R}{\mathcal{G}} \left[1 - \frac{\Delta_\epsilon c(m_t)}{\epsilon} \right] - 1 \right).
\end{aligned}$$

for any given $\epsilon > 0$. Notice that $\frac{\Delta_\epsilon c'(m_t)}{\epsilon} \leq \frac{c(m_t)}{m_t} < 1$ since $\frac{c(m_t)}{m_t}$ is decreasing in m_t by Claim 7 in Appendix. Now, we show that $\zeta(m)$ is decreasing when return impatience holds and when return impatience fails. When return impatience holds, Equation (17) and Lemma 2 indicate that $\underline{\kappa} > 0$ and $0 < \underline{\kappa} \leq \frac{c(m_t)}{m_t} < 1$. It follows that:

$$\begin{aligned}
\frac{R}{\mathcal{G}} (1 - c'(m_t)) - 1 &< \frac{R}{\mathcal{G}} (1 - \underbrace{(1 - \mathbf{P}/R)}_{\underline{\kappa}}) - 1 \\
&= (R/\mathcal{G})\mathbf{P}/R - 1,
\end{aligned}$$

which is negative because growth impatience says $\mathbf{P}/\mathcal{G} < 1$. Conversely, when return impatience holds fails, recall $\lim_{m_t \rightarrow \infty} \frac{c(m_t)}{m_t} = 0$. In turn, this means $\Delta_\epsilon \zeta(m_t)$ from (96) is guaranteed to be negative if:

$$(R/\mathcal{G}) < 1. \tag{96} \quad \{\text{eq:FHWC fails}\}$$

But we showed in Section 2.3.1, Equation (51), that the only circumstances under which the problem has a non-degenerate solution while return impatience fails were ones where the finite limiting human wealth also fails. Thus, $(R/\mathcal{G}) < 1$, completing the proof. □

C Appendix for Section 4

C.1 Apparent Balanced Growth in $\bar{c}$ and $\text{cov}(c, \mathbf{p})$

Section 4.2 demonstrates some propositions under the assumption that, when an economy satisfies the GIC, there will be constant growth factors $\Omega_{\bar{c}}$ and Ω_{cov} respectively for $\bar{c}$ (the average value of the consumption ratio) and $\text{cov}(c, \mathbf{p})$. In the case of a Szeidl-invariant economy, the main text shows that these are $\Omega_{\bar{c}} = 1$ and $\Omega_{\text{cov}} = \mathcal{G}$. If the economy is Harmenberg- but not Szeidl-invariant, no proof is offered that these growth factors will be constant. \{\text{sec:ApndxBalancedGrowth}\}

C.2 $\log c$ and $\log \text{cov}(c, \mathbf{p})$ Grow Linearly

Figures 9 and 10 plot the results of simulations of an economy that satisfies Harmenberg- but not Szeidl-invariance with a population of 4 million agents over the last 1000 periods (of a 2000 period simulation).⁴⁶ The first figure shows that $\log \bar{c}$ increases apparently linearly. The second figure shows that $\log(-\text{cov}(c, \mathbf{p}))$ also increases apparently linearly. (These results are produced by the notebook `ApndxBalancedGrowthcNrmAndCov.ipynb`).

⁴⁶For an exposition of our implementation of Harmenberg's method, see this supplemental appendix.




Figure 9 Appendix: $\log \mathbf{c}$ Appears to Grow Linearly

{fig:logcNrm}

(see (2))

D Appendix for Section 5

{sec:ApndxLiqCons}

In this appendix, we use the following acronyms to refer to the consumer patience conditions identified in Section 2.2 using the acronyms from Table 3.

We briefly interpret FVAC before turning to how all the conditions relate under uncertainty. Analogously to (97), the value for a consumer who spent exactly their permanent income every period would reflect the product of the expectation of the (independent) future shocks to permanent income:

$$= u(\mathbf{p}_t) \left(\frac{1 - (\beta \mathcal{G}^{1-\gamma} \mathbb{E}[\psi^{1-\gamma}])^{T-t+1}}{1 - \beta \mathcal{G}^{1-\gamma} \mathbb{E}[\psi^{1-\gamma}]} \right),$$

The function $\mathbf{v}_t$ will be finite as T approaches ∞ if the FVAC holds. In the case without uncertainty, Because $u(xy) = x^{1-\gamma}u(y)$, the value the consumer would achieve is:

$$\begin{aligned} \mathbf{v}_t^{\text{autarky}} &= u(\mathbf{p}_t) + \beta u(\mathbf{p}_t \mathcal{G}) + \beta^2 u(\mathbf{p}_t \mathcal{G}^2) + \dots \\ &= u(\mathbf{p}_t) \left(\frac{1 - (\beta \mathcal{G}^{1-\gamma})^{T-t+1}}{1 - \beta \mathcal{G}^{1-\gamma}} \right) \end{aligned}$$

which (for $\mathcal{G} > 0$) asymptotes to a finite number as n , with $n = T - t$, approaches $+\infty$.




Figure 10 Appendix: $\log(-\text{cov}(c, \mathbf{p}))$ Appears to Grow Linearly

{fig:logcov}

D.1 Perfect Foresight Unconstrained Solution

{subsec:ApndxUCP}

The first result relates to the perfect foresight case without liquidity constraints.

Proof of Proposition 1. Consider a sequence of consumption $\{c_{T-n}\}_{n=t}^T$ and a sequence of income $\{p_{T-n}\}_{n=t}^T$ and let $\text{PDV}_t^T(\mathbf{c})$ and $\text{PDV}_t^T(\mathbf{p})$ denote the present discounted value of the consumption sequence and permanent income sequence respectively. The dynamic budget constraint, strictly positive marginal utility, and the can't-die-in-debt condition, Equation (1), imply an exactly-holding intertemporal budget constraint (IBC):

$$\text{PDV}_t^T(\mathbf{c}) = \overbrace{\mathbf{m}_t - \mathbf{p}_t}^{b_t} + \overbrace{\text{PDV}_t^T(\mathbf{p})}^{h_t}, \quad (97) \quad \{\text{eq:IBCFinite}\}$$

where $\mathbf{b}$ is beginning-of-period ‘market’ balances; with $\tilde{\mathcal{R}} = \mathbf{R}/\mathcal{G}$ ‘human wealth’ can be written as:

$$\begin{aligned} \mathbf{h}_t &= \mathbf{p}_t + \tilde{\mathcal{R}}^{-1} \mathbf{p}_t + \tilde{\mathcal{R}}^{-2} \mathbf{p}_t + \cdots + \tilde{\mathcal{R}}^{t-T} \mathbf{p}_t \\ &= \underbrace{\left(\frac{1 - \tilde{\mathcal{R}}^{-(T-t+1)}}{1 - \tilde{\mathcal{R}}^{-1}} \right) \mathbf{p}_t}_{\equiv h_t} \end{aligned}$$

Let h denote the limiting value of normalized human wealth as the planning horizon recedes, we have $h = \lim_{n \rightarrow \infty} h_{t_n}$.

Next, since consumption is growing by $\mathbf{P}$ but discounted by R :

$$\text{PDV}_t^T(\mathbf{c}) = \left(\frac{1 - \mathbf{P}/R^{T-t+1}}{1 - \mathbf{P}/R} \right) \mathbf{c}_t$$

from which the IBC (97) implies

$$\mathbf{c}_t = \overbrace{\left(\frac{1 - \mathbf{P}/R}{1 - \mathbf{P}/R^{T-t+1}} \right)}^{\equiv \kappa_t} (\mathbf{b}_t + \mathbf{h}_t) \quad (98) \quad \{\text{eq:WDef}\}$$

defining a normalized finite-horizon perfect foresight consumption function:

$$\bar{c}_{T-n}(m_{T-n}) = \overbrace{(m_{T-n} - 1 + h_{T-n})}^{\equiv b_{T-n}} \underline{\kappa}_{t-n}$$

where $\underline{\kappa}_t$ is the marginal propensity to consume (MPC). (The overbar signifies that $\bar{c}$ will be an upper bound as we modify the problem to incorporate constraints and uncertainty; analogously, $\underline{\kappa}$ is the MPC's lower bound).

The horizon-exponentiated term in the denominator of (98) is why, for $\underline{\kappa}$ to be strictly positive as n goes to infinity, we must impose the RIC. The RIC thus implies that the consumer cannot be so pathologically patient as to wish, in the limit as the horizon approaches infinity, to spend nothing today out of an increase in current wealth (the RIC rules out the degenerate limiting solution $\bar{c}(m) = 0$).

Given that the RIC holds, and (as before) defining limiting objects by the absence of a time subscript, the limiting upper bound consumption function will be

$$\bar{c}(m) = (m + h - 1) \underline{\kappa}, \quad (99) \quad \{\text{eq:cFuncPFUncAp}\}$$

and so in order to rule out the degenerate limiting solution $\bar{c}(m) = \infty$ we need h to be finite; that is, we must impose the Finite Human Wealth Condition (FHWC), Assumption (I.3).

□

D.2 Perfect Foresight Liquidity Constrained Solutions

Under perfect foresight in the presence of a liquidity constraint requiring $b \geq 0$, this appendix taxonomizes the varieties of the limiting consumption function $\bar{c}(m)$ that arise under various parametric conditions.

Results are summarized in table 5.

D.2.1 If GIC Fails

A consumer is ‘growth patient’ if the perfect foresight growth impatience condition fails ($\neg \text{GIC}$, $1 < \mathbf{P}/\mathcal{G}$). Under $\neg \text{GIC}$ the constraint does not bind at the lowest feasible value

of $m_t = 1$ because $1 < (R\beta)^{1/\gamma}/\mathcal{G}$ implies that spending everything today (setting $c_t = m_t = 1$) produces lower marginal utility than is obtainable by reallocating a marginal unit of resources to the next period at return R :⁴⁷

$$\begin{aligned} 1 &< (R\beta)^{1/\gamma}\mathcal{G}^{-1} \\ 1 &< R\beta\mathcal{G}^{-\gamma} \\ u'(1) &< R\beta u'(\mathcal{G}). \end{aligned}$$

Similar logic shows that under these circumstances the constraint will never bind at $m = 1$ for a constrained consumer with a finite horizon of n periods, so for $m \geq 1$ such a consumer's consumption function will be the same as for the unconstrained case examined in the main text.

RIC fails, FHC holds. If the RIC fails ($1 < \mathbf{D}/R$) while the finite human wealth condition holds, the limiting value of this consumption function as $n \rightarrow \infty$ is the degenerate function

$$\dot{c}_{T-n}(m) = 0(b_t + h). \quad (100)$$

(that is, consumption is zero for any level of human or nonhuman wealth).

RIC fails, FHC fails. ~~FHC~~ implies that human wealth limits to $h = \infty$ so the consumption function limits to either $\dot{c}_{T-n}(m) = 0$ or $\dot{c}_{T-n}(m) = \infty$ depending on the relative speeds with which the MPC approaches zero and human wealth approaches ∞ .⁴⁸

Thus, the requirement that the consumption function be nondegenerate implies that for a consumer satisfying $\mathcal{GHC}$ we must impose the RIC (and the FHC can be shown to be a consequence of $\mathcal{GHC}$ and RIC). In this case, the consumer's optimal behavior is easy to describe. We can calculate the point at which the unconstrained consumer would choose $c = m$ from Equation (16):

$$\begin{aligned} m_{\#} &= (m_{\#} - 1 + h)\underline{\kappa} \\ m_{\#}(1 - \underline{\kappa}) &= (h - 1)\underline{\kappa} \\ m_{\#} &= (h - 1) \left(\frac{\underline{\kappa}}{1 - \underline{\kappa}} \right) \end{aligned} \quad (101)$$

which (under these assumptions) satisfies $0 < m_{\#} < 1$.⁴⁹ For $m < m_{\#}$ the unconstrained consumer would choose to consume more than m ; for such m , the constrained consumer

⁴⁷The point at which the constraint would bind (if that point could be attained) is the $m = c$ for which $u'(c_{\#}) = R\beta u'(\mathcal{G})$ which is $c_{\#} = \mathcal{G}/(R\beta)^{1/\gamma}$ and the consumption function will be defined by $\dot{c}(m) = \min[m, c_{\#} + (m - c_{\#})\underline{\kappa}]$.

⁴⁸The knife-edge case is where $\mathbf{D} = \mathcal{G}$, in which case the two quantities counterbalance and the limiting function is $\dot{c}(m) = \min[m, 1]$.

⁴⁹Note that $0 < m_{\#}$ is implied by RIC and $m_{\#} < 1$ is implied by $\mathcal{GHC}$.

is obliged to choose $\bar{c}(m) = m$.⁵⁰ For any $m > m_{\#}$ the constraint will never bind and the consumer will choose to spend the same amount as the unconstrained consumer, $\bar{c}(m)$.

(Stachurski and Toda (2019) obtain a similar lower bound on consumption and use it to study the tail behavior of the wealth distribution.)

D.2.2 If GIC Holds

Imposition of the GIC reverses the inequality in (100), and thus reverses the conclusion: A consumer who starts with $m_t = 1$ will desire to consume more than 1. Such a consumer will be constrained, not only in period t , but perpetually thereafter.

Now define $b_{\#}^n$ as the b_t such that an unconstrained consumer holding $b_t = b_{\#}^n$ would behave so as to arrive in period $t + n$ with $b_{t+n} = 0$ (with $b_{\#}^0$ trivially equal to 0); for example, a consumer with $b_{t-1} = b_{\#}^1$ was on the ‘cusp’ of being constrained in period $t - 1$: Had b_{t-1} been infinitesimally smaller, the constraint would have been binding (because the consumer would have desired, but been unable, to enter period t with negative, not zero, b). Given the GIC, the constraint certainly binds in period t (and thereafter) with resources of $m_t = m_{\#}^0 = 1 + b_{\#}^0 = 1$: The consumer cannot spend more (because constrained), and will not choose to spend less (because impatient), than $c_t = c_{\#}^0 = 1$.

We can construct the entire ‘prehistory’ of this consumer leading up to t as follows. Maintaining the assumption that the constraint has never bound in the past, c must have been growing according to $\mathbf{P}/\mathcal{G}$, so consumption n periods in the past must have been

$$c_{\#}^n = \mathbf{P}/\mathcal{G}^{-n} c_t = \mathbf{P}/\mathcal{G}^{-n}. \quad (102) \quad \{\text{eq:cPreHist}\}$$

The PDV of consumption from $t - n$ until t can thus be computed as

$$\begin{aligned} \mathbb{C}_{t-n}^t &= c_{t-n}(1 + \mathbf{P}/R + \cdots + (\mathbf{P}/R)^n) \\ &= c_{\#}^n(1 + \mathbf{P}/R + \cdots + \mathbf{P}/R^n) \\ &= \mathbf{P}/\mathcal{G}^{-n} \left(\frac{1 - \mathbf{P}/R^{n+1}}{1 - \mathbf{P}/R} \right) \\ &= \left(\frac{\mathbf{P}/\mathcal{G}^{-n} - \mathbf{P}/R}{1 - \mathbf{P}/R} \right) \end{aligned}$$

and note that the consumer’s human wealth between $t - n$ and t (the relevant time horizon, because from t onward the consumer will be constrained and unable to access post- t income) is

$$h_{\#}^n = 1 + \cdots + \tilde{\mathcal{R}}^{-n} \quad (103)$$

⁵⁰As an illustration, consider a consumer for whom $\mathbf{P} = 1$, $R = 1.01$ and $\mathcal{G} = 0.99$. This consumer will save the amount necessary to ensure that growth in market wealth exactly offsets the decline in human wealth represented by $\mathcal{G} < 1$; total wealth (and therefore total consumption) will remain constant, even as market wealth and human wealth trend in opposite directions.

while the intertemporal budget constraint says

$$\mathbb{C}_{t-n}^t = b_{\#}^n + h_{\#}^n$$

from which we can solve for the $b_{\#}^n$ such that the consumer with $b_{t-n} = b_{\#}^n$ would unconstrainedly plan (in period $t - n$) to arrive in period t with $b_t = 0$:

$$b_{\#}^n = \mathbb{C}_{t-n}^t - \overbrace{\left(\frac{1 - \tilde{\mathcal{R}}^{-(n+1)}}{1 - \tilde{\mathcal{R}}^{-1}} \right)}^{h_{\#}^n}. \quad (104) \quad \{\text{eq:bPound}\}$$

Defining $m_{\#}^n = b_{\#}^n + 1$, consider the function $\mathfrak{c}(m)$ defined by linearly connecting the points $\{m_{\#}^n, c_{\#}^n\}$ for integer values of $n \geq 0$ (and setting $\mathfrak{c}(m) = m$ for $m < 1$). This function will return, for any value of m , the optimal value of c for a liquidity constrained consumer with an infinite horizon. The function is piecewise linear with ‘kink points’ where the slope discretely changes; for infinitesimal ϵ the MPC of a consumer with assets $m = m_{\#}^n - \epsilon$ is discretely higher than for a consumer with assets $m = m_{\#}^n + \epsilon$ because the latter consumer will spread a marginal dollar over more periods before exhausting it.

In order for a unique consumption function to be defined by this sequence (104) for the entire domain of positive real values of b , we need $b_{\#}^n$ to become arbitrarily large with n . That is, we need

$$\lim_{n \rightarrow \infty} b_{\#}^n = \infty. \quad (105) \quad \{\text{eq:bToInfnty}\}$$

If FHWC Holds The FHWC requires $\tilde{\mathcal{R}}^{-1} < 1$, in which case the second term in (104) limits to a constant as $n \rightarrow \infty$, and (105) reduces to a requirement that

$$\begin{aligned} \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/\mathcal{G}^{-n} - (\mathbf{P}/\mathbf{R}/\mathbf{P}/\mathcal{G})^n \mathbf{P}/\mathbf{R}}{1 - \mathbf{P}/\mathbf{R}} \right) &= \infty \\ \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/\mathcal{G}^{-n} - \tilde{\mathcal{R}}^{-n} \mathbf{P}/\mathbf{R}}{1 - \mathbf{P}/\mathbf{R}} \right) &= \infty \\ \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/\mathcal{G}^{-n}}{1 - \mathbf{P}/\mathbf{R}} \right) &= \infty. \end{aligned}$$

Given the GIC $\mathbf{P}/\mathcal{G}^{-1} > 1$, this will hold iff the RIC holds, $\mathbf{P}/\mathbf{R} < 1$. But given that the FHWC $\mathbf{R} > \mathcal{G}$ holds, the GIC is stronger (harder to satisfy) than the RIC; thus, the FHWC and the GIC together imply the RIC, and so a well-defined solution exists. Furthermore, in the limit as n approaches infinity, the difference between the limiting constrained consumption function and the unconstrained consumption function becomes vanishingly small, because the date at which the constraint binds becomes arbitrarily

distant, so the effect of that constraint on current behavior shrinks to nothing. That is,

$$\lim_{m \rightarrow \infty} \check{c}(m) - \bar{c}(m) = 0. \quad (106)$$

If FHWC Fails If the FHWC fails, matters are a bit more complex.

Given failure of FHWC, (105) requires

$$\begin{aligned} \lim_{n \rightarrow \infty} \left(\frac{\tilde{\mathcal{R}}^{-n} \mathbf{P}/R - \mathbf{P}/\mathcal{G}^{-n}}{\mathbf{P}/R - 1} \right) + \left(\frac{1 - \tilde{\mathcal{R}}^{-(n+1)}}{\tilde{\mathcal{R}}^{-1} - 1} \right) &= \infty \\ \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/R}{\mathbf{P}/R - 1} - \frac{\tilde{\mathcal{R}}^{-1}}{\tilde{\mathcal{R}}^{-1} - 1} \right) \tilde{\mathcal{R}}^{-n} - \left(\frac{\mathbf{P}/\mathcal{G}^{-n}}{\mathbf{P}/R - 1} \right) &= \infty \end{aligned}$$

If RIC Holds. When the RIC holds, rearranging (107) gives

$$\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/\mathcal{G}^{-n}}{1 - \mathbf{P}/R} \right) - \tilde{\mathcal{R}}^{-n} \left(\frac{\mathbf{P}/R}{1 - \mathbf{P}/R} + \frac{\tilde{\mathcal{R}}^{-1}}{\tilde{\mathcal{R}}^{-1} - 1} \right) = \infty$$

and for this to be true we need

$$\begin{aligned} \mathbf{P}/\mathcal{G}^{-1} &> \tilde{\mathcal{R}}^{-1} \\ \mathcal{G}/\mathbf{P} &> \mathcal{G}/R \\ 1 &> \mathbf{P}/R \end{aligned}$$

which is merely the RIC again. So the problem has a solution if the RIC holds. Indeed, we can even calculate the limiting MPC from

$$\lim_{n \rightarrow \infty} \kappa_{\#}^n = \lim_{n \rightarrow \infty} \left(\frac{c_{\#}^n}{b_{\#}^n} \right) \quad (107) \quad \{\text{eq:MPCConstrLim}\}$$

which with a bit of algebra⁵¹ can be shown to asymptote to the MPC in the perfect foresight model:⁵²

$$\lim_{m \rightarrow \infty} \check{\kappa}(m) = 1 - \mathbf{P}/R. \quad (109)$$

⁵¹Calculate the limit of

$$\left(\frac{\mathbf{P}/\mathcal{G}^{-n}}{\mathbf{P}/\mathcal{G}^{-n}/(1 - \mathbf{P}/R) - (1 - \tilde{\mathcal{R}}^{-1}\tilde{\mathcal{R}}^{-n})/(1 - \tilde{\mathcal{R}}^{-1})} \right) = \left(\frac{1}{1/(1 - \mathbf{P}/R) + \tilde{\mathcal{R}}^{-n}\tilde{\mathcal{R}}^{-1}/(1 - \tilde{\mathcal{R}}^{-1})} \right) \quad (108)$$

⁵²For an example of this configuration of parameters, see the notebook `doApndxLiqConstr.nb` in the Mathematica software archive.

If RIC Fails. Consider now the $\mathcal{RIC}$ case, $\mathbf{P}/R > 1$. We can rearrange (107) as

$$\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}/R(\tilde{\mathcal{R}}^{-1} - 1)}{(\tilde{\mathcal{R}}^{-1} - 1)(\mathbf{P}/R - 1)} - \frac{\tilde{\mathcal{R}}^{-1}(\mathbf{P}/R - 1)}{(\tilde{\mathcal{R}}^{-1} - 1)(\mathbf{P}/R - 1)} \right) \tilde{\mathcal{R}}^{-n} - \left(\frac{\mathbf{P}/\mathcal{G}^{-n}}{\mathbf{P}/R - 1} \right) = \infty. \quad (110)$$

which makes clear that with $\mathcal{FHC} \Rightarrow \tilde{\mathcal{R}}^{-1} > 1$ and $\mathcal{RIC} \Rightarrow \mathbf{P}/R > 1$ the numerators and denominators of both terms multiplying $\tilde{\mathcal{R}}^{-n}$ can be seen transparently to be positive. So, the terms multiplying $\tilde{\mathcal{R}}^{-n}$ in (107) will be positive if

$$\begin{aligned} \mathbf{P}/R\tilde{\mathcal{R}}^{-1} - \mathbf{P}/R &> \tilde{\mathcal{R}}^{-1}\mathbf{P}/R - \tilde{\mathcal{R}}^{-1} \\ \tilde{\mathcal{R}}^{-1} &> \mathbf{P}/R \\ \mathcal{G} &> \mathbf{P} \end{aligned}$$

which is merely the GIC which we are maintaining. So the first term's limit is $+\infty$. The combined limit will be $+\infty$ if the term involving $\tilde{\mathcal{R}}^{-n}$ goes to $+\infty$ faster than the term involving $-\mathbf{P}/\mathcal{G}^{-n}$ goes to $-\infty$; that is, if

$$\begin{aligned} \tilde{\mathcal{R}}^{-1} &> \mathbf{P}/\mathcal{G}^{-1} \\ \mathcal{G}/R &> \mathcal{G}/\mathbf{P} \\ \mathbf{P}/R &> 1 \end{aligned}$$

which merely confirms the starting assumption that the RIC fails.

What is happening here is that the $c_{\#}^n$ term is increasing backward in time at rate dominated in the limit by $\mathcal{G}/\mathbf{P}$ while the $b_{\#}$ term is increasing at a rate dominated by $\mathcal{G}/R$ term and

$$\mathcal{G}/R > \mathcal{G}/\mathbf{P} \quad (111)$$

because $\mathcal{RIC} \Rightarrow \mathbf{P} > R$.

Consequently, while $\lim_{n \rightarrow \infty} b_{\#}^n = \infty$, the limit of the *ratio* $c_{\#}^n/b_{\#}^n$ in (107) is zero. Thus, surprisingly, the problem has a well defined solution with infinite human wealth if the RIC fails. It remains true that $\mathcal{RIC}$ implies a limiting MPC of zero,

$$\lim_{m \rightarrow \infty} \hat{\kappa}(m) = 0, \quad (112)$$

but that limit is approached gradually, starting from a positive value, and consequently the consumption function is *not* the degenerate $\hat{c}(m) = 0$. (Figure 11 presents an example for $\gamma = 2$, $R = 0.98$, $\beta = 1.00$, $\mathcal{G} = 0.99$; note that the horizontal axis is bank balances $b = m - 1$; the part of the consumption function below the depicted points is uninteresting — $c = m$ — so not worth plotting).

We can summarize as follows. Given that the GIC holds, the interesting question is whether the FHC holds. If so, the RIC automatically holds, and the solution limits into the solution to the unconstrained problem as $m \rightarrow \infty$. But even if the FHC fails, the problem has a well-defined and nondegenerate solution, whether or not the RIC holds.




Figure 11 Appendix: Nondegenerate c Function with EHWC and RIC

{fig:PFGICHoldsf

Although these results were derived for the perfect foresight case, we know from work elsewhere in this paper and in other places that the perfect foresight case is an upper bound for the case with uncertainty. If the upper bound of the MPC in the perfect foresight case is zero, it is not possible for the upper bound in the model with uncertainty to be greater than zero, because for any $\kappa > 0$ the level of consumption in the model with uncertainty would eventually exceed the level of consumption in the absence of uncertainty.

Ma and Toda (2020) characterize the limits of the MPC in a more general framework that allows for capital and labor income risks in a Markovian setting with liquidity constraints, and find that in that much more general framework the limiting MPC is also zero.

E Relational Diagrams for the Inequality Conditions

{sec:ApndxConditio

This appendix explains in detail the paper’s ‘inequalities’ diagrams (Figures 7, 8).

E.1 The Unconstrained Perfect Foresight Model

A simple illustration is presented in Figure 12, whose three nodes represent values of the absolute patience factor $\mathbf{P}$, the permanent-income growth factor $\mathcal{G}$, and the riskfree interest factor $\mathbf{R}$. The arrows represent imposition of the labeled inequality condition (like, the uppermost arrow, pointing from $\mathbf{P}$ to $\mathcal{G}$, reflects imposition of the GIC condition (clicking GIC should take you to its definition; definitions of other conditions are also




Figure 12 Appendix: Inequality Conditions for Perfect Foresight Model
(Start at a node and follow arrows)

{fig:InequalityPFI

linked below)).⁵³ Annotations inside parenthetical expressions containing $\equiv$ are there to make the diagram readable for someone who may not immediately remember terms and definitions from the main text. (Such a reader might also want to be reminded that R, β , and Γ are all in $\mathbb{R}_{++}$, and that $\gamma > 1$).

Navigation of the diagram is simple: Start at any node, and deduce a chain of inequalities by following any arrow that exits that node, and any arrows that exit from successive nodes. Traversal must stop upon arrival at a node with no exiting arrows. So, for example, we can start at the $\mathbf{P}$ node and impose the GIC and then the FWC, and see that imposition of these conditions allows us to conclude that $\mathbf{P} < R$.

One could also impose $\mathbf{P} < R$ directly (without imposing GIC and FWC) by following the downward-sloping diagonal arrow exiting $\mathbf{P}$. Although alternate routes from one node to another all justify the same core conclusion ($\mathbf{P} < R$, in this case), $\neq$ symbol in the center is meant to convey that these routes are not identical in other respects. This notational convention is used in category theory diagrams,⁵⁴ to indicate that the diagram is not commutative.⁵⁵

Negation of a condition is indicated by the reversal of the corresponding arrow. For example, negation of the RIC, $\overleftarrow{\text{RIC}} \equiv \mathbf{P} > R$, would be represented by moving the arrowhead from the bottom right to the top left of the line segment connecting $\mathbf{P}$ and R .

If we were to start at R and then impose $\overleftarrow{\text{FWC}}$, that would reverse the arrow connecting R and $\mathcal{G}$, but the $\mathcal{G}$ node would then have no exiting arrows so no further deductions could be made. However, if we *also* reversed GIC (that is, if we imposed $\overleftarrow{\text{GIC}}$), that would take us to the $\mathbf{P}$ node, and we could deduce $R > \mathbf{P}$. However, we would have to stop traversing the diagram at this point, because the arrow exiting from the $\mathbf{P}$ node points back to our starting point, which (if valid) would lead us to the conclusion

⁵³For convenience, the equivalent ($\equiv$) mathematical statement of each condition is expressed nearby in parentheses.

⁵⁴For a popular introduction to category theory, see Riehl (2017).

⁵⁵But the rest of our notation does not necessarily abide by the other conventions of category theory diagrams.

that $R > R$. Thus, the reversal of the two earlier conditions (imposition of $\overline{\text{FWC}}$ and $\overline{\text{GIC}}$) requires us also to reverse the final condition, giving us $\overline{\text{RIC}}$.⁵⁶

Under these conventions, Figure 7 in the main text presents a modified version of the diagram extended to incorporate the PFFVAC.

This diagram can be interpreted, for example, as saying that, starting at the $\mathbf{D}$ node, it is possible to derive the PFFVAC⁵⁷ by imposing both the GIC and the FHC; or by imposing RIC and $\overline{\text{FWC}}$. Or, starting at the $\mathcal{G}$ node, we can follow the imposition of the FHC (twice — reversing the arrow labeled $\overline{\text{FWC}}$) and then $\overline{\text{RIC}}$ to reach the conclusion that $\mathbf{D} < \mathcal{G}$. Algebraically,

$$\begin{aligned} \text{FWC} : \quad \mathcal{G} < R \\ \overline{\text{RIC}} : \quad R < \mathbf{D} \\ \mathcal{G} < \mathbf{D} \end{aligned} \tag{113} \quad \{\text{eq:cnclGICRaw}\}$$

which leads to the negation of both of the conditions leading into $\mathbf{D}$. $\overline{\text{GIC}}$ is obtained directly as the last line in (113) and $\overline{\text{PFFVAC}}$ follows if we start by multiplying the Return Patience Factor ($\text{RPF} = \mathbf{D}/R$) by the FHWF ($= \mathcal{G}/R$) raised to the power $1/\gamma - 1$, which is negative since we imposed $\gamma > 1$. FHC implies $\text{FHWF} < 1$ so when FHWF is raised to a negative power the result is greater than one. Multiplying the RPF (which exceeds 1 because $\overline{\text{RIC}}$) by another number greater than one yields a product that must be greater than one:

$$\begin{aligned} 1 &< \overbrace{\left(\frac{(\mathbf{D}\beta)^{1/\gamma}}{R} \right)}^{>1 \text{ from } \overline{\text{RIC}}} \overbrace{\left(\mathcal{G}/R \right)^{1/\gamma-1}}^{>1 \text{ from FHC}} \\ 1 &< \left(\frac{(\mathbf{D}\beta)^{1/\gamma}}{(R/\mathcal{G})^{1/\gamma} R \mathcal{G}/R} \right) \\ R^{1/\gamma} \mathcal{G}^{1-1/\gamma} &= (R/\mathcal{G})^{1/\gamma} \mathcal{G} < \mathbf{D} \end{aligned}$$

which is one way of writing $\overline{\text{PFFVAC}}$.

The complexity of this algebraic calculation illustrates the usefulness of the diagram, in which one merely needs to follow arrows to reach the same result.

After the warmup of constructing these conditions for the perfect foresight case, we can represent the relationships between all the conditions in both the perfect foresight case and the case with uncertainty as shown in Figure 8 in the paper (reproduced here).

Finally, the next diagram substitutes the values of the various objects in the diagram

⁵⁶The corresponding algebra is

$$\begin{aligned} \overline{\text{FWC}} : \quad R < \mathcal{G} \\ \overline{\text{GIC}} : \quad \mathcal{G} < \mathbf{D} \\ \Rightarrow \overline{\text{RIC}} : \quad R < \mathbf{D}, \end{aligned}$$

⁵⁷in the form $\mathbf{D} < (R/\mathcal{G})^{1/\gamma} \mathcal{G}$




Figure 13 Appendix: Relation of All Inequality Conditions

{fig:InequalitiesApp

under the baseline parameter values and verifies that all of the asserted inequality conditions hold true.

F Additional Standard Results

{fact:standard}

Proposition 5. Let $f : \mathbb{R}_{++} \rightarrow \mathbb{R}_+$ be a continuous function. Consider sequences x^n in $\mathbb{R}_{++}$ and $f^n(x^n)$ in $\mathbb{R}_+$. If $f^n(x^n) \rightarrow f(x)$ as $n \rightarrow \infty$, then $x^n \rightarrow x$ as $n \rightarrow \infty$.

Proof. Given that f is continuous at x (with $x \in \mathbb{R}_{++}$), for every $\epsilon > 0$, there exists a $\delta > 0$ such that for all y in $\mathbb{R}_{++}$ with $|y - x| < \delta$, we have $|f(y) - f(x)| < \epsilon$.

Given $f^n(x^n) \rightarrow f(x)$, for the above ϵ , there exists an N such that for all $n > N$, $|f^n(x^n) - f(x)| < \epsilon$.

Assume for the sake of contradiction that x^n doesn't converge to x . This implies that there exists a $\delta > 0$ such that for infinitely many terms of the sequence x^n , $|x^n - x| \geq \delta$.

By the continuity of f at x , if $|x^n - x| \geq \delta$ for infinitely many n , then $|f^n(x^n) - f(x)| \geq \epsilon$ for those n , contradicting our assumption that $f^n(x^n) \rightarrow f(x)$.

Therefore, our assumption for contradiction is false, and it follows that $x^n \rightarrow x$ as $n \rightarrow \infty$. $\square$

{fact:normimplies}

Fact 1. Let $g : X \rightarrow \mathbb{R}_+$ be a continuous function, where $X \subseteq \mathbb{R}^n$ is an open convex set. Define the weighted supremum norm $\|\cdot\|_g$ of a real-valued function $f : X \rightarrow \mathbb{R}$ by

$$\|f\|_g := \sup_{x \in X} \frac{|f(x)|}{g(x)}. \quad (114)$$




Figure 14 Appendix: Numerical Relation of All Inequality Conditions

{fig:InequalitiesApp}

If $\lim_{n \rightarrow \infty} \|f_n - f^*\|_g = 0$, f_n converges to f^* uniformly on compact sets.

Proof. Let $\tilde{X}$ be an arbitrary compact subset of X . Since $\tilde{X}$ is compact, there exists a positive lower bound for g on this subset, denoted as

$$\bar{g} = \min_{x \in \tilde{X}} g(x) > 0. \quad (115)$$

Hence, on $\tilde{X}$, if $\lim_{n \rightarrow \infty} \|f_n - f^*\|_g = 0$, then $\lim_{n \rightarrow \infty} \|f_n - f^*\|_\infty = 0$ on $\tilde{X}$, where $\|\cdot\|_\infty$ denotes the supremum norm.

Now, let K be a compact subset of X . Given the continuity of g , there exists a positive maximum value for g on K , denoted as M_K . Then, we have

$$\sup_{x \in K} |f_n(x) - f(x)| \leq M_K \sup_{x \in K} \frac{|f_n(x) - f(x)|}{g(x)} \leq M_K \sup_{x \in X} \frac{|f_n(x) - f(x)|}{g(x)}. \quad (116)$$

Thus, $\lim_{n \rightarrow \infty} \|f_n - f\| = 0$ implies that f_n converges uniformly to f on the compact set K . It's also worth noting that the convexity and openness of X aren't strictly necessary for this argument. $\square$

{fact:compactnt}

Fact 2. Let $\{f_n\}$ be a sequence of continuous functions defined on a subset of the real line and converging uniformly to a function f on compact sets. If $\{x_n\}$ is a convergent sequence of real numbers with limit x , then $f_n(x_n)$ converges to $f(x)$.

Proof. Let $\tilde{X}$ be an arbitrary compact subset of X . Since $\tilde{X}$ is compact, there exists a

positive lower bound for g on this subset, denoted as

$$\bar{g} = \min_{x \in \tilde{X}} g(x) > 0. \quad (117)$$

Hence, on $\tilde{X}$, if $\lim_{n \rightarrow \infty} \|f_n - f^*\|_g = 0$, then $\lim_{n \rightarrow \infty} \|f_n - f^*\|_\infty = 0$ on $\tilde{X}$, where $\|\cdot\|_\infty$ denotes the supremum norm.

Now, let K be a compact subset of X . Given the continuity of g , there exists a positive maximum value for g on K , denoted as M_K . Then, we have

$$\sup_{x \in K} |f_n(x) - f(x)| \leq M_K \sup_{x \in K} \frac{|f_n(x) - f(x)|}{g(x)} \leq M_K \sup_{x \in X} \frac{|f_n(x) - f(x)|}{g(x)}. \quad (118)$$

Thus, $\lim_{n \rightarrow \infty} \|f_n - f\| = 0$ implies that f_n converges uniformly to f on the compact set K . It's also worth noting that the convexity and openness of X aren't strictly necessary for this argument. $\square$

Claim 7. *If f is convex and $f < 0$ on $(0, \lambda)$, then $\frac{f(s)}{s}$ is increasing on $(0, \lambda)$.*

Proof. Let f be convex on $(0, \lambda)$ and $f < 0$ on $(0, \lambda)$. Let x_1 and x_2 be two points in $(0, \lambda)$. Choose $0 < \alpha < x_1$. Then, any point (in particular, x_1) in (α, x_2) can be written as $x_1 = t\alpha + (1-t)x_2$ for some $0 < t < 1$.

Now, define a new function F on $[\alpha, x_2]$ as:

$$F(x) = f(x) - f(\alpha).$$

Since f is convex, $F(x)$ is also convex on $[\alpha, x_2]$. To see this, observe that:

$$F(t\alpha + (1-t)x_2) = f(t\alpha + (1-t)x_2) - f(\alpha) \leq tf(\alpha) + (1-t)f(x_2) - f(\alpha) = tF(\alpha) + (1-t)F(x_2).$$

Since $F(\alpha) = 0$, the inequality simplifies to $F(x_1) \leq (1-t)F(x_2)$. This implies that $\frac{F(s)}{s}$ is increasing. And thus, if $y_1 \leq y_2$, then:

$$\frac{F(y_1)}{y_1} \leq \frac{F(y_2)}{y_2}.$$

Now, using the definition of $F(x)$, we have:

$$\frac{f(y_1)}{y_1} = \frac{F(y_1)}{y_1} + \frac{f(\alpha)}{y_1}.$$

Similarly, for y_2 :

$$\frac{f(y_2)}{y_2} = \frac{F(y_2)}{y_2} + \frac{f(\alpha)}{y_2}.$$

Since $\frac{F(y_1)}{y_1} \leq \frac{F(y_2)}{y_2}$ and $f(\alpha) < 0$, we conclude that:

$$\frac{f(y_1)}{y_1} \leq \frac{f(y_2)}{y_2}.$$

Thus, $\frac{f(s)}{s}$ is increasing on $(0, \lambda)$, completing the proof. □

References

- ABOWD, JOHN M., AND DAVID CARD (1989): “On the Covariance Structure of Earnings and Hours Changes,” Econometrica, 57, 411–445.
- AIYAGARI, S. RAO (1994): “Uninsured Idiosyncratic Risk and Aggregate Saving,” Quarterly Journal of Economics, 109, 659–684.
- ALIPRANTIS, CHARALAMBOS D., AND KIM C BORDER (2006): Infinite Dimensional Analysis: A Hitchhiker’s Guide. Springer-Verlag, Berlin, 3 edn.
- ALVAREZ, FERNANDO, AND NANCY L STOKEY (1998): “Dynamic programming with homogeneous functions,” Journal of economic theory, 82(1), 167–189.
- BENHABIB, JESS, ALBERTO BISIN, AND SHENGHAO ZHU (2015): “The wealth distribution in Bewley economies with capital income risk,” Journal of Economic Theory, 159, 489–515, Available at <https://www.nber.org/papers/w20157.pdf>.
- BERTSEKAS, D. (2012): Dynamic Programming and Optimal Control: Volume II; Approximate Dynamic Programming, Athena Scientific optimization and computation series. Athena Scientific.
- BEWLEY, TRUMAN (1977): “The Permanent Income Hypothesis: A Theoretical Formulation,” Journal of Economic Theory, 16, 252–292.
- BLANCHARD, OLIVIER J. (1985): “Debt, Deficits, and Finite Horizons,” Journal of Political Economy, 93(2), 223–247.
- BOYD, JOHN H. (1990): “Recursive Utility and the Ramsey Problem,” Journal of Economic Theory, 50(2), 326–345.
- CAO, DAN (2020): “Recursive equilibrium in Krusell and Smith (1998),” Journal of Economic Theory, 186, 104978.
- CARROLL, CHRISTOPHER D. (1992): “The Buffer-Stock Theory of Saving: Some Macroeconomic Evidence,” Brookings Papers on Economic Activity, 1992(2), 61–156.
- (1997): “Buffer Stock Saving and the Life Cycle/Permanent Income Hypothesis,” Quarterly Journal of Economics, CXII(1), 1–56.
- (2019, Submitted): “Theoretical Foundations of Buffer Stock Saving,” Quantitative Economics.
- CARROLL, CHRISTOPHER D., MARTIN HOLM, AND MILES S. KIMBALL (2019): “Liquidity Constraints and Precautionary Saving,” Manuscript, Johns Hopkins University, <https://www.econ2.jhu.edu/people/ccarroll/papers/LiqConstr>.

- CARROLL, CHRISTOPHER D., AND MILES S. KIMBALL (1996): “On the Concavity of the Consumption Function,” Econometrica, 64(4), 981–992, <https://www.econ2.jhu.edu/people/ccarroll/concavity.pdf>.
- CARROLL, CHRISTOPHER D., AND ANDREW A. SAMWICK (1997): “The Nature of Precautionary Wealth,” Journal of Monetary Economics, 40(1), 41–71.
- CARROLL, CHRISTOPHER D., JIRI SLACALEK, KIICHI TOKUOKA, AND MATTHEW N. WHITE (2017): “The Distribution of Wealth and the Marginal Propensity to Consume,” Quantitative Economics, 8(3), 977–1020, At <https://www.econ2.jhu.edu/people/ccarroll/papers/cstwMPC>.
- CHAMBERLAIN, GARY, AND CHARLES A. WILSON (2000): “Optimal Intertemporal Consumption Under Uncertainty,” Review of Economic Dynamics, 3(3), 365–395.
- CHRISTOPHER D. CARROLL, ALEXANDER M. KAUFMAN, JACQUELINE L. KAZIL, NATHAN M. PALMER, AND MATTHEW N. WHITE (2018): “The Econ-ARK and HARK: Open Source Tools for Computational Economics,” in Proceedings of the 17th Python in Science Conference, ed. by Fatih Akici, David Lippa, Dillon Niederhut, and M Pacer, pp. 25–30.
- CLARIDA, RICHARD H. (1987): “Consumption, Liquidity Constraints, and Asset Accumulation in the Face of Random Fluctuations in Income,” International Economic Review, XXVIII, 339–351.
- CRAWLEY, E, MARTIN B HOLM, AND HÅKON TRETVOLL (2022): “A parsimonious model of idiosyncratic income,” Finance and economics discussion series.
- DALY, MOIRA, DMYTRO HRYSHKO, AND IOURII MANOVSKII (2016): “Improving the measurement of earnings dynamics,” Discussion paper, National Bureau of Economic Research.
- DEATON, ANGUS S. (1991): “Saving and Liquidity Constraints,” Econometrica, 59, 1221–1248, <https://www.jstor.org/stable/2938366>.
- DEBACKER, JASON, BRADLEY HEIM, VASIA PANOUSI, SHANTHI RAMNATH, AND IVAN VIDANGOS (2013): “Rising Inequality: Transitory or Persistent? New Evidence from a Panel of U.S. Tax Returns,” Brookings Papers on Economic Activity, Spring, 67–122.
- DURÁN, JORGE (2003): “Discounting long run average growth in stochastic dynamic programs,” Economic Theory, 22(2), 395–413.
- FEINBERG, EUGENE A, PAVLO O KASYANOV, AND NINA V ZADOIANCHUK (2012): “Average Cost Markov Decision Processes with Weakly Continuous Transition Probabilities,” Mathematics of Operations Research, 37, 591–607.
- FISHER, IRVING (1930): The Theory of Interest. MacMillan, New York.

- FRIEDMAN, MILTON A. (1957): A Theory of the Consumption Function. Princeton University Press.
- GOURINCHAS, PIERRE-OLIVIER, AND JONATHAN PARKER (2002): “Consumption Over the Life Cycle,” Econometrica, 70(1), 47–89.
- HARMENBERG, KARL (2021): “Aggregating heterogeneous-agent models with permanent income shocks,” Journal of Economic Dynamics and Control, 129, 104185.
- HENDRICKS, LUTZ (2001): Bequests and Retirement Wealth in the United States. University of Arizona.
- (2016): “Wealth Distribution and Bequests,” Lecture Notes, Economics 821, University of North Carolina.
- HRYSKO, DMYTRO, AND IOURII MANOVSKII (2020): “How much consumption insurance in the US?,” Manuscript, University of Alberta.
- JAPPELLI, TULLIO, AND LUIGI PISTAFERRI (2000): “Intertemporal Choice and Consumption Mobility,” Econometric Society World Congress 2000 Contributed Paper Number 0118.
- JAŚKIEWICZ, ANNA, AND ANDRZEJ S. NOWAK (2011): “Discounted dynamic programming with unbounded returns: Application to economic models,” Journal of Mathematical Analysis and Applications, 378(2), 450–462.
- KAPLAN, GREG, GIANLUCA VIOLANTE, AND JUSTIN WEIDNER (2014): “The Wealthy Hand-to-Mouth,” Brookings Papers on Economic Activity, Spring, 77–138.
- KIMBALL, MILES S. (1990): “Precautionary Saving in the Small and in the Large,” Econometrica, 58, 53–73.
- KRUEGER, DIRK, KURT MITMAN, AND FABRIZIO PERRI (2016): “Macroeconomics and Household Heterogeneity,” Handbook of Macroeconomics, 2, 843–921.
- LI, HUIYU, AND JOHN STACHURSKI (2014): “Solving the income fluctuation problem with unbounded rewards,” Journal of Economic Dynamics and Control, 45, 353–365.
- LILLARD, LEE A., AND YORAM WEISS (1979): “Components of Variation in Panel Earnings Data: American Scientists 1960-70,” Econometrica, 47(2), 437–454.
- MA, QINGYIN, JOHN STACHURSKI, AND ALEXIS AKIRA TODA (2020): “The income fluctuation problem and the evolution of wealth,” Journal of Economic Theory, 187.
- (2022a): “Unbounded dynamic programming via the Q-transform,” Journal of Mathematical Economics, 100, 102652.
- (2022b): “Unbounded dynamic programming via the Q-transform,” Journal of Mathematical Economics, 100, 102652.

- MA, QINGYIN, AND ALEXIS AKIRA TODA (2020): “A Theory of the Saving Rate of the Rich,” arXiv.
- MACURDY, THOMAS (1982): “The Use of Time Series Processes to Model the Error Structure of Earnings in a Longitudinal Data Analysis,” Journal of Econometrics, 18(1), 83–114.
- MARTINS-DA ROCHA, V FILIPE, AND YIANNIS VAILAKIS (2010): “Existence and uniqueness of a fixed point for local contractions,” Econometrica, 78(3), 1127–1141.
- MATKOWSKI, JANUSZ, AND ANDRZEJ S. NOWAK (2011): “On Discounted Dynamic Programming With Unbounded Returns,” Economic Theory, 46, 455–474.
- MODIGLIANI, FRANCO (1966): “The Life Cycle Hypothesis, the Demand for Wealth, and the Supply of Capital,” Social Research, 33, 160–217.
- MUTH, JOHN F. (1960): “Optimal Properties of Exponentially Weighted Forecasts,” Journal of the American Statistical Association, 55(290), 299–306.
- RIEHL, EMILY (2017): Category theory in context. Courier Dover Publications.
- RINCÓN-ZAPATERO, JUAN PABLO (2024): “Existence and uniqueness of solutions to the Bellman equation in stochastic dynamic programming,” Theoretical Economics, 19(3), 184–197.
- RINCÓN-ZAPATERO, JUAN PABLO, AND CARLOS RODRÍGUEZ-PALMERO (2003): “Existence and uniqueness of solutions to the Bellman equation in the unbounded case,” Econometrica, 71(5), 1519–1555.
- ROCKAFELLAR, R. TYRRELL (1972): Convex Analysis. Princeton University Press.
- SCHECHTMAN, JACK, AND VERA ESCUDERO (1977): “Some results on ‘An Income Fluctuation Problem’,” Journal of Economic Theory, 16, 151–166.
- SCHECHTMAN, JACK (1976): “An Income Fluctuation Problem,” Journal of Economic Theory, XII, 218–41.
- SCHEINKMAN, JOSÉ, AND LAURENCE WEISS (1986): “Borrowing Constraints and Aggregate Economic Activity,” Econometrica, 54(1), 23–46.
- SCHMITT-GROHÉ, STEPHANIE, AND MARTIN URIBE (2003): “Closing small open economy models,” Journal of international Economics, 61(1), 163–185.
- SHANKER, AKSHAY (2017): “Existence of Recursive Constrained Optima in the Heterogenous Agent Neoclassical Growth Model,” SSRN Working Paper 3011662.
- STACHURSKI, J. (2022): Economic Dynamics, second edition: Theory and Computation. MIT Press.

- STACHURSKI, JOHN, AND ALEXIS AKIRA TODA (2019): “An Impossibility Theorem for Wealth in Heterogeneous-Agent Models with Limited Heterogeneity,” Journal of Economic Theory, 182, 1–24.
- STOKEY, NANCY L., ROBERT E. LUCAS, AND EDWARD C. PRESCOTT (1989): Recursive Methods in Economic Dynamics. Harvard University Press.
- SUN, YENENG, AND YONGCHAO ZHANG (2009): “Individual Risk and Lebesgue Extension Without Aggregate Uncertainty,” Journal of Economic Theory, 144, 432–443.
- SZEIDL, ADAM (2013): “Stable Invariant Distribution in Buffer-Stock Saving and Stochastic Growth Models,” Manuscript, Central European University.
- WOLF, MARTIN, AND AKSHAY SHANKER (2021): “Play for the Rich and Work for the Poor? The Optimal Distribution of Saving and Work in the Heterogeneous Agents Neoclassical G,” CEPR Discussion Papers, 16479.
- YAARI, MENAHEM E (1965): “Uncertain lifetime, life insurance, and the theory of the consumer,” The Review of Economic Studies, 32(2), 137–150.
- ZELDES, STEPHEN P. (1989): “Optimal Consumption with Stochastic Income: Deviations from Certainty Equivalence,” Quarterly Journal of Economics, 104(2), 275–298.

Table 5 Appendix: Perfect Foresight Liquidity Constrained Taxonomy

For constrained $\dot{c}$ and unconstrained $\bar{c}$ consumption functions

{table:LiqConstrSec

Main Condition Subcondition	Math	Outcome, Comments or Results
GIC and RIC	$1 < \mathbf{P}/\mathcal{G}$ $\mathbf{P}/R < 1$	Constraint never binds for $m \geq 1$ FWHC holds ($R > \mathcal{G}$); $\dot{c}(m) = \bar{c}(m)$ for $m \geq 1$
and RIC	$1 < \mathbf{P}/R$	$\dot{c}(m)$ is degenerate: $\dot{c}(m) = 0$
GIC and RIC	$\mathbf{P}/\mathcal{G} < 1$ $\mathbf{P}/R < 1$	Constraint binds in finite time $\forall m$ FWHC may or may not hold $\lim_{m \uparrow \infty} \bar{c}(m) - \dot{c}(m) = 0$ $\lim_{m \uparrow \infty} \dot{\kappa}(m) = \underline{\kappa}$
and RIC	$1 < \mathbf{P}/R$	FWHC $\lim_{m \uparrow \infty} \dot{\kappa}(m) = 0$

Conditions are applied from left to right; for example, the second row indicates conclusions in the case where ~~GIC~~ and RIC both hold, while the third row indicates that when the GIC and the RIC both fail, the consumption function is degenerate; the next row indicates that whenever the GIC holds, the constraint will bind in finite time.