Instituto Politécnico Nacional

Escuela Superior de Cómputo

Artificial Life Robotics Laboratory
(ALIROB)

3D Cellular Automata And Pentominos

Simulations and configurations

Laura Natalia Borbolla Palacios

Winter 2018

Contents

1	Brie	f summ	ary													4
	1.1	Cellula	r Automaton		 	 		 					 •			4
		1.1.1	The Diffusion	Rule .	 	 		 						•		5
	1.2	Penton	ninos		 	 	 •	 							•	5
		1.2.1	R-Pentomino		 	 		 							•	7
2	Expe	eriment	Results													7
	2.1	The Se	ttings		 	 		 								7
	2.2	Penton	nino By Penton	nino .	 	 		 	•							7
		2.2.1	Pentomino O		 	 		 								8
		2.2.2	Pentomino P		 	 		 		• •					•	8
		2.2.3	Pentomino Q		 	 		 			•			•		8
		2.2.4	Pentomino R		 	 		 								8
		2.2.5	Pentomino S		 	 		 								8
		2.2.6	Pentomino T		 	 		 	•						•	8
		2.2.7	Pentomino U		 	 		 								8
		2.2.8	Pentomino V		 	 		 								8
		2.2.9	Pentomino W		 	 		 								8

3D Cellular Automata And Pentominos

		2.2.10 Pentomino X	8									
		2.2.11 Pentomino Y	8									
		2.2.12 Pentomino Z	8									
	2.3	Configurations found	8									
3	Con	clusion	9									
Re	feren	ices	10									
Αŗ	Appendices											
Α	Full	Pentomino Evolution	11									
	A.1	Pentomino P	11									
	A.2	Pentomino Q	11									
	A.3	Pentomino R	11									
	A.4	Pentomino S	11									
	A.5	Pentomino T	11									
	A.6	Pentomino U	11									
	A.7	Pentomino V	11									
	A.8	Pentomino W	11									
	A.9	Pentomino X	11									

3D Cellular Automata And Pentominos

A.10 Pentomino Y	•	 	 •		•	•								•	 •	•		•	1
A.11 Pentomino Z					_		_				_	_							1 .

1 Brief summary

1.1 Cellular Automaton

For more information, please consult [1]–[6].

A cellular automaton is a discrete dynamical system that consists of a set of simple units (cells) that change their states at each time step, depending of the states of their neighbors (there are no actions at a distance), according to a local update rule; the cells evolve in parallel at discrete time steps and they all use the same update rule.

They are also known as **CA** and have proof been quite useful, both as general models of complexity and as specific representations of non-linear dynamics in a great variety of fields. Despite functioning in a non-traditionally way, the **CA** can solve algorithmic problems or compute functions, all of this with the right suitable rule, of course.

Cellular automata come in a variety of shapes; the type of grid (for example, square, triangular or hexagonal cells in a two-dimensional **CA**) is one of it's most fundamental properties. The neighborhood over which cells affect one another is also very important; two common neighborhoods in the case of a two-dimensional **CA** on a square grid are the Moore and the von Newmann neighborhoods.

The **elementary cellular automata** are the simplest type of cellular automaton, being a binary, nearest-neighbor, one-dimensional automaton; these **CA** have been thoroughly studied. There are 256 **ECA**.

The best known cellular automaton is the *Game of life*, discovered by J. H. Conway in 1970; this is a binary automaton with a Moore neighborhood. Over the years, it has been compiled a library of patterns with various behaviours:

• Still life. A fixed point pattern; the update rule keeps each cell unchanged.

- **Oscillator**. A temporally periodic pattern; the update rule may change the pattern, but after some steps, the original pattern reapears in the same location with the same orientation.
- **Spaceship**. A pattern that reappears, after some steps, although not necessarily in the same location.
- **Gun**. A pattern that, as an oscillator, periodically returns back to the initial state and emits spaceships.
- Glider gun. A pattern that emmits gliders.

1.1.1 The Diffusion Rule

Conway's *Game of Life* inspired the cientific community and soon they started to experiment with variations of the game's rules to find new and interesing behaviours, for example, *high life*, *life 43* and *long life*; later they started experimenting with new neighborhoods, different shapes in the grids and the numer of dimensions in the universe. One rule stands out of the rest: the diffusion rule; mainly because it's behaviour is chaotic and with it, there has been discovered a great deal of gliders, oscillators, glider guns and puffer trains. The rule is defined as follow:

- Any living cell with less than seven neighbours dies out of loneliness.
- Any living cell with more than seven neighbours dies suffocated.
- Any living cell with seven neighbours lives onto the next generation.
- Any death cell with two living neighbours will be born in the next generation.

1.2 Pentominos

For more information, please consult [7]-[11].

A polyomino is a finite collection of orthogonally connected cells; or, in another workds, a collection of equally-sized squares that form a connected piece, meaning that each square can reach any other in it by going through adjacent squares; the order of a polyomino is the number of squares used to make it, so a fifth order polyomino (made of five squares), is called pentomino. Both terms, polyomino and pentomino were first used by S. Golomb in 1953, in a talk to the Harvard Mathematics Club and a year later in an article. There are twelve distinct pentominoes (see Figure 1) and two naming conventions, in this paper the Conway convention (using letters O through Z) will be used; although the resemblance to the letters with this labeling scheme seems a little more strained with the other scheme, specially when using the O instead of I, it has the advantage that uses 12 consecutive letters; also, the Conway scheme tends to be used when discussing topics related to cellular automata.




Figure 1: Conway pentominoes from 0 through Z (left to right).

Conway used polyominoes, specially pentominoes, in his initial investigations of Life and other cellular automata: he tracked the histories of small polyominoes as a way to explore the behaviour of different cellular automata when the calculations had to be done by hand; the studies of the polyominoes led to important discoveries in Life.

1.2.1 R-Pentomino

Among the other pentominoes, the **R-pentomino** outstands; mainly because of two reasons:

- It is a methuselah¹, meaning is a pattern that takes a large number of generations to stabilize and, at some point during it's evolution, becomes much larger than it's initial configuration.
- The first glider ever observed is the glider that releases in the 69th generation.

Since all the others pentominoes stabilize in ten generations or less, this is, by far, the most active pentomino: it takes 1103 generations and by then it's population is of 116.

2 Experiment Results

2.1 The Settings

Talk about the settings for the simulation, the simulator used and the constrains (equipment, time, etcetera).

2.2 Pentomino By Pentomino

Here we talk about how the results will be exposed, for each pentomino it was done a simulation with the pentomino pasted with it-self? Remark that the pentominos are ordered in alphabeticall order and only the intial and final configurations will be shown, ergo, the appendix contains the complete evolution of each pentomino.

¹M. Gardner defined methuselahs as patterns of less than ten cells that take more than fifty generations to stabilize[12].

2.2.1	Pentomino O
2.2.2	Pentomino P
2.2.3	Pentomino Q
2.2.4	Pentomino R
2.2.5	Pentomino S
2.2.6	Pentomino T
2.2.7	Pentomino U
2.2.8	Pentomino V
2.2.9	Pentomino W
2.2.10	Pentomino X
2.2.11	Pentomino Y
2.2.12	Pentomino Z
23	Configurations found

Here we talk about the configurations found.

3 Conclusion

Talk about the configurations found (yayy), why it is important to find a glider gun (then, they would have "cómputo universal").

References

- [1] F. Berto and J. Tagliabue, "Cellular automata," in *The Stanford Encyclopedia of Philosophy*, E. N. Zalta, Ed., Fall 2017, Metaphysics Research Lab, Stanford University, 2017.
- [2] J. Kari, Cellular Automata. University of Turku, 2013.
- [3] E. W. Weisstein, *Cellular automaton*. [Online]. Available: http://mathworld.wolfram.com/CellularAutomaton.html.
- [4] G. Juárez-Martínez, Diffusion rule, 2017. [Online]. Available: http://uncomp.uwe.ac.uk/genaro/Diffusion_Rule/diffusionLife.html.
- [5] G. Juárez-Martínez, A. Adamatzky, and H. McIntosh, "Localization dynamics in a binary two-dimensional cellular automaton: The diffusion rule," *Journal of Cellular Automata.*, 2006.
- [6] S. University, *Conway's game of life*, 2017. [Online]. Available: http://web.stanford.edu/~cdebs/GameOfLife/.
- [7] "Lecture notes on computer science theoretical computer science and general issues," in. Springer, Mar. 2014, vol. 8370, ISBN: 9783319049205. [Online]. Available: https://books.google.com.mx/books?id=dBW6BQAAQBAJ&printsec=frontcover#v=onepage&q&f=false.
- [8] Polyomino, 2019. [Online]. Available: http://www.conwaylife.com/wiki/Polyomino.
- [9] M. E. Coppenbarger, *Pentominoes introduction*, 2019. [Online]. Available: https://people.rit.edu/mecsma/Professional/Puzzles/Pentominoes/P-Intro.html.
- [10] *R-pentomino*, 2019. [Online]. Available: http://www.conwaylife.com/wiki/R-pentomino.
- [11] Methuselah, 2019. [Online]. Available: http://www.conwaylife.com/wiki/Methuselah.

[12]		nents.	W. H.	Freeman,
	1983, ISBN: 9780716715887.			

Appendices

A Full Pentomino Evolution

Below are the full evolutions of each pentomino.

- A.1 Pentomino P
- A.2 Pentomino Q
- A.3 Pentomino R
- A.4 Pentomino S
- A.5 Pentomino T
- A.6 Pentomino U
- A.7 Pentomino V
- A.8 Pentomino W
- A.9 Pentomino X
- A.10 Pentomino Y
- A.11 Pentomino Z