"On climate and conflict: precipitation decline and communal conflict in Ethiopia and Kenya"

Replication material

Last update: 2018 12 03

This repository contains the material needed to replicate the results in the paper "On climate and conflict: precipitation decline and communal conflict in Ethiopia and Kenya". The data processing and analysis were carried out in R. There are four folders:

- 1. code
- 2. data
- 3. output
- 4. raw-data

whose contents are described in more detail below.

If there are any issues/difficulties in replicating the results feel free to contact me: weezel.van (at) gmail.com.

'code'

This folder contains all the code used for analysing the data and producing the various tables and figures in the paper. There are three sub-folders:

- 1. estimation
- 2. revision
- 3. tables-figures

The estimation folder contains all the code for the statistical analysis

- load.R is run first and compiles the data
- \bullet models.R contains all the models and is called by load.R
- fit_models.R is the main estimation code, producing the results as reported in table 1.
- cross validation.R executes the cross validation exercise
- BEST.R conducts the Bayesian t-test which is included in the main dataset and used in the regressions

The code in folder tables-figures can be used to create the tables and figures in the paper and appendix. Note that figure 9 is created by cross-section-time-series.R; A2 by BEST.R; and A4 by analysis-rastert.R.

A number of additional tests were carried out based on various suggestions made by the reviewers. Specifically the reviewers asked for

- 1. Aggregating the data using a raster
- 2. Using different conflict data
- 3. Account for local wealth levels
- 4. Account for temperature

The code for these tests is included in revision.R For the raster analysis you need to run the scripts in the following order

- 1. fit-raster.R
- 2. analysis-raster.R

To create figure 5 in the paper, using figure 5.R, you will need to run all the robustness checks first and save the results in the output folder. The same applies to the code in the estimation folder.

data

This folder contains the processed data that was used in the analysis, saved in RData format. Due to the size of the raw data I left out most of it, therefore only providing the processed data. If you want to carry out a replication starting with the raw data, feel free to contact me. The data folder contains the following data files that were used for the regression analysis

- lzones.RData, information on livelihood zones
- ged.RData, processed data with information on communal violence from the UCDP Georeferenced Event Dataset
- rainfall.RData, aggregated precipitation data from CenTrends
- epr_d.RData, contains information on the presence of an ethnically excluded group at district level
- pop_dens.RData, district population density based on the GRUMP dataset

These files are needed in conjunction with the load.R script.

The section on Markov transitions in the paper is based on the following data files

- CenTrend.RData, is the processed CenTrend data
- communal_violence.RData, contains information on communal violence

Finally there are a number of data files included based on requests made by the reviewers (see also discussion on rr), these are

- acled.RData, which contains district-aggregated conflict data from ACLED
- 2. night_lights.RData containing data on night light emissions to proxy for local wealth levels
- 3. temperature.RData containing information on temperature levels
- 4. raster_lhz.RData, raster_population.RData, raster_rain.RData, raster_ucdp.RData is data aggregated at grid level

output

This folder includes just one data file

• ttest.RData

which is needed for load.R to compile the data and run the regressions as well as creating figure A3 using BEST.R.

raw-data

This folder includes some of the original unprocessed data that are required to produce some of the figures

- ged50.RData is the UCDP Georeferenced Conflict Event dataset (version 5.0)
- gaulk_adm2.RData are the GAUL district boundaries (reference year 1999), including districts in neighbouring countries, saved as RData file

The data required for figure 1 can be downloaded from the CenTrends website. I didn't include here because of the size of the file ($\sim 80 \mathrm{Mb}$)