LAB 2 ASP.NET CORE WEB (P2)

❖ CONTENT

- Setup relationship between tables
- Add data (model) validation
- Upload image
- Filter data
- Search & Sort

❖ INSTRUCTION

1. Add new model *Genre* and setup relationship with model *Book*

Relationship: One Genre – Many Books

```
public class Genre
{
   public int GenreId { get; set; }
   public string GenreName { get; set; }

   public ICollection<Book> Books { get; set; }
}
```

Figure 1 - Models/Genre.cs

2. Update model Book to setup relationship with model Genre

```
public class Book
{
   public int BookId { get; set; }
   public string BookTitle { get; set; }
   public double BookPrice { get; set; }
   public string BookCover { get; set; }
   public int GenreId { get; set; }
   public Genre Genre { get; set; }
}
```

Figure 2 - Models/Book.cs



3. Generate Controller & Views for model Genre with Scaffolding technique




Figure 3 - Generate Controller & Views for model Genre

4. Re-generate Controller & Views for model Book to update Genre data




Figure 4 - Re-generate Controller & Views for model Book



5. Update data seeding code for 2 models: Genre & Book

```
protected override void OnModelCreating(ModelBuilder builder)
{
    base.OnModelCreating(builder);

    //Seed data for User & Role
    SeedUserRole(builder);

    //Seed data for table Genre
    SeedGenre(builder);

    //Seed data for table Book
    SeedBook(builder);
}
```

Figure 5 - Data/ApplicationDbContext.cs (1)

```
private void SeedGenre(ModelBuilder builder)
{
    builder.Entity<Genre>().HasData(
        new Genre
        {
            GenreId = 1,
            GenreName = "Programming"
        },
        new Genre
        {
            GenreId = 2,
            GenreName = "Self Help"
        },
        new Genre
        {
            GenreId = 3,
            GenreName = "Novel"
        }
    );
}
```

Figure 6 - Data/ApplicationDbContext.cs (2)



```
private void SeedBook(ModelBuilder builder)
               builder.Entity<Book>().HasData(
                            new Book
                                             BookId = 1,
                                           BookTitle = "Clean Code",
                                             BookPrice = 12.34,
                                           BookCover = "https://images-na.ssl-images-amazon.com/images/I/51E2055ZGUL.jpg",
                             new Book
                                             BookId = 2,
                                             BookTitle = "How to win friends & influence people",
                                             BookPrice = 9.99,
                                            \textbf{BookCover} = \begin{tabular}{l} \textbf{BookCover} = \begin{tabular}{l} \textbf{Nttps://rukminim2.flixcart.com/image/850/1000/kkr72q80/book/k/4/l/how-to-win-friends-influence-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-international-people-int
                                                  bestseller-original-imagyf2wgzsbgvba.jpeg?q=90&crop=false",
                                          GenreId = 2
                             new Book
                                             BookId = 3,
                                            BookTitle = "Harry Porter",
                                            BookPrice = 6.78,
                                            BookCover = "https://nhasachphuongnam.com/images/detailed/160/81Y0u0GFCJL.jpg",
                                             GenreId = 3
```

Figure 7 - Data/ApplicationDbContext.cs (3)

6. Add new migration and update database again




Figure 8 - Use PMC to update database

7. Update code of views

Figure 9 – Layout (Code)





Figure 10 - Layout (Web)

Figure 11 – Book Index (Code)




Figure 12 - Book Index (Web)

```
// GET: Books/Create
public IActionResult Create()
{
    ViewData["GenreId"] = new SelectList(_context.Genre, "GenreId", "GenreName");
    return View();
}
```

Figure 13 – Add Book (Code)

BookGenre




Figure 14 - Add Book (View)



8. Add model validation

```
public class Book
{
   public int BookId { get; set; }

   [StringLength(30, ErrorMessage = "Title must be 5 to 30 characters", MinimumLength = 5)]
   public string BookTitle { get; set; }

   [Range(5, 500, ErrorMessage = "Price must be 5$ to 500$")]
   public double BookPrice { get; set; }

   public string BookCover { get; set; }

   public int GenreId { get; set; }

   public Genre Genre { get; set; }
}
```

Figure 15 - Models/Book.cs (2)

Create

Book BookTitle code Title must be 5 to 30 characters BookPrice -123 Price must be 5\$ to 500\$ BookCover https://m.media-amazon.com/images/I/61QZ\$ BookGenre Programming Create

Figure 16 - Create Book (View)



9. Implement Upload image feature

```
<form asp-action="Create" enctype="multipart/form-data">
   <div asp-validation-summary="ModelOnly" class="text-danger"></div>
   <div class="form-group">
       <label asp-for="BookTitle" class="control-label"></label>
       <input asp-for="BookTitle" class="form-control" />
       <span asp-validation-for="BookTitle" class="text-danger"></span>
    </div>
   <div class="form-group">
       <label asp-for="BookPrice" class="control-label"></label>
       <input asp-for="BookPrice" class="form-control" />
       <span asp-validation-for="BookPrice" class="text-danger"></span>
    </div>
   <div class="form-group">
       <label asp-for="BookCover" class="control-label"></label>
       <input asp-for="BookCover" class="form-control" type="file" accept="image/*"</pre>
       <span asp-validation-for="BookCover" class="text-danger">
   <div class="form-group">
       <label asp-for="GenreId" class="control-label">BookGenre</label>
       <select asp-for="GenreId" class ="form-control" asp-items="ViewBag.GenreId"></select>
   <div class="form-group">
       <input type="submit" value="Create" class="btn btn-primary" />
    </div>
</form>
```

Figure 17 - Views/Books/Create.cshtml

Create

Book




Figure 18 - Create Book (View)



```
[HttpPost]
  [ValidateAntiForgeryToken]
  public async Task<IActionResult> Create(Book book, IFormFile BookCover)
      if (ModelState.IsValid)
          //validate image is valid or not
          if (BookCover ≠ null && BookCover.Length > 0)
              //set image file name
              //Note: should add a prefix such as "BookId" to make sure the file name is unique var fileName = book.BookId + "_" + Path.GetFileName(BookCover.FileName);
              //set image file location
              //Note: should create a subfolder in "wwwroot" to store image
              var filePath = Path.Combine(Directory.GetCurrentDirectory(), "wwwroot\\images" fileName);
              using (var stream = new FileStream(filePath, FileMode.Create))
                   //copy (upload) image file from orignal location to project folder
                  BookCover.CopyTo(stream);
              //set image file pame for book cover
              book.BookCover = "/images/" + fileName;
          _context.Add(book);
          await _context.SaveChangesAsync();
          return RedirectToAction(nameof(Index));
      ViewData["GenreId"] = new SelectList(_context.Genre, "GenreId", "GenreName", book.GenreId);
      return View(book):
                         Figure 19 - Controllers/BooksController.cs - Create()
//check if a new image file is uploaded or not
if (BookCover ≠ null && BookCover.Length > 0)
    //set image file name
    //Note: should add a prefix such as "BookId" to make sure the file name is unique
    var fileName = book.BookId + "_" + Path.GetFileName(BookCover.FileName);
    //set image file location
    //Note: should create a subfolder named "images" in "wwwroot" to store all images
    var filePath = Path.Combine(Directory.GetCurrentDirectory(), "wwwroot\\images", fileName);
    using (var stream = new FileStream(filePath, FileMode.Create))
         //copy (upload) image file from orignal location to project folder
        BookCover.CopyTo(stream);
    //set image file name for book cover
    book.BookCover = "/images/" + fileName;
//use the existing image file if no image file is uploaded
else
    var existingBook = _context.Book.AsNoTracking().FirstOrDefault(b ⇒ b.BookId = book.BookId);
    book.BookCover = existingBook.BookCover;
_context.Update(book);
```

Figure 20 - Controllers/BooksController.cs - Edit()

await _context.SaveChangesAsync();



10.Implement Filter feature: filter books by genre

```
// GET: Genres/Details/5
public async Task<IActionResult> Details(int? id)
{
    if (id = null)
    {
        return NotFound();
    }

    var genre = await _context.Genre
        .Include(g \Rightarrow g.Books)
        .FirstOrDefaultAsync(m \Rightarrow m.GenreId = id);
    if (genre = null)
    {
        return NotFound();
    }

    return View(genre);
}
```

Figure 21 - Controllers/GenresController.cs

Figure 22 - Views/Genres/Detail.cshtml



Figure 23 - Views/Books/Index.cshtml (1)

11. Implement Search & Sort feature: search by title, sort by price

Figure 24 - Views/Books/Index.cshtml




Figure 25 - Book Index (Web)



```
[HttpPost]
public async Task<IActionResult> SearchByTitle(string title)
{
    var books = _context.Book.Include(b ⇒ b.Genre).Where(b ⇒ b.BookTitle.Contains(title));
    return View("Index", await books.ToListAsync());
}

public async Task<IActionResult> SortPriceAsc()
{
    var books = _context.Book.Include(b ⇒ b.Genre).OrderBy(b ⇒ b.BookPrice);
    return View("Index", await books.ToListAsync());
}

public async Task<IActionResult> SortPriceDesc()
{
    var books = _context.Book.Include(b ⇒ b.Genre).OrderByDescending(b ⇒ b.BookPrice);
    return View("Index", await books.ToListAsync());
}
```

Figure 26 - Controllers/BooksController.cs - SearchByTitle() + SortPriceAsc() + SortPriceAsc()

