

# Rational Polynomials: Graphing and Asymptotes

Find the intercepts, if there are any.

**Step 1:** Set the numerator to 0 to solve for horizontal intercepts.

**Step 2:** Set the x to 0 to solve for vertical intercept.

**Step 3:** Set the denominator to 0 to solve for vertical asymptotes.

**Step 4:** Perform a long division to find the quotient which specifies the oblique asymptote.


**Note:** Blue curve the actual Rational function.

**Red and Gold asymptotes.**

## Example: Horizontal Asymptote

$$\frac{x-2}{4x-3}$$


$$\begin{array}{r} + \left( \frac{1}{4} \right) \\ \hline 4x - 3 \quad (1)x + (-2) \\ \hline (x) + \left( -\frac{3}{4} \right) \\ + \left( -\frac{5}{4} \right) \end{array}$$



## Example: Oblique Linear Asymptote

$$\frac{(x-2)(x+1)}{x-1}$$

$$\begin{array}{r} + \left( x \right) \\ \hline x - 1 \quad (1)x^2 + (-1)x + (-2) \\ \hline (x^2) + (-x) \\ + \left( -2 \right) \end{array}$$



## Example: Multiple Vertical Asymptotes

$$\frac{x+2}{(x+1)(x+3)}$$

$$\begin{array}{r} + \left( 0 \right) \\ \hline (x) + \left( 2 \right) \end{array}$$

