

Lesson 3 - Alphabets, Strings and Languages

Alphabets

Alphabet is a non-empty finite set of symbols.

For example:

$$\Sigma_1 = \{0, 1\}$$

That is an example of alphabet with two symbols (an alphabet of binary numbers).

2nd example:

$$\Sigma_2 = \{a, b, c, \dots, x, y, z\}$$

That is an example of alphabet with 26 symbols (an alphabet of English alphabet).

3rd example:

$$\Sigma_3 = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

That is an example of alphabet with ten symbols (an alphabet of decimal numbers).

Strings

String is a finite sequence of symbols from an alphabet.

Let an alphabet:

$$\Sigma_1 = \{0, 1\}$$

Therefore, the strings 0 , 1 and 001 are examples of string over the alphabet above. We can also write strings as w . For example:

$$w = 0$$

$$w = 1$$

$$w = 001$$

Another example, let an alphabet:

$$\Sigma_2 = \{a, b\}$$

Thus, the following are strings from the second alphabet above:

$$w = a$$

$$w = ab$$

$$w = baa$$

Length of string or cardinality

Length of string or cardinality is the number of symbols in a string.

For example:

$$w = abcd$$

The length of the string w is 4, since it has 4 symbols: a, b, c, d . We can also denote the length of string using character $|w|$:

$$|w| = 4$$

Empty string

Empty string is a string that contains no symbols. In this course, we denote it with λ (lambda) symbol. Of course, empty string has a length of 0:

$$|\lambda| = 0$$

Concatenation

Concatenation combines two strings. If we have string x and y then, their concatenation is denoted by xy , it is the string formed by appending string y to x . For example, say we have two strings:

$$x = louis$$

$$y = facun$$

Therefore xy is:

$$xy = louisfacun$$

Reversely, yx is:

$$yx = facunlouis$$

If we concatenate an empty string some string, then that string won't change. For example:

$$x\lambda = x$$

Substring

A string x is a substring of some string y if the string x appears consecutively in string y .

For example:

$$y = banana$$

$$x = nana$$

The string $nana$ appears consecutively in the string $banana$. Thus, the string x is a substring of string y . But the string nab is *not* a substring of y .

Suffix and prefix

A string x is a **suffix** of y if it is a substring of y while also appearing in the end of y . For example:

$$y = \textit{banana}$$

$$x = \textit{nana}$$

The x is a substring of y and it also appears at the end of y . Thus, x is a **prefix** of y . Similarly, it is a substring but it appears at the start, then it is called a **suffix**. For example:

$$y = \textit{banana}$$

$$z = \textit{bana}$$

In this case, the string z or \textit{bana} is a substring of y and also appears at the start. Therefore z is a **prefix** of y .

k copies of w

$$w^k$$

Represents the concatenation of string w , k times. For example:

$$w = \textit{ab}$$

If k is equal to 1, then the string w is concatenated 1 time:

$$w^1 = \textit{ab}$$

If k is equal to 2, then:

$$w^2 = \textit{abab}$$

And so on:

$$w^3 = \textit{ababab}$$

$$w^4 = \textit{abababab}$$

Languages

Language (L) is a set of all possible strings from an alphabet, given a condition.

For example, given an alphabet:

$$\Sigma = \{0, 1\}$$

With a condition: No two consecutive 1s, then, the language is:

$$L = \{\lambda, 0, 1, 00, 01, 10, 000, 001, 010, 100, \dots\}$$

Note that, we also included empty string since this is also a possible string. Also, in the set, we won't put strings such as: 11, 011, 110, 111 and so on, since all these strings contains two

consecutives 1s.

Language notation

Most of the time it would be use to use set notation to define a language instead of tediously writing it.

$$w = ab$$

Say, you have language:

$$L = \{ab, abab, ababab, abababab, \dots\}$$

We can simply say using notation:

$$L = \{w^k | k \geq 1\}$$

L is k copies of w such that k is greater than or equal to 1.

Summary

Symbol/Notation	Description
$\{\dots\}$	Sets
Σ	Alphabet
w	String
λ	Empty string
$ w $	cardinality of string w
xy	x string concatenated to y
w^k	k copies of w