



Object-Oriented Programming (CS F213)

Module III: Inheritance and Polymorphism in Java

CS F213 RL 10.1: Abstract Classes and Methods

BITS Pilani

Dr. Pankaj Vyas

Department of Computer Science, BITS-Pilani, Pilani Campus

CS F213 RL 10.1 : Topics




- Abstract Methods
- Abstract Classes



Abstract Methods and Abstract Classes

- Abstract Method → Method with only declaration part and without implementation **[Incomplete Method]**
- Abstract Classes → If a class has any one abstract method **[Incomplete Class]**
- Example



Abstract Classes



- An **abstract class** is a class which has **abstract methods** (i.e. a method with only heading with no body of executable statements)
- An **object or instance of abstract classes can not be instantiated**
- An abstract class needs to be extended by sub classes to provide the implementation for the abstract methods.
- Abstract classes may contain static methods also. However, abstract and static keyword combination is wrong

abstract static void print(); // wrong

- Abstract classes may extend either another abstract class or concrete (complete or non-abstract) class
- **Abstract classes may include constructors, nested classes and interfaces**
- Abstract classes has either public, protected, private or package accessibility

Abstract Classes : Syntax



- Syntax :**

```
<scope>      abstract    class      <class-name>      [extends    <super-class-name>]
               [implements    interface-1, interface-2, ..., interface-n]
{
.....
<scope>      abstract    <return type>      method-name-1(<parameter List>);
<scope>      abstract    <return type>      method-name-2(<parameter List>);
.....
<scope>      abstract    <return type>      method-name-n(<parameter List>);
}
```

Note:

1. Abstract class can have **one or more abstract methods**
2. Abstract classes may extend another class , implements another interface , may have concrete methods

Abstract Classes : Fact I



- A class can be declared as abstract even if it does not have any abstract method
- Example:

```
abstract    class    A
{
    public void doS(int a, int b)
    {
        System.out.println(a+b);
    } // End of Method
} // End of class A
```

Abstract Classes : Fact II



- Only instance methods (object methods) can be declared as **abstract**.
- **'static' and 'abstract'** forms illegal combination
- Example:

```
abstract      class      A
{
    public static abstract void doS(int a, int b);

} // End of class A
```

Abstract Classes : Fact III



- An abstract class may extend either another abstract class or a concrete (non-abstract) class
- Example

```
abstract class A
{
} // End of class A
abstract class B extends A
{
} // End of class B
```

```
class A
{
} // End of class A
abstract class B extends A
{
} // End of class B
```


Abstract Classes : Fact IV



- An instance or object cannot belong to an abstract class. However a variable can belong to an abstract class type.
- Example

```
abstract class A
{
} // End of class A
```

```
A    a1    =    new    A();
```

Compile-Time Error: Object Cannot belong to Abstract Class Type

```
class B extends A
{
} // End of class B
```

```
A    a1    =    new    B();
```

Correct: Abstract Class Type Variable Can Point to Any Concrete Sub-class Instance

```
class C extends A
{
} // End of class C
```

```
a1    =    new    C();
```

Correct: Abstract Class Type Variable Can Point to Any Concrete Sub-class Instance

Abstract Classes : Fact V



- When any class say 'X' extends an abstract class say 'Y' then in order for class 'X' to be a complete or concrete class, the class 'X' must implement all the abstract methods of class 'Y' otherwise class 'X' has to be declared as abstract.

Thank You