network inference

introduction to network analysis (ina)

Lovro Šubelj University of Ljubljana spring 2024/25

inference overview

- inferring missing/spurious/hidden nodes/links
 - due to sampling, errors, noise or other [GSP09, MBN15]
 - from network structure, dynamics or other [GRLK12]
- popular predicting future links that are likely to occur
 - recommendation of friendship ties on Facebook [BL11]
 - prediction of product ratings on Amazon [GLGMSP16]
 - prediction for costly protein interaction networks etc.







real, observed & reconstructed air transportation network [GSP09]

link prediction

introduction to network analysis (ina)

Lovro Šubelj University of Ljubljana spring 2024/25

prediction overview

which links are most likely to occur?

- link prediction by local structure/dynamics
 - structural equivalence [LW71] and topological overlap [RSM+02]
 - node similarity [LHN06] and local dynamics indices [ZLZ09]
- link prediction by global structure/dynamics
 - regular equivalence [WR83] and link analysis algorithms [JW02]
 - community detection [GN02] and blockmodeling [DBF05, Pei15]
- link prediction by *maximum likelihood* methods
 - hierarchical [CMN08] and stochastic block models [GSP09]
- link prediction by probabilistic inference methods
 - probabilistic relational models [FGKP99, SPH06]

prediction equivalence

links predicted by structural equivalence

— common neighbors index [LW71] for i and j is

$$s_{ij} = \sum_{\mathsf{x}} A_{i\mathsf{x}} A_{\mathsf{x}j} = |\Gamma_i \cap \Gamma_j|$$

— Jaccard neighbors index [Jac01] for i and j is

$$s_{ij} = \frac{\sum_{x} A_{ix} A_{xj}}{\sum_{x} A_{ix} + \sum_{x} A_{xj} - \sum_{x} A_{ix} A_{xj}} = \frac{|\Gamma_{i} \cap \Gamma_{j}|}{|\Gamma_{i} \cup \Gamma_{j}|}$$

— Salton cosine similarity [SM83] for i and j is

$$s_{ij} = \cos \theta_{ij} = \frac{\sum_{x} A_{ix} A_{xj}}{\sqrt{\sum_{x} A_{ix}^2} \sqrt{\sum_{x} A_{jx}^2}} = \frac{|\Gamma_i \cap \Gamma_j|}{\sqrt{k_i k_j}}$$

— Leicht similarity index [LHN06] for i and j is

$$s_{ij} = \frac{n \sum_{x} A_{ix} A_{xj}}{\sum_{x} A_{ix} \sum_{x} A_{jx}} = \frac{|\Gamma_i \cap \Gamma_j|}{k_i k_j / n} \approx \frac{|\Gamma_i \cap \Gamma_j|}{k_i k_j}$$

prediction overlap

links predicted by topological overlap

Sørensen neighbors index [Sør48] for i and j is

$$s_{ij} = rac{\sum_{\mathbf{x}} A_{i\mathbf{x}} A_{\mathbf{x}j}}{rac{1}{2} \left(\sum_{\mathbf{x}} A_{i\mathbf{x}} + \sum_{\mathbf{x}} A_{\mathbf{x}j}
ight)} = rac{|\Gamma_i \cap \Gamma_j|}{rac{1}{2} (k_i + k_j)} pprox rac{|\Gamma_i \cap \Gamma_j|}{k_i + k_j}$$

— hub promoted index [RSM $^+$ 02] for i and j is

$$s_{ij} = \frac{\sum_{x} A_{ix} A_{xj}}{\min(\sum_{x} A_{ix}, \sum_{x} A_{xj})} = \frac{|\Gamma_i \cap \Gamma_j|}{\min(k_i, k_j)}$$

— hub depressed index [LZ10] for i and j is

$$s_{ij} = \frac{\sum_{x} A_{ix} A_{xj}}{\max(\sum_{x} A_{ix}, \sum_{x} A_{xj})} = \frac{|\Gamma_i \cap \Gamma_j|}{\max(k_i, k_j)}$$

prediction models

links predicted by graph/network models

— configuration model index [LHN06] for i and j is

$$s_{ij} = \frac{n \sum_{x} A_{ix} A_{xj}}{\sum_{x} A_{ix} \sum_{x} A_{jx}} = \frac{|\Gamma_{i} \cap \Gamma_{j}|}{k_{i} k_{j} / n} \approx \frac{|\Gamma_{i} \cap \Gamma_{j}|}{k_{i} k_{j}}$$

— preferential attachment index [BA99] for i and j is

$$s_{ij} = \sum_{x} A_{ix} \sum_{x} A_{xj} = k_i k_j$$

— random graph index [ER59] for i and j is

$$s_{ij}=rac{\langle k
angle}{n-1}pprox const.$$

prediction dynamics

links predicted by local dynamics

— resource allocation index [ZLZ09] for i and j is

$$s_{ij} = \sum_{x} rac{A_{ix}A_{xj}}{\sum_{y}A_{xy}} = \sum_{x \in \Gamma_i \cap \Gamma_j} rac{1}{k_x}$$

— Adamic-Adar similarity index [AA03] for i and j is

$$s_{ij} = \sum_{x} \frac{A_{ix}A_{xj}}{\log \sum_{y} A_{xy}} = \sum_{x \in \Gamma_i \cap \Gamma_j} \frac{1}{\log k_x}$$

— random walk similarity index [TFP06] for i and j is

$$p_i^t = \alpha \sum_{j \in \Gamma_i} p_j^t / k_j + (1 - \alpha) \delta_{it}$$
 $s_{ij} = p_i^j + p_j^i$

prediction *clusters*

links predicted by *node clusters*

- community structure index [YG11] for i and j is
 - {C} communities by Infomap [RB08] or Leiden [TWVE19]
 - $-n_i$ and m_i number of nodes and links within C_i

$$\mathbf{s}_{ij} = egin{cases} rac{m_i}{\binom{n_i}{2}} & ext{if } c_i = c_j \ -\infty & ext{otherwise} \end{cases}$$

- block model index [HLL83, DBF05] for i and j is
 - {C} clusters by stochastic block models [Pei15]
 - $-m_{ij}$ number of links between C_i and C_j

$$s_{ij} = \begin{cases} rac{m_i}{\binom{n_i}{2}} & ext{if } c_i = c_j \\ rac{m_{ij}}{n_i n_j} & ext{otherwise} \end{cases}$$

prediction framework

link prediction as ranking problem

- standard link prediction setting
 - 1. $L_N \leftarrow \text{randomly } sample \ m/10 \ unlinked \ nodes \ \{i,j\} \notin L$
 - 2. $L_P \leftarrow remove \text{ random } m/10 \text{ node links } \{i,j\} \in L$
 - 3. compute s_{ij} for $\{i,j\} \in L_N \cup L_P$ on resulting L
- temporal link prediction setting
 - 1. $L_N \leftarrow \text{randomly } sample |L_P| \text{ } unlinked \text{ } nodes \{i,j\} \notin L$
 - 2. $L_P \leftarrow$ remove node links $\{i, j\} \in L$ after time t
 - 3. compute s_{ij} for $\{i,j\} \in L_N \cup L_P$ on L at time t
- Pearson/Spearman correlation or AUC measure

```
 [ \overbrace{0\ 0\ 0\ \dots\ 0\ 0\ 0}^{\text{ideal } \textit{\textit{s}}_{\textit{ij}} \text{ for } \textit{\textit{L}}_{\textit{\textit{P}}} } \underbrace{1\ 1\ 1\ 1\ 1\ 1\ 1}_{\text{ideal } \textit{\textit{s}}_{\textit{ij}} \text{ for } \textit{\textit{L}}_{\textit{\textit{P}}}
```

prediction scale-free

— link prediction in synthetic scale-free graph [BA99]
 1st highest AUC by stochastic block models [Pei15]
 2nd highest AUC by preferential attachment [BA99]

class	index	Pearson	Spearman	AUC
models	preferential	0.128	0.347	0.701
	neighbors	0.105	0.135	0.530
eguivalence	Jaccard	0.019	0.131	0.529
equivalence	Salton	0.043	0.131	0.529
	Leicht	-0.008	0.131	0.529
dynamics	allocation	0.091	0.135	0.530
dynamics	Adamic-Adar	0.104	0.135	0.530
	modularity	0.002	0.005	0.502
clusters	map equation	0.009	0.034	0.503
	block model	0.168	0.370	0.711
baseline	random	-0.001	-0.001	0.499

prediction small-world

— link prediction in synthetic small-world graph [WS98]
 1st highest AUC by stochastic block models [Pei15]
 2nd highest AUC by common neighbors index [LW71]

class	index	Pearson	Spearman	AUC
models	preferential	-0.563	-0.547	0.187
-	neighbors	0.721	0.786	0.903
equivalence	Jaccard	0.686	0.785	0.903
equivalence	Salton	0.729	0.785	0.902
	Leicht	0.730	0.785	0.903
dynamics	allocation	0.719	0.785	0.902
	Adamic-Adar	0.720	0.785	0.902
	modularity	0.743	0.754	0.885
clusters	map equation	0.643	0.649	0.807
	block model	0.737	0.754	0.931
baseline	random	-0.003	-0.002	0.499

prediction human

— link prediction in human protein interaction map
 1st highest AUC by stochastic block models [Pei15]
 2nd highest AUC by preferential attachment [BA99]

class	index	Pearson	Spearman	AUC
models	preferential	0.231	0.719	0.915
	neighbors	0.342	0.676	0.845
equivalence	Jaccard	0.301	0.648	0.830
equivalence	Salton	0.391	0.646	0.830
	Leicht	-0.005	0.625	0.819
dynamics	allocation	0.291	0.681	0.847
dynamics	Adamic-Adar	0.343	0.680	0.847
	modularity	0.284	0.381	0.672
clusters	map equation	0.220	0.408	0.660
	block model	0.344	0.746	0.929
baseline	random	0.000	0.000	0.500

prediction P2P

— link prediction in P2P file transfer network [LKF07]
 1st highest AUC by stochastic block models [Pei15]
 2nd highest AUC by preferential attachment [BA99]

class	index	Pearson	Spearman	AUC
models	preferential	0.379	0.378	0.717
	neighbors	0.113	0.120	0.515
equivalence	Jaccard	0.093	0.120	0.515
equivalence	Salton	0.098	0.120	0.515
	Leicht	0.055	0.120	0.515
dynamics	allocation	0.087	0.120	0.515
	Adamic-Adar	0.102	0.120	0.515
	modularity	0.081	0.121	0.531
clusters	map equation	0.096	0.113	0.513
	block model	0.487	0.621	0.837
baseline	random	-0.002	-0.002	0.499

prediction IMDb

— link prediction in IMDb collaboration network [BA99]
 1st highest AUC by stochastic block models [Pei15]
 2nd highest AUC by resource allocation index [ZLZ09]

class	index	Pearson	Spearman	AUC
models	preferential	0.359	0.589	0.840
	neighbors	0.491	0.875	0.970
equivalence	Jaccard	0.609	0.876	0.970
equivalence	Salton	0.724	0.877	0.970
	Leicht	0.355	0.869	0.967
dynamics	allocation	0.627	0.878	0.971
	Adamic-Adar	0.520	0.876	0.970
	modularity	0.345	0.826	0.948
clusters	map equation	0.421	0.785	0.909
	block model	0.544	0.856	
baseline	random	-0.003	-0.003	0.498

prediction *nd.edu*

— link prediction in nd.edu web graph [BA99]
 1st highest AUC by modularity optimization [BGLL08]
 2nd highest AUC by resource allocation index [ZLZ09]

class	index	Pearson	Spearman	AUC
models	preferential	0.094	0.548	0.816
	neighbors	0.346	0.717	0.855
eguivalence	Jaccard	0.453	0.716	0.854
equivalence	Salton	0.526	0.716	0.854
	Leicht	0.257	0.715	0.854
dynamics	allocation	0.181	0.718	0.855
	Adamic-Adar	0.334	0.718	0.855
	modularity	0.197	0.767	0.893
clusters	map equation	0.391	0.703	0.844
	block model	-	-	-
baseline	random	-0.001	-0.001	0.499

prediction WoS

— link prediction in WoS citation network [ŠF17]
 1st highest AUC by modularity optimization [BGLL08]
 2nd highest AUC by common neighbors index [LW71]

class	index	Pearson	Spearman	AUC
models	preferential	0.082	0.509	0.794
	neighbors	0.434	0.754	0.880
equivalence	Jaccard	0.499	0.753	0.880
equivalence	Salton	0.574	0.753	0.880
	Leicht	0.258	0.753	0.880
dynamics	allocation	0.449	0.754	0.880
	Adamic-Adar	0.454	0.754	0.880
	modularity	0.082	0.779	0.908
clusters	map equation	0.392	0.546	0.734
	block model	-	-	-
baseline	random	0.000	0.000	0.500

prediction *Texas*

— link prediction in Texas road map [LLDM09]
 1st highest AUC by modularity optimization [BGLL08]
 2nd highest AUC by map equation method [RB08]

class	index	Pearson	Spearman	AUC
models	preferential	-0.353	-0.311	0.322
	neighbors	0.230	0.233	0.551
equivalence	Jaccard	0.217	0.232	0.551
equivalence	Salton	0.225	0.232	0.551
	Leicht	0.202	0.232	0.551
dynamics	allocation	0.225	0.232	0.551
dynamics	Adamic-Adar	0.225	0.232	0.551
	modularity	0.060	0.736	0.868
clusters	map equation	0.335	0.362	0.616
	block model	-	-	-
baseline	random	0.000	0.000	0.500



Lada A Adamic and Eytan Adar.

Friends and neighbors on the Web. Soc. Networks, 25(3):211–230, 2003.



A.-L. Barabási and R. Albert.

Emergence of scaling in random networks. Science, 286(5439):509–512, 1999.



A.-L. Barabási.

Network Science.
Cambridge University Press, Cambridge, 2016.



V. D. Blondel, J.-L. Guillaume, R. Lambiotte, and E. Lefebvre.

Fast unfolding of communities in large networks. J. Stat. Mech., P10008, 2008.



Tom Britton and David Lindenstrand.

Inhomogeneous epidemics on weighted networks. e-print arXiv:11124718v1, 2011.



Aaron Clauset, Cristopher Moore, and M. E. J. Newman.

Hierarchical structure and the prediction of missing links in networks. Nature, 453(7191):98–101, 2008.



Patrick Doreian, Vladimir Batagelj, and Anuska Ferligoj.

Generalized Blockmodeling.

Cambridge University Press, Cambridge, 2005.



Wouter de Nooy, Andrej Mrvar, and Vladimir Batagelj.

Exploratory Social Network Analysis with Pajek: Expanded and Revised Second Edition.

Cambridge University Press, Cambridge, 2011.



David Easley and Jon Kleinberg.

Networks, Crowds, and Markets: Reasoning About a Highly Connected World. Cambridge University Press, Cambridge, 2010.



Ernesto Estrada and Philip A. Knight.

A First Course in Network Theory. Oxford University Press, 2015.



P. Erdős and A. Rényi.

On random graphs I. Publ. Math. Debrecen. 6:290-297, 1959.



Nir Friedman, Lise Getoor, Daphne Koller, and Avi Pfeffer.

Learning probabilistic relational models.

In Proceedings of the International Joint Conference on Artificial Intelligence, pages 1300–1309, Stockholm, Sweden, 1999.



Antonia Godoy-Lorite, Roger Guimerà, Cristopher Moore, and Marta Sales-Pardo.

Accurate and scalable social recommendation using mixed-membership stochastic block models. P. Natl. Acad. Sci. USA, 113(50):14207–14212, 2016.



M. Girvan and M. E. J Newman.

Community structure in social and biological networks. P. Natl. Acad. Sci. USA. 99(12):7821–7826, 2002.



Manuel Gomez-Rodriguez, Jure Leskovec, and Andreas Krause.

Inferring networks of diffusion and influence.

ACM Trans. Knowl. Discov. Data, 5(4):21, 2012.



Roger Guimerà and Marta Sales-Pardo.

Missing and spurious interactions and the reconstruction of complex networks.



Paul W. Holland, Kathryn Blackmond Laskey, and Samuel Leinhardt.

Stochastic blockmodels: First steps. Soc. Networks, 5(2):109–137, 1983.



Paul Jaccard.

Étude comparative de la distribution florale dans une portion des Alpes et des Jura.

Bulletin del la Société Vaudoise des Sciences Naturelles, 37:547-579, 1901.



G. Jeh and J. Widom.

SimRank: A measure of structural-context similarity.

P. Natl. Acad. Sci. USA, 106(52):22073-22078, 2009.

In Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pages 538–543, 2002.



E. A. Leicht, Petter Holme, and M. E. J. Newman.

Vertex similarity in networks.

Phys. Rev. E, 73(2):026120, 2006.



Jure Leskovec, Jon Kleinberg, and Christos Faloutsos.

Graph evolution: Densification and shrinking diameters. *ACM Trans. Knowl. Discov. Data*, 1(1):1–41, 2007.



Jure Leskovec, Kevin J Lang, Anirban Dasgupta, and Michael W Mahoney.

Community structure in large networks: Natural cluster sizes and the absence of large well-defined clusters. Internet Math., 6(1):29-123, 2009.



F. Lorrain and H. C. White.

Structural equivalence of individuals in social networks. J. Math. Sociol., 1(1):49–80, 1971.



Linvuan Lü and Tao Zhou.

Link prediction in complex networks: A survey. *Physica A*, 2010.



Travis Martin, Brian Ball, and M. E. J. Newman.

Structural inference for uncertain networks. e-print arXiv:150605490v1, 2015.



Mark E. J. Newman.

Networks.

Oxford University Press, Oxford, 2nd edition, 2018.



Tiago P. Peixoto.

Model selection and hypothesis testing for large-scale network models with overlapping groups. Phys. Rev. X, 5(1):011033, 2015.



M. Rosvall and C. T. Bergstrom.

Maps of random walks on complex networks reveal community structure. P. Natl. Acad. Sci. USA, 105(4):1118–1123, 2008.



E. Ravasz, A. L. Somera, D. A. Mongru, Z. N. Oltvai, and Albert László Barabási.

Hierarchical organization of modularity in metabolic networks. Science, 297(5586):1551–1555, 2002.



Lovro Šubeli and Dalibor Fiala.

Publication boost in Web of Science journals and its effect on citation distributions. J. Assoc. Inf. Sci. Tec., 68(4):1018–1023, 2017.



G. Salton and M. J. McGill.

Introduction to Modern Information Retrieval.
McGraw-Hill. 1983.



Thorvald Julius Sørensen.

A method of establishing groups of equal amplitude in plant sociology based on similarity of species content and its application to analyses of the vegetation on Danish commons. Biol. Skr., 5:1–34, 1948.



B. Schölkopf, J. Platt, and T. Hofmann.

Stochastic relational models for discriminative link prediction.

In Proceedings of the Neural Information Processing Systems Conference, pages 1553–1560, 2006.



H. Tong, Christos Faloutsos, and Jia-Yu Pan.

Fast random walk with restart and its applications.

In Proceedings of the IEEE International Conference on Data Mining, pages 613–622, Washington, DC, USA. 2006.



V. A. Traag, Ludo Waltman, and Nees Jan Van Eck.

From Louvain to Leiden: Guaranteeing well-connected communities.

Sci. Rep., 9:5233, 2019.



D. R. White and K. P. Reitz.

Graph and semigroup homomorphisms on networks of relations. Soc. Networks. 5(2):193–234. 1983.



D. J. Watts and S. H. Strogatz.

Collective dynamics of 'small-world' networks.

Nature, 393(6684):440-442, 1998.



Bowen Yan and Steve Gregory.

Finding missing edges and communities in incomplete networks. J. Phys. A: Math. Theor., 44(49):495102, 2011.



Tao Zhou, Linyuan Lü, and Yi-Cheng Zhang.

Predicting missing links via local information. *Eur. Phys. J. B*, 71(4):623–630, 2009.