

- 01a. Find the area and perimeter of a rectangle whose length is 14 inches and whose width is 8 inches. Be sure to include the correct unit in your answer.

Area = $8 \times 14 = 112 \text{ in}^2$	2.5 pts
If missing units take off 0.5 pt	
Perimeter = $2(8 + 14) = 44 \text{ inches}$	2.5 pts
If missing units take off 0.5 pt	

- 01b. Find the area and perimeter of a rectangle whose length is 7 meters and whose width is 14 meters. Be sure to include the correct unit in your answer.

Area = $7 \times 14 = 98 \text{ m}^2$	2.5 pts
If missing units take off 0.5 pt	
Perimeter = $2(7 + 14) = 42 \text{ meters}$	2.5 pts
If missing units take off 0.5 pt	

- 01c. Find the area and perimeter of a rectangle whose length is 11 feet and whose width is 5 feet. Be sure to include the correct unit in your answer.

Area = $5 \times 11 = 55 \text{ ft}^2$	2.5 pts
If missing units take off 0.5 pt	
Perimeter = $2(5 + 11) = 32 \text{ feet}$	2.5 pts
If missing units take off 0.5 pt	

- 01d. Find the area and perimeter of a rectangle whose length is 12 miles and whose width is 6 miles. Be sure to include the correct unit in your answer.

Area = $6 \times 12 = 72 \text{ mi}^2$	2.5 pts
If missing units take off 0.5 pt	
Perimeter = $2(6 + 12) = 36 \text{ miles}$	2.5 pts
If missing units take off 0.5 pt	

- 01.5a. A rectangle has a length of 14 inches and an area of 84 square inches. Find the **width** and the **perimeter** of the rectangle. Be sure to include the correct unit in the answer.

Area = $\ell \times w$	
$84 = 14w$	
Width = $\frac{84}{14} = 6 \text{ inches}$	2.5 pts; if missing units, deduct 0.5 pt.
Perimeter = $2(14 + 6) = 40 \text{ inches}$	2.5 pts; if missing units, deduct 0.5 pt.

- 01.5b. A rectangle has a length of 12 inches and an area of 84 square inches. Find the **width** and the **perimeter** of the rectangle. Be sure to include the correct unit in the answer.

Area = $\ell \times w$	
$84 = 12w$	
Width = $\frac{84}{12} = 7 \text{ inches}$	2.5 pts; if missing units, deduct 0.5 pt.
Perimeter = $2(12 + 7) = 38 \text{ inches}$	2.5 pts; if missing units, deduct 0.5 pt.

- 01.5c. A rectangle has a length of 12 inches and an area of 72 square inches. Find the **width** and the **perimeter** of the rectangle. Be sure to include the correct unit in the answer.

Area = $\ell \times w$	
$72 = 12w$	
Width = $\frac{72}{12} = 6$ inches	2.5 pts; if missing units, deduct 0.5 pt.
Perimeter = $2(12 + 6) = 36$ inches	2.5 pts; if missing units, deduct 0.5 pt.

- 01.5d. A rectangle has a length of 18 inches and an area of 72 square inches. Find the **width** and the **perimeter** of the rectangle. Be sure to include the correct unit in the answer.

Area = $\ell \times w$	
$72 = 18w$	
Width = $\frac{72}{18} = 4$ inches	2.5 pts; if missing units, deduct 0.5 pt.
Perimeter = $2(18 + 4) = 44$ inches	2.5 pts; if missing units, deduct 0.5 pt.

- 02a. Simplify  $-2\{x^2 - 3[x - (x - 2x^2)]\}$ .

$-2\{x^2 - 3[x - x + 2x^2]\}$	1 pt
$-2\{x^2 - 3[2x^2]\}$	2 pts to here
$-2\{x^2 - 6x^2\}$	3 pts to here
$-2\{-5x^2\}$	4 pts to here
$10x^2$	5 pts to here

- 02b. Simplify  $-3\{x^2 - 4[x - (x - 2x^2)]\}$ .

$-3\{x^2 - 4[x - x + 2x^2]\}$	1 pt
$-3\{x^2 - 4[2x^2]\}$	2 pts to here
$-3\{x^2 - 8x^2\}$	3 pts to here
$-3\{-7x^2\}$	4 pts to here
$21x^2$	5 pts to here

- 02c. Simplify  $-5\{x^2 - 3[x - (x - 2x^2)]\}$ .

$-5\{x^2 - 3[x - x + 2x^2]\}$	1 pt
$-5\{x^2 - 3[2x^2]\}$	2 pts to here
$-5\{x^2 - 6x^2\}$	3 pts to here
$-5\{-5x^2\}$	4 pts to here
$25x^2$	5 pts to here

- 02d. Simplify  $-4\{x^2 - 2[x - (x - 3x^2)]\}$ .

$-4\{x^2 - 2[x - x + 3x^2]\}$	1 pt
$-4\{x^2 - 2[3x^2]\}$	2 pts to here
$-4\{x^2 - 6x^2\}$	3 pts to here
$-4\{-5x^2\}$	4 pts to here
$20x^2$	5 pts to here

02.5a. Simplify  $-3[2x^2 - (4x^2 - y)]$ .

$-3[2x^2 - 4x^2 + y]$	2 pts to here
$-3[-2x^2 + y]$	3 pts to here
$6x^2 - 3y$	5 pts to here

02.5b. Simplify  $-4[3x^2 - (7x^2 - 2y)]$ .

$-4[3x^2 - 7x^2 + 2y]$	2 pts to here
$-3[-4x^2 + 2y]$	3 pts to here
$12x^2 - 6y$	5 pts to here

02.5c. Simplify  $-2[4x^2 - (5x^2 - 3y)]$ .

$-2[4x^2 - 5x^2 + 3y]$	2 pts to here
$-2[-x^2 + 3y]$	3 pts to here
$2x^2 - 6y$	5 pts to here

02.5d. Simplify  $-5[3x^2 - (8x^2 - 2y)]$ .

$-5[3x^2 - 8x^2 + 2y]$	2 pts to here
$-5[-5x^2 + 2y]$	3 pts to here
$25x^2 - 10y$	5 pts to here

03a. Solve for  $m$ . Simplify answers.

$$92m + 12 - 62m = 50 - 16m$$

$30m + 12 = 50 - 16m$	1 pt to here
$30m + 16m = 50 - 12$	2 pts to here
$46m = 38$	3 pts to here
$m = 38/46$	4 pts to here
$m = 19/23$	5 pts total

03b. Solve for  $m$ . Simplify answers.

$$32m + 28 - 12m = 10 - 14m$$

$20m + 28 = 10 - 14m$	1 pt to here
$20m + 14m = 10 - 28$	2 pts to here
$34m = -18$	3 pts to here
$m = -18/34$	4 pts to here
$m = -9/17$	5 pts total

03c. Solve for  $m$ . Simplify answers.

$$4 - 7m - 13 = 8m - 3 - 5m$$

$7m - 9 = 3m - 3$	1 pt to here
$7m - 3m = -3 + 9$	2 pts to here
$4m = 6$	3 pts to here
$m = 6/4$	4 pts to here
$m = 3/2$ or $1\frac{1}{2}$	5 pts total

03d. Solve for  $m$ . Simplify answers.

$$6m + 8 - 3m = 11 - 12m - 13$$

$3m + 8 = -12m - 2$	1 pt
$3m + 12m = -2 - 8$	2 pts to here
$15m = -10$	3 pts to here
$m = -\frac{10}{15}$	4 pts to here
$m = -\frac{2}{3}$	5 pts total

03.5a. Solve for  $c$ . Simplify answers.

$$5(2c + 3) - 4 = -5c + 6$$

$10c + 15 - 4 = -5c + 6$	1 pt to here
$10c + 5c = -15 + 4 + 6$	2 pts to here
$15c = -5$	3 pts to here
$c = -\frac{5}{15}$	4 pts to here
$c = -\frac{1}{3}$	5 pts total

03.5b. Solve for  $c$ . Simplify answers.

$$6(3c + 4) - 5 = -7c + 9$$

$18c + 24 - 5 = -7c + 9$	1 pt to here
$18c + 7c = -24 + 5 + 9$	2 pts to here
$25c = -10$	3 pts to here
$c = -\frac{10}{25}$	4 pts to here
$c = -\frac{2}{5}$	5 pts total

03.5c. Solve for  $c$ . Simplify answers.

$$4(3c + 2) - 7 = -8c - 4$$

$12c + 8 - 7 = -8c - 4$	1 pt to here
$12c + 8c = -8 + 7 - 4$	2 pts to here
$20c = -5$	3 pts to here
$c = -\frac{5}{20}$	4 pts to here
$c = -\frac{1}{4}$	5 pts total

03.5d. Solve for  $c$ . Simplify answers.

$$9(4c + 5) - 7 = -14c + 8$$

$36c + 45 - 7 = -14c + 8$	1 pt to here
$36c + 14c = -45 + 7 + 8$	2 pts to here
$50c = -30$	3 pts to here
$c = -\frac{30}{50}$	4 pts to here
$c = -\frac{3}{5}$	5 pts total

04a. Solve the following equation for  $y$ .

$$\frac{1}{4}y + 5 = \frac{2}{3}y$$

$12(\frac{1}{4}y + 5) = 12(\frac{2}{3}y)$	1 pt to here
$3y + 60 = 8y$	2 pts to here
$60 = 5y$	3 pts to here
$y = 12$	4 pts total

04b. Solve the following equation for  $y$ .

$$\frac{2}{7}y + 3 = \frac{1}{2}y$$

$14(\frac{2}{7}y + 3) = 14(\frac{1}{2}y)$	1 pt to here
$4y + 42 = 7y$	2 pts to here
$42 = 3y$	3 pts to here
$y = 14$	4 pts total

04c. Solve the following equation for  $y$ .

$$5 - \frac{1}{3}y = \frac{1}{12}y$$

$12(5 - \frac{1}{3}y) = 12(\frac{1}{12}y)$	1 pts to here
$60 - 4y = y$	2 pts to here
$60 = 5y$	3 pts to here
$12 = y$	4 pts total

04d. Solve the following equation for  $y$ .

$$15 - \frac{1}{2}y = \frac{1}{4}y$$

$4(15 - \frac{1}{2}y) = 4(\frac{1}{4})y$	1 pt to here
$60 - 2y = y$	2 pts to here
$60 = 3y$	3 pts to here
$y = 20$	4 pts to here

04.5a. Solve the following equation for  $y$ .

$$\frac{1}{3}(y - 9) = \frac{1}{6}y + 2$$

$\frac{1}{3}y - 3 = \frac{1}{6}y + 2$	1 pt to here
$6(\frac{1}{3}y - 3) = 6(\frac{1}{6}y + 2)$	2 pts to here
$2y - 18 = y + 12$	3 pts to here
$y = 30$	4 pts total

04.5b. Solve the following equation for  $y$ .

$$\frac{1}{2}(y - 8) = \frac{1}{6}y + 5$$

$\frac{1}{2}y - 4 = \frac{1}{6}y + 5$	1 pt to here
$6(\frac{1}{2}y - 4) = 6(\frac{1}{6}y + 5)$	2 pts to here
$3y - 24 = y + 30$	3 pts to here
$y = 27$	4 pts total

04.5c. Solve the following equation for  $y$ .

$$\frac{1}{4}(y - 12) = \frac{1}{12}y + 2$$

$\frac{1}{4}y - 3 = \frac{1}{12}y + 2$	1 pt to here
$12(\frac{1}{4}y - 3) = 12(\frac{1}{12}y + 2)$	2 pts to here
$3y - 36 = y + 24$	3 pts to here
$y = 30$	4 pts total

04.5d. Solve the following equation for  $y$ .

$$\frac{1}{3}(y - 12) = \frac{1}{6}y + 4$$

$\frac{1}{3}y - 4 = \frac{1}{6}y + 4$	1 pt to here
$6(\frac{1}{3}y - 4) = 6(\frac{1}{6}y + 4)$	2 pts to here
$2y - 24 = y + 24$	3 pts to here
$y = 48$	4 pts total

- 05a. Write the following verbal statement in algebraic form. “ $x$  minus 3 equals four times the quantity of two times  $x$  minus 9”

$x - 3 = 4(2x - 9)$  5 pts  
No partial credit

- 05b. Write the following verbal statement in algebraic form. “ $x$  minus 47 equals three times the quantity of six times  $x$  plus 5”

$x - 47 = 3(6x + 5)$  5 pts  
No partial credit.

- 05c. Write the following verbal statement in algebraic form. “ $x$  plus 5 equals three times the quantity of five times  $x$  minus 2”

$x + 5 = 3(5x - 2)$  5 pts  
No partial credit.

- 05d. Write the following verbal statement in algebraic form. “12 minus  $x$  equals two times the quantity of five minus two times  $x$ ”

$12 - x = 2(5 - 2x)$  5 pts  
No partial credit.

- 05.5a. Write an algebraic expression for the quantities being compared. “The length of the rectangle is 7 inches more than double the width.”

$w$  = width of the rectangle (inches) 2 pts  
 $2w + 7$  = length of the rectangle (inches) 3 pts  
Deduct 1 point if units are missing.

- 05.5b. Write an algebraic expression for the quantities being compared. “The amount of rainfall in New Haven is 25 inches less than double the amount of rainfall in Seattle.”

$r$  = amount of rainfall in Seattle (inches) 2 pts  
 $2r - 25$  = amount of rainfall in New Haven (inches) 3 pts  
Deduct 1 point if units are missing.

- 05.5c. Write an algebraic expression for the quantities being compared. “The price of a share of AT&T stock is \$15 less than triple the price of a share of Comcast stock.”

$C$  = price of a share of Comcast stock (dollars) 2 pts  
 $3C - 15$  = price of a share of AT&T stock (dollars) 3 pts  
Deduct 1 point if units are missing.

- 05.5d. Write an algebraic expression for the quantities being compared. “The price of a 2016 Tesla is \$4000 more than triple the price of a 2012 Tesla.”

$T$  = price of a 2012 Tesla (dollars) 2 pts  
 $3T + 4000$  = price of a 2016 Tesla (dollars) 3 pts  
Deduct 1 point if units are missing.

- 06a. An athlete's average time for all six track meets was 21.8 seconds. The athlete was unable to find their time in the last meet, but knew all of the other times: 21.7 seconds, 21.6 seconds, 22 seconds, 22.1 seconds, 21.9 seconds. What was her running time for her last meet?

$\frac{21.7+21.6+22+22.1+21.9+x}{6} = 21.8$	2 pts to here
$99.3 + x = 130.8$	3 pts to here
$x = 130.8 - 99.3 = 21.5$	4 pts to here
The athlete ran a 21.5 second race.	5 pts total

- 06b. The average weekday high temperature last week was 43°. The high temperatures on Monday through Thursday were 35°, 38°, 44°, and 47°. What was the high temperature on Friday?

$\frac{35+38+44+47+x}{5} = 43$	2 pts to here
$164 + x = 215$	3 pts to here
$x = 215 - 164 = 51$	4 pts to here
It was 51° on Friday.	5 pts total

- 06c. An athlete's average time for all six track meets was 11.8 seconds. The athlete was unable to find their time in the last meet, but knew all of the other times: 11.7 seconds, 11.6 seconds, 12 seconds, 12.1 seconds, 11.9 seconds. What was her running time for her last meet?

$\frac{11.7+11.6+12+12.1+11.9+x}{6} = 11.8$	2 pts to here
$59.3 + x = 70.8$	3 pts to here
$x = 70.8 - 59.3 = 11.5$	4 pts to here
The athlete ran an 11.5 second race.	5 pts total

- 06d. The average weekday high temperature last week was 83°. The high temperatures on Monday through Thursday were 75°, 78°, 84°, and 87°. What was the high temperature on Friday?

$\frac{75+78+84+87+x}{5} = 83$	2 pts to here
$324 + x = 415$	3 pts to here
$x = 415 - 324 = 91$	4 pts to here
It was 91° on Friday.	5 pts total

- 06.5a. Leroy wants to buy a new laptop. After searching online, he found a laptop on sale for 20% off the original price. There was a \$10 charge for shipping, but no tax. The original price was \$500.00. What was his total cost after the discount and shipping charge? Define your variable, solve, and give your answer in a sentence.

$x =$ the discounted price with the shipping charge	1 pt
$0.20 \cdot 500 =$ the 20% discount	1 pt
$x = 500 - 0.20 \cdot 500 + 10$	1 pt
$x = 410$	1 pt
The cost of his laptop, including shipping, was \$410.	1 pt



- 06.5b. Grace buys a dress at Forever 21. The original price of the dress is 45, but she uses a coupon for 30% off. She also has to pay 6% sales tax on the sale price. How much, in total, does she have to pay for the dress? Define your variable, solve, and give your answer in a sentence.

$p$ = the discounted price with the sales tax	1 pt
$0.30 \cdot 45 = 13.50$ = the 30% discount	1 pt
$0.06(45 - 13.50) = 1.89$ = the tax	1 pt
$p = 45 - 13.5 + 1.89 = 33.39$	1 pt
The price of the dress, including sales tax, was \$33.39.	1 pt

- 06.5c. Henry buys a new lawnmower from Amazon. The original price of the lawnmower was \$300, but they are having their end of the year sale, so all lawnmowers are 25% off. The delivery charge on the lawnmower is \$18. What was the cost of the lawnmower, including shipping? Define your variable, solve, and give your answer in a sentence.

$\ell$ = the discounted price with the shipping charge	1 pt
$0.25 \cdot 300$ = the 25% discount	1 pt
$\ell = 300 - 0.25 \cdot 300 + 18$	1 pt
$\ell = 243$	1 pt
The cost of his lawnmower, including shipping, was \$243.	1 pt

- 06.5d. The normal cost of a hotel room at the Dew Drop Inn is \$90, but because they need to fill the rooms, all rooms are now 15% off. The hotel also charges a 20% hotel tax on the discounted room rate. How much would a hotel room at the Dew Drop Inn cost after the discount (including taxes)? Define your variable, solve, and give your answer in a sentence.

$p$ = the discounted price with the hotel tax added in	1 pt
$0.15 \cdot 90 = 13.50$ = the 15% discount	1 pt
$0.20(90 - 13.50) = 15.30$ = the hotel tax	1 pt
$p = 90 - 13.50 + 15.30 = 91.80$	1 pt
The price of the hotel room, including the hotel tax, is \$91.80.	1 pt

- 07a. Solve the inequality for  $y$ .

$$-7y - 19 \leq -3y - 11$$

$-7y + 3y \leq -11 + 19$	2 pts to here
$-4y \leq 8$	4 pts to here
$y \geq -2$	5 pts total.

- 07b. Solve the inequality for  $y$ .

$$2y + 9 \leq 3y - 11$$

$2y - 3y \leq -11 - 9$	2 pts to here
$-y \leq -20$	4 pts to here
$y \geq 20$	5 pts total

07c. Solve the inequality for  $y$ .

$$2y + 5 \leq 8y - 13$$

$2y - 8y \leq -13 - 5$	2 pts to here
$-6y \leq -18$	4 pts to here
$y \geq 3$	5 pts total


07d. Solve the inequality for  $y$ .

$$-8y + 5 \leq -2y - 7$$

$-8y + 2y \leq -7 - 5$	2 pts to here
$-6y \leq -12$	4 pts to here
$y \geq 2$	5 pts total

07.5a. Solve and graph on the number line.


$$\frac{1}{2}x + 3 \leq \frac{3}{4}x$$



$\frac{1}{1} \left( \frac{1}{2}x + 3 \leq \frac{3}{4}x \right)$	1 pt to here
$2x + 12 \leq 3x$	2 pts to here
$12 \leq x$ OR $x \geq 12$	3 pts to here
add 2 pts for correct number line.	

07.5b. Solve and graph on the number line.


$$\frac{7}{6}x - 3 \geq \frac{2}{3}x$$



$\frac{6}{1} \left( \frac{7}{6}x - 3 \geq \frac{2}{3}x \right)$	1 pt to here
$7x - 18 \geq 4x$	2 pts to here
$x \geq 6$ OR $6 \leq x$	3 pts to here
add 2 pts for correct number line.	

07.5c. Solve and graph on the number line.


$$\frac{4}{5}x + 2 \leq \frac{3}{10}x$$



$\frac{10}{1} \left( \frac{4}{5}x + 2 \leq \frac{3}{10}x \right)$	1 pt to here
$8x + 20 \leq 3x$	2 pts to here
$x \leq -4$ OR $-4 \geq x$	3 pts to here
add 2 pts for correct number line.	


07.5d. Solve and graph on the number line.

$$\frac{1}{3}x - 1 \geq \frac{5}{6}x$$




$\frac{6}{1} \left( \frac{1}{3}x - 1 \geq \frac{5}{6}x \right)$	1 pt to here
$2x - 6 \geq 5x$	2 pts to here
$x \leq -2$ OR $-2 \geq x$	3 pts to here
add 2 pts for correct number line.	

08a. Graph the line with slope  $-\frac{2}{3}$  that passes through the point  $(-4, 1)$ . Label your axes and put number values on them. Identify at least three points on your line.




1 point for correct labeling of axes and number on them. 3 points for correctly identifying 3 pts. 1 points for the correct line.
---

08b. Graph the line with slope  $-\frac{2}{3}$  that passes through the point  $(2, -1)$ . Label your axes and put number values on them. Identify at least three points on your line.




1 point for correct labeling of axes and numbers on them.  
 3 points for correctly identifying 3 pts.  
 1 pt for the correct line.

- 08c. Graph the line with a slope  $-\frac{3}{4}$  that passes through the point  $(-1, 2)$ . Label your axes and put number values on them. Identify at least three points on your line.



1 point for correct labeling of axes and numbers on them.  
 3 points for correctly identifying 3 pts.  
 1 pt for the correct line.

- 08d. Graph the line with a slope  $-\frac{2}{5}$  that passes through the point  $(-1, 2)$ . Label your axes and put number values on them. Identify at least three points on your line.



1 point for correct labeling of axes and numbers on them.  
3 points for correctly identifying 3 pts.  
1 pt for the correct line.

08.5a. Find the slope,  $y$ -intercept, and  $x$ -intercept of the line.

$$7x - 2y = 4$$

slope: $\frac{7}{2}$	1 pt
$y$ -intercept: $(0, -2)$	2 pts
$x$ -intercept: $\left(\frac{4}{7}, 0\right)$	2 pts

08.5b. Find the slope,  $y$ -intercept, and  $x$ -intercept of the line.

$$-8x + 6y = 7$$

slope: $\frac{4}{3}$	1 pt
$y$ -intercept: $\left(0, \frac{7}{6}\right)$	2 pts
$x$ -intercept: $\left(-\frac{7}{8}, 0\right)$	2 pts

08.5c. Find the slope,  $y$ -intercept, and  $x$ -intercept of the line.

$$10x + 7y = -5$$

slope: $-\frac{10}{7}$	1 pt
$y$ -intercept: $\left(0, -\frac{5}{7}\right)$	2 pts
$x$ -intercept: $\left(-\frac{1}{2}, 0\right)$	2 pts

08.5d. Find the slope,  $y$ -intercept, and  $x$ -intercept of the line.

$$8x + 8y = -5$$

slope: $-1$	1 pt
$y$ -intercept: $\left(0, -\frac{5}{8}\right)$	2 pts
$x$ -intercept: $\left(-\frac{5}{8}, 0\right)$	2 pts

- 09a. Find the equation of the line that passes through  $(-9, 4)$  and is perpendicular to the line  $y = 3x + 10$ .

Slope of the line $y = 3x + 10$ is 3	1 pt to here
Perpendicular slope: $m = -1/3$	2 pts to here
$4 = -9(-1/3) + b$	3 pts to here
$4 = 3 + b$ so $b = 1$	4 pts to here
$y = \frac{-1}{3}x + 1$	5 pts total

- 09b. Find the equation of the line that passes through  $(-8, 4)$  and is perpendicular to the line  $y = 4x + 12$ .

Slope of the line $y = 4x + 12$ is 4	1 pt to here
Perpendicular slope: $m = -1/4$	2 pts to here
$4 = -8(-1/4) + b$	3 pts to here
$4 = 2 + b$ so $b = 2$	4 pts to here
$y = \frac{-1}{4}x + 2$	5 pts total

- 09c. Find the equation of the line that passes through  $(2, -3)$  and is perpendicular to the line  $y = 2x - 9$ .

Slope of the line $y = 2x - 9$ is 2	1 pt to here
Perpendicular slope: $m = -1/2$	2 pts to here
$-3 = 2(-1/2) + b$	3 pts to here
$-3 = -1 + b$ so $b = -2$	4 pts to here
$y = \frac{-1}{2}x - 2$	5 pts total

- 09d. Find the equation of the line that passes through  $(-8, -7)$  and is perpendicular to the line  $y = 8x + 2$ .

Slope of the line $y = 8x + 2$ is 8	1 pt to here
Perpendicular slope: $m = -1/8$	2 pts to here
$-7 = -8(-1/8) + b$	3 pts to here
$-7 = 1 + b$ so $b = -8$	4 pts to here
$y = \frac{-1}{8}x - 8$	5 pts total

- 09.5a. Find an equation of the line that passes through  $(-5, 7)$  and  $(-7, -5)$ .

$m = \frac{-5 - 7}{-7 + 5}$	1 pt
$m = 6$	1 pt
$y = 6x + 37$	3 pts for
$y + 5 = 6(x + 7)$	correct equation
$y - 7 = 6(x + 5)$	(any of these)

09.5b. Find an equation of the line that passes through (6, 8) and (4, 2).

$m = \frac{2-8}{4-6}$	1 pt
$m = 3$	1 pt
$y = 3x - 10$	3 pts for
$y - 2 = 3(x - 4)$	correct equation
$y - 8 = 3(x - 6)$	(any of these)


09.5c. Find an equation of the line that passes through  $(-10, 9)$  and  $(-8, 25)$ .

$m = \frac{25-9}{-8+10}$	1 pt
$m = 8$	1 pt
$y = 8x + 89$	3 pts for
$y - 25 = 8(x + 8)$	correct equation
$y - 9 = 8(x + 10)$	(any of these)

09.5d. Find an equation of the line that passes through  $(-11, -8)$  and  $(-13, -14)$ .

$m = \frac{-14+8}{-13+11}$	1 pt
$m = 3$	1 pt
$y = 3x + 25$	3 pts for
$y + 14 = 3(x + 13)$	correct equation
$y + 8 = 3(x + 11)$	(any of these)


10a. Solve by graphing the given system of equations. Be sure to label axis with  $x$ ,  $y$ , and with numbers. Identify and label the intersection point.



$$\begin{cases} 3x + 5y = -12 \\ 2x - y = -8 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(-4, 0)$	award 1 pt


- 10b. Solve by graphing the given system of equations. Be sure to label axis with  $x$ ,  $y$ , and with numbers. Identify and label the intersection point.



$$\begin{cases} 5x + 3y = 4 \\ 2x - y = 6 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(2, -2)$	award 1 pt

- 10c. Solve by graphing the given system of equations. Be sure to label axis with  $x$ ,  $y$ , and with numbers. Identify and label the intersection point.




$$\begin{cases} 3x - 2y = 6 \\ 4x + y = -3 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(0, -3)$	award 1 pt

- 10d. Solve by graphing the given system of equations. Be sure to label axis with  $x$ ,  $y$ , and with numbers. Identify and label the intersection point.






$$\begin{cases} 3x - y = 5 \\ 2x - 3y = -6 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point (3, 4)	award 1 pt


- 10.5a. Solve the system of equations by graphing. Be sure to label axes with  $x$ ,  $y$ , and numbers. Identify and label the point of intersection.



$$\begin{cases} y = -\frac{3}{2}x + \frac{5}{2} \\ y = x + 5 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(-1, 4)$	award 1 pt


- 10.5b. Solve the system of equations by graphing. Be sure to label axes with  $x$ ,  $y$ , and numbers. Identify and label the point of intersection.



$$\begin{cases} y = \frac{3}{2}x + \frac{11}{2} \\ y = -x - 7 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(-5, -2)$	award 1 pt


- 10.5c. Solve the system of equations by graphing. Be sure to label axes with  $x$ ,  $y$ , and numbers. Identify and label the point of intersection.



$$\begin{cases} y = -\frac{1}{3}x - \frac{13}{3} \\ y = 3x - 11 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(2, -5)$	award 1 pt

- 10.5d. Solve the system of equations by graphing. Be sure to label axes with  $x$ ,  $y$ , and numbers. Identify and label the point of intersection.



$$\begin{cases} y = \frac{1}{3}x - \frac{13}{3} \\ y = -x + 1 \end{cases}$$

Correct system is graphed	award 2 pts
Axes are labeled	award 2 pts
Intersection point $(4, -3)$	award 1 pt

- 11a. An employment agency specializing in temporary construction help pays heavy equipment operators \$140 per day and general laborers \$90 per day. If thirty-five people were hired and the payroll was \$3950, how many heavy equipment operators were employed? How many laborers?

Let $x$ = the number of heavy equipment operators	
and $y$ = the number of laborers	1 pt to here
$x + y = 35$ and $140x + 90y = 3950$	2 pts to here
$x = 35 - y$ and $140(35 - y) + 90y = 3950$	3 pts to here
$4900 - 140y + 90y = 3950$	
$4900 - 50y = 3950$	4 pts up to here
$-50y = -950$	
$y = 19$ so $x = 35 - 19 = 16$	5 pts to here
There were 19 laborers	
and 16 heavy equipment operators.	6 pts total

- 11b. A Broadway performance had a paid attendance of 308 people. Balcony tickets cost \$38 and orchestra tickets cost \$60. Ticket sales receipts totaled \$15,576. How many Balcony tickets were sold? How many orchestra tickets were sold?

Let $x$ = the number of balcony tickets sold	
and $y$ = the number of orchestra tickets sold	1 pt to here
$x + y = 308$ and $38x + 60y = 15576$	2 pts to here
$x = 308 - y$ and $38(308 - y) + 60y = 15576$	3 pts to here
$11704 - 38y + 60y = 15576$	
$11704 + 22y = 15576$	4 pts up to here
$22y = 3872$	
$y = 176$ so $x = 308 - 176 = 132$	5 pts up to here
There were 176 orchestra tickets sold	
and 132 balcony tickets sold.	6 pts total

- 11c. Ninety-eight passengers rode in an Amtrak train from Boston to Denver. Tickets for regular coach seats cost \$120. Tickets for sleeper car seats cost \$290. The receipts for the trip totaled \$19,750. How many passengers purchased regular coach seats? How many passengers purchased sleeper seats?

Let $x$ = the number of regular coach seats	
and $y$ = the number of sleeper seats	1 pt to here
$x + y = 98$ and $120x + 290y = 19750$	2 pts to here
$x = 98 - y$ and $120(98 - y) + 290y = 19750$	3 pts to here
$11760 - 120y + 290y = 19750$	
$11760 + 170y = 19750$	4 pts up to here
$170y = 7990$	
$y = 47$ so $x = 98 - 47 = 51$	5 pts up to here
There were 47 sleeper seats sold	
and 51 regular coach seats sold.	6 pts total

- 11d. The Tupper Farm has 450 acres of land allotted for raising corn and wheat. The cost to cultivate corn is \$42 per acre. The cost to cultivate wheat is \$35 per acre. The Tupperts have \$16,520 available to cultivate these crops. How many acres of each crop should the Tupperts plant?

Let $x$ = the number of acres of corn	
and $y$ = the number of acres of wheat	1 pt to here
$x + y = 450$ and $42x + 35y = 16520$	2 pts to here
$x = 450 - y$ and $42(450 - y) + 35y = 16520$	3 pts to here
$18900 - 42y + 35y = 16520$	
$18900 - 7y = 16520$	4 pts up to here
$-7y = -2380$	
$y = 340$ so $x = 450 - 340 = 110$	5 pts up to here
They should plant 340 acres of wheat	
and 110 acres of corn.	6 pts total

- 11.5a. On Monday, Tiana picked up 9 muffins and 18 cups of tea for the office staff and paid a total of \$44.73. On Saturday, Tiana picked up 10 muffins and 30 cups of tea (from the

same coffee shop) and paid a total of \$64.60. How much does the coffee shop charge for one muffin? How much do they charge for one cup of tea?

Let $x$ = the price of a muffin (in dollars)	
and $y$ = the price of a cup of tea (in dollars)	1 pt to here
$9x + 18y = 44.73$ and $10x + 30y = 64.60$	3 pts to here
$x = 1.99$ and $y = 1.49$	5 pts to here
One muffin costs \$1.99	
and one cup of tea costs \$1.49.	6 pts total

- 11.5b. On Friday, Leah picked up 8 cruellers and 16 cups of tea for the office staff and paid a total of \$36.56. On Saturday, Leah picked up 4 cruellers and 12 cups of tea (from the same coffee shop) and paid a total of \$22.64. How much does the coffee shop charge for one crueller? How much do they charge for one cup of tea?

Let $x$ = the price of a crueller (in dollars)	
and $y$ = the price of a cup of tea (in dollars)	1 pt to here
$8x + 16y = 36.56$ and $4x + 12y = 22.64$	3 pts to here
$x = 2.39$ and $y = 1.09$	5 pts to here
One crueller costs \$2.39	
and one cup of tea costs \$1.09.	6 pts total


- 11.5c. On Wednesday, Gabriel picked up 10 cookies and 30 cups of hot cider for the office staff and paid a total of \$56.60. On Tuesday, Gabriel picked up 9 cookies and 18 cups of hot cider (from the same coffee shop) and paid a total of \$38.43. How much does the coffee shop charge for one cookie? How much do they charge for one cup of hot cider?

Let $x$ = the price of a cookie (in dollars)	
and $y$ = the price of a cup of hot cider (in dollars)	1 pt to here
$10x + 30y = 56.60$ and $9x + 18y = 38.43$	3 pts to here
$x = 1.49$ and $y = 1.39$	5 pts to here
One cookie costs \$1.49	
and one cup of hot cider costs \$1.39.	6 pts total

- 11.5d. On Friday, Marissa picked up 4 brownies and 8 cups of chai for the office staff and paid a total of \$19.08. On Saturday, Marissa picked up 7 brownies and 28 cups of chai (from the same coffee shop) and paid a total of \$47.25. How much does the coffee shop charge for one brownie? How much do they charge for one cup of chai?

Let $x$ = the price of a brownie (in dollars)	
and $y$ = the price of a cup of chai (in dollars)	1 pt to here
$4x + 8y = 19.08$ and $7x + 28y = 47.25$	3 pts to here
$x = 2.79$ and $y = 0.99$	5 pts to here
One brownie costs \$2.79	
and one cup of chai costs \$0.99.	6 pts total


- 12a. Graph the solution to the following system of inequalities. Be sure to label the  $x$  and  $y$  axes. Identify and label the intersection.



$$\begin{cases} y < -3x + 2 \\ y \geq 2x - 1 \end{cases}$$

1 pt for each correct inequality (2 pts total)  
1 pt for correct intersection  
2 pts for the  $x$  and  $y$  axis labels


- 12b. Graph the solution to the following system of inequalities. Be sure to label the  $x$  and  $y$  axes. Identify and label the intersection.



$$\begin{cases} y < -x + 5 \\ y \geq 2x - 1 \end{cases}$$

1 pt for each correct inequality (2 pts total)  
1 pt for correct intersection  
2 pts for the  $x$  and  $y$  axis labels


- 12c. Graph the solution to the following system of inequalities. Be sure to label the  $x$  and  $y$  axes. Identify and label the intersection.



$$\begin{cases} y \geq -2x - 5 \\ y \geq 3x + 5 \end{cases}$$

1 pt for each correct inequality (2 pts total)  
 1 pt for correct intersection  
 2 pts for the  $x$  and  $y$  axis labels


- 12d. Graph the solution to the following system of inequalities. Be sure to label the  $x$  and  $y$  axes. Identify and label the intersection.



$$\begin{cases} y \geq x - 4 \\ y \leq -x + 2 \end{cases}$$

1 pt for each correct inequality (2 pts total)  
 1 pt for correct intersection  
 2 pts for the  $x$  and  $y$  axis labels


- 12.5a. Graph the solution to the system of inequalities. Be sure to label the  $x$  and  $y$  axes.



$$\begin{cases} y \geq -x - 3 \\ y < -5 \end{cases}$$

1 pt for each correct line  
 1 pt for each correct shading  
 1 pts for the  $x$  and  $y$  axis labels (5 pts total)


12.5b. Graph the solution to the system of inequalities. Be sure to label the  $x$  and  $y$  axes.



$$\begin{cases} y \leq -3x - 3 \\ y > 2 \end{cases}$$

1 pt for each correct line  
 1 pt for each correct shading  
 1 pts for the  $x$  and  $y$  axis labels (5 pts total)

12.5c. Graph the solution to the system of inequalities. Be sure to label the  $x$  and  $y$  axes.




$$\begin{cases} y \geq -x + 2 \\ x < -3 \end{cases}$$

1 pt for each correct line  
 1 pt for each correct shading  
 1 pts for the  $x$  and  $y$  axis labels (5 pts total)



12.5d. Graph the solution to the system of inequalities. Be sure to label the  $x$  and  $y$  axes.



$$\begin{cases} y \leq -x + 3 \\ x > 4 \end{cases}$$

1 pt for each correct line  
 1 pt for each correct shading  
 1 pts for the  $x$  and  $y$  axis labels (5 pts total)

13a. Multiply and simplify your answer.

$$10x^{-6}y^9z^{-4} \cdot 4x^{10}y^{-4}z^9 \cdot 3x^8$$

$120x^{12}y^5z^5$  1 pt for each variable with correct exponent  
 and 2 pts for the number 120

13b. Multiply and simplify your answer.

$$6x^{-3}y^6z^{-4} \cdot 4x^5y^{-4}z^5 \cdot 3x^5$$

$72x^7y^2z$  1 pt for each variable with correct exponent  
 and 2 pts for the number 72

13c. Multiply and simplify your answer.

$$4x^{-2}y^5z^4 \cdot 3x^{10}y^{-4}z^6 \cdot 12x^8$$

$144x^{16}yz^{10}$  1 pt for each variable with correct exponent  
 and 2 pts for the number 144

13d. Multiply and simplify your answer.

$$5xy^{-4}z^{11} \cdot 6x^3y^8z^{-5} \cdot 5x^5$$

$150x^9y^4z^6$  1 pt for each variable with correct exponent  
 and 2 pts for the number 150

13.5a. Multiply and simplify your answer.

$$9x^8y^7z^5 \cdot 3x^4y^{11}z^7 \cdot 2x^6$$

$54x^{18}y^{18}z^{12}$  1 pt for each variable with correct exponent  
and 2 pts for the number 54

13.5b. Multiply and simplify your answer.

$$5x^3y^5z^9 \cdot 4x^2y^9z^{11} \cdot 8y^4$$

$160x^5y^{18}z^{20}$  1 pt for each variable with correct exponent  
and 2 pts for the number 160

13.5c. Multiply and simplify your answer.

$$4x^8y^6z^5 \cdot 6x^{12}y^7z^4 \cdot 3z^6$$

$72x^{120}y^{13}z^{15}$  1 pt for each variable with correct exponent  
and 2 pts for the number 72

13.5d. Multiply and simplify your answer.

$$6x^3y^8z^4 \cdot 3x^7y^9z^{13} \cdot 5x^{10}$$

$90x^{20}y^{17}z^{17}$  1 pt for each variable with correct exponent  
and 2 pts for the number 90

14a. (a) Rewrite without an exponent:  $(-13)^{-2}$

(b) Rewrite without using a negative exponent:  $-18x^{-6}$

(a)  $\frac{1}{169}$  2.5 pts  
No partial credit.  
(b)  $\frac{-18}{x^6}$  2.5 pts  
No partial credit.

14b. (a) Rewrite without an exponent:  $(-15)^{-2}$

(b) Rewrite without using a negative exponent:  $-16y^{-9}$

(a)  $\frac{1}{225}$  2.5 pts  
No partial credit.  
(b)  $\frac{-16}{y^9}$  2.5 pts  
No partial credit.

- 14c. (a) Rewrite without an exponent:  $(-11)^{-2}$   
 (b) Rewrite without using a negative exponent:  $-17y^{-5}$

(a) $\frac{1}{121}$	2.5 pts
(b) $\frac{-17}{y^5}$	2.5 pts
No partial credit.	

- 14d. (a) Rewrite without an exponent:  $(-12)^{-2}$   
 (b) Rewrite without using a negative exponent:  $-8y^{-10}$

(a) $\frac{1}{144}$	2.5 pts
(b) $\frac{-8}{y^{10}}$	2.5 pts
No partial credit.	

- 14.5a. Simplify. Express your answer with positive exponents. Assume that all variables are nonzero.

$$\frac{x^{-4}y^{-2}z^4}{z^{-5}}.$$

$\frac{z^5 z^4}{x^4 y^2}$	1 pt for each variable with positive exponent
$\frac{z^9}{x^4 y^2}$	1 pt for getting exponent of $z$ correct and 1 pt extra for getting it all correct.

- 14.5b. Simplify. Express your answer with positive exponents. Assume that all variables are nonzero.

$$\frac{x^{-5}y^{-3}}{x^4 z^{-2}}.$$

$\frac{z^2}{x^4 x^5 y^3}$	1 pt for each variable with positive exponent
$\frac{z^2}{x^9 y^3}$	1 pt for getting exponent of $x$ correct and 1 pt extra for getting it all correct.

- 14.5c. Simplify. Express your answer with positive exponents. Assume that all variables are nonzero.

$$\frac{y^{-2}z^4}{x^{-5}z^{-3}}.$$

$\frac{x^5 z^4 z^3}{y^2}$	1 pt for each variable with positive exponent
$\frac{x^5 z^7}{y^2}$	1 pt for getting exponent of $z$ correct and 1 pt extra for getting it all correct.

- 14.5d. Simplify. Express your answer with positive exponents. Assume that all variables are nonzero.

$$\frac{x^4 y^{-3}}{x^{-2} z^{-5}}.$$

$\frac{x^4 x^2 z^5}{y^3}$	1 pt for each variable with positive exponent
$\frac{x^6 z^7}{y^3}$	1 pt for getting exponent of $x$ correct and 1 pt extra for getting it all correct.

- 15a. (a) Write 265,030,000 in scientific notation.  
(b) Write 0.00070253 in scientific notation.

(a) $2.6503 \times 10^8$	2.5 pts
	No partial credit.
(b) $7.0253 \times 10^{-4}$	2.5 pts
	No partial credit.

- 15b. (a) Write 8,540,200,000 in scientific notation.  
(b) Write 0.000016403 in scientific notation.

(a) $8.540210^9$	2.5 pts
	No partial credit.
(b) $1.6403 \times 10^{-5}$	2.5 pts
	No partial credit.

- 15c. (a) Write 1,037,000 in scientific notation.  
(b) Write 0.000020134 in scientific notation.

(a) $1.037 \times 10^6$	2.5 pts
	No partial credit.
(b) $2.0134 \times 10^{-5}$	2.5 pts
	No partial credit.

- 15d. (a) Write 90,037,000 in scientific notation.  
(b) Write 0.00005012 in scientific notation.

- |                            |         |
|----------------------------|---------|
| (a) $9.0037 \times 10^7$   | 2.5 pts |
| No partial credit.         |         |
| (b) $5.012 \times 10^{-5}$ | 2.5 pts |
| No partial credit.         |         |

- 15.5a. (a) Write  $4.13 \times 10^5$  in decimal notation.  
 (b) Write  $1.74 \times 10^{-4}$  in scientific notation.

- |                    |         |
|--------------------|---------|
| (a) 413,000        | 2.5 pts |
| No partial credit. |         |
| (b) 0.000174       | 2.5 pts |
| No partial credit. |         |

- 15.5b. (a) Write  $3.814 \times 10^7$  in decimal notation.  
 (b) Write  $9.62 \times 10^{-3}$  in scientific notation.

- |                    |         |
|--------------------|---------|
| (a) 38,140,000     | 2.5 pts |
| No partial credit. |         |
| (b) 0.00962        | 2.5 pts |
| No partial credit. |         |

- 15.5c. (a) Write  $2.4 \times 10^{-5}$  in decimal notation.  
 (b) Write  $4.31 \times 10^6$  in scientific notation.

- |                    |         |
|--------------------|---------|
| (a) 0.000024       | 2.5 pts |
| No partial credit. |         |
| (b) 4,310,000      | 2.5 pts |
| No partial credit. |         |

- 15.5d. (a) Write  $5.412 \times 10^{-6}$  in decimal notation.  
 (b) Write  $8.31 \times 10^7$  in scientific notation.

- |                    |         |
|--------------------|---------|
| (a) 0.000005412    | 2.5 pts |
| No partial credit. |         |
| (b) 83,100,000     | 2.5 pts |
| No partial credit. |         |

- 16a. Identify the degree and leading coefficient of the polynomial.

$$-2y^3 + 25y^2 - 8y - 10y^8 + 5y^4$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

- |                          |         |
|--------------------------|---------|
| Degree: 8                | 2.5 pts |
| Leading Coefficient: -10 | 2.5 pts |
| No partial credit.       |         |

- 16b. Identify the degree and leading coefficient of the polynomial.

$$-6y^3 + 13y^2 - 2y - 14y^7 + 3y^4$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 7	2.5 pts
Leading Coefficient: -14	2.5 pts
No partial credit.	

- 16c. Identify the degree and leading coefficient of the polynomial.

$$2x^2 - 10 + 2x^6 - 5x^4 + 3x$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 6	2.5 pts
Leading Coefficient: 2	2.5 pts
No partial credit.	

- 16d. Identify the degree and leading coefficient of the polynomial.

$$5 + 6x^9 + 4x^8 + 3x^7 - 2x$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 9	2.5 pts
Leading Coefficient: 6	2.5 pts
No partial credit.	

- 16.5a. Identify the degree and leading coefficient of the polynomial.

$$-4y^8 + 12y^5 - 8y^3 + 5y$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 8	2.5 pts
Leading Coefficient: -4	2.5 pts
No partial credit.	

- 16.5b. Identify the degree and leading coefficient of the polynomial.

$$13y^7 - 2y^5 - 14y^2 + 3$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 7	2.5 pts
Leading Coefficient: 13	2.5 pts
No partial credit.	

16.5c. Identify the degree and leading coefficient of the polynomial.

$$-10x^6 - 5x^4 + 7x$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 6	2.5 pts
Leading Coefficient: -10	2.5 pts
No partial credit.	

16.5d. Identify the degree and leading coefficient of the polynomial.

$$8x^7 - 3x^5 + 2x^3 - 2x^2$$

Degree: \_\_\_\_\_

Leading Coefficient: \_\_\_\_\_

Degree: 7	2.5 pts
Leading Coefficient: 8	2.5 pts
No partial credit.	

17a. Simplify  $(-12u^2 + 8u - 32) - (11u - 14u^2 - 10) + (-5 - 7u - 4u^2)$ .

$-12u^2 + 8u - 32 - 11u + 14u^2 + 10 - 5 - 7u - 4u^2$	2 pts to here
$= -2u^2 - 10u - 27$	5 pts total
Partial credit: 1.5 pts for each correct term	

17b. Simplify  $(-10u^2 + 4u + 5) - (-12u - 3u^2 - 13) + (6 - 3u - 2u^2)$ .

$-10u^2 + 4u + 5 + 12u + 3u^2 + 13 + 6 - 3u - 2u^2$	2 pts to here
$= -9u^2 + 13u + 24$	5 pts total
Partial credit: 1.5 pt for each correct term	

17c. Simplify  $(-9x^2 + 5x - 3) - (2x - 4 - 8x^2) + (-6x + 7 - 4x^2)$ .

$-9x^2 + 5x - 3 - 2x + 4 + 8x^2 - 6x + 7 - 4x^2$	3 pts to here
$= -5x^2 - 3x + 8$	5 pts total
Partial credit: 1.5 pt for each correct term	

17d. Simplify  $(-4x^2 + 7x - 2) + (-4x - 5 + 10x^2) - (2x - 3 - 4x^2)$ .

$7x - 2 - 4x^2 - 4x - 5 + 10x^2 - 2x + 3 + 4x^2$	3 pts to here
$= 10x^2 + x - 4$	5 pts total
Partial credit: 1.5 pt for each correct term	

17.5a. Simplify  $(-9r^2 + 5r - 16) - 2(12r - 15r^2 - 8)$ .

$-9r^2 + 5r - 16 - 24r + 30r^2 + 16$	3 pts to here
$= 21r^2 - 19r$	5 pts total

17.5b. Simplify  $(-7r^2 + 6r - 4) - 3(10r - 7r^2 + 4)$ .

$-7r^2 + 6r - 4 - 30r + 21r^2 - 12$	3 pts to here
$= 14r^2 - 37r - 16$	5 pts total

17.5c. Simplify  $(-8r^2 + 9r - 14) - 4(7r - 9r^2 - 6)$ .

$-8r^2 + 9r - 14 - 28r + 36r^2 + 24$	3 pts to here
$= 28r^2 - 19r + 10$	5 pts total

17.5d. Simplify  $(-5r^2 + 11r - 15) - 3(7r - 13r^2 - 7)$ .

$-5r^2 + 11r - 15 - 21r + 39r^2 + 21$	3 pts to here
$= 24r^2 - 10r + 6$	5 pts total

18a. Multiply and simplify  $(2x - 6)(5x + 4)$ .

$10x^2 + 8x - 30x - 24$	3 pts to here
$= 10x^2 - 22x - 24$	5 pts total

18b. Multiply and simplify  $(2x - 3)(3x - 5)$ .

$6x^2 - 10x - 9x + 15$	3 pts to here
$= 6x^2 - 19x + 15$	5 pts total

18c. Multiply and simplify  $(3x - 4)(4x + 5)$ .

$12x^2 + 15x - 16x - 20$	3 pts to here
$12x^2 - x - 20$	5 pts total

18d. Multiply and simplify  $(5x + 3)(3x - 2)$ .

$15x^2 - 10x + 9x - 6$	3 pts to here
$15x^2 - x - 6$	5 pts total

18bada. Multiply and simplify  $(x - 6)(2x^2 - 5x + 4)$ .

$2x^3 - 5x^2 + 4x - 12x^2 + 30x - 24$	3 pts to here
$= 2x^3 - 17x^2 + 34x - 24$	5 pts total

18badb. Multiply and simplify  $(x - 3)(3x^2 - 2x - 1)$ .

$3x^3 - 2x^2 - x - 9x^2 + 6x + 3$	3 pts to here
$= 3x^3 - 11x^2 + 5x + 3$	5 pts total

18badc. Multiply and simplify  $(x - 3)(4x^2 - x + 5)$ .

$4x^3 - x^2 + 5x - 12x^2 + 3x - 15$	3 pts to here
$4x^3 - 13x^2 + 8x - 15$	5 pts total



18badd. Multiply and simplify  $(x + 5)(3x^2 + 3x - 2)$ .

$3x^3 + 3x^2 - 2x + 15x^2 + 15x - 10$ $3x^3 + 18x^2 + 13x - 10$	3 pts to here 5 pts total
--	------------------------------

18.5a. Multiply and simplify  $-7x^2y(-4x^2 - 6x + 2y^3)$ .

$-7x^2y(-4x^2) - 7x^2y(-6x) - 7x^2y(2y^3)$ $= 28x^4y + 42x^3y - 14x^2y^4$	2 pts to here 1 pt for each correct term
--	---

18.5b. Multiply and simplify  $-6xy^2(7x^2 - 5y + 4y^2)$ .

$-6xy^2(7x^2) - 6xy^2(-5y) - 6xy^2(4y^2)$ $= -42x^3y^2 + 30xy^3 - 24xy^4$	2 pts to here 1 pt for each correct term
--	---

18.5c. Multiply and simplify  $-5x^2y(-7x^2 + 8x - y^4)$ .

$-5x^2y(-7x^2) - 5x^2y(8x) - 5x^2y(-y^4)$ $= 35x^4y - 40x^3y + 5x^2y^5$	2 pts to here 1 pt for each correct term
--	---

18.5d. Multiply and simplify  $-4xy^2(6x^2 - 8y - 7y^3)$ .

$-4xy^2(6x^2) - 4xy^2(-8y) - 4xy^2(-7y^3)$ $= -24x^3y^2 + 32xy^3 + 28xy^5$	2 pts to here 1 pt for each correct term
---	---

19a. Simplify. Express your answer with only positive exponents.

$$\frac{18a^3b^8c^2}{12b^4c^8}$$

$\frac{3a^3b^4}{2c^6}$	1 pt for each variable with correct exponent 2 pts for the number $\frac{3}{2}$
------------------------	--

19b. Simplify. Express your answer with only positive exponents.

$$\frac{20a^7b^6c^8}{15b^9c^2}$$

$\frac{4a^7c^6}{3b^3}$	1 pt for each variable with correct exponent 2 pts for the number $\frac{4}{3}$
------------------------	--

19c. Simplify. Express your answer with only positive exponents.

$$\frac{24a^8b^6c^9}{15a^7b^9}$$

$\frac{8ac^9}{5b^3}$	1 pt for each variable with correct exponent 2 pts for the number $\frac{8}{5}$
----------------------	--

19d. Simplify. Express your answer with only positive exponents.

$$\frac{12a^5b^9c^7}{20a^8c^3}$$

$\frac{3b^9c^4}{5a^3}$	1 pt for each variable with correct exponent 2 pts for the number $\frac{3}{5}$
------------------------	--

19bada. Simplify  $(-2x^2y^8z^5) \cdot (-6x^3y^5z^3)^2$ .

$-72x^8y^{18}z^{11}$	1 pt for each variable with correct exponent and 2 pts for the coefficient of -72.
----------------------	---

19badb. Simplify  $(-7x^4y^2z^3)(-2x^5y^3z^3)^2$ .

$-28x^{14}y^8z^9$	1 pt for each variable with correct exponent and 2 pts for the number -28
-------------------	--

19badc. Simplify  $(-4x^3y^7z^4)(-3x^3y^4z^2)^2$ .

$-36x^9y^{15}z^8$	1 pt for each variable with correct exponent and 2 pts for the number -36
-------------------	--

19badd. Simplify  $(-5x^6yz^2)(-2x^5y^3z^4)^2$ .

$-20x^{16}y^7z^{10}$	1 pt for each variable with correct exponent and 2 pts for the number -20
----------------------	--

19.5a. Simplify. Express your answer with only positive exponents.

$$\frac{(2ab^8c^2)^3}{20c^{12}}$$

$\frac{2a^3b^{24}}{5c^6}$	1 pt for each variable with correct exponent 2 pts for the number $\frac{2}{5}$ (or anything equal to $\frac{2}{5}$ )
---------------------------	--

19.5b. Simplify. Express your answer with only positive exponents.

$$\frac{(3a^4b^2c)^4}{12b^{15}}$$

$$\frac{27a^{16}c^4}{4b^7}$$

1 pt for each variable with correct exponent

2 pts for the number  $\frac{27}{4}$  (or anything equal to  $\frac{27}{4}$ )

19.5c. Simplify. Express your answer with only positive exponents.

$$\frac{(4a^6bc^4)^3}{48a^{20}}$$

$$\frac{4b^3c^{12}}{3a^2}$$

1 pt for each variable with correct exponent

2 pts for the number  $\frac{4}{3}$  (or anything equal to  $\frac{4}{3}$ )

19.5d. Simplify. Express your answer with only positive exponents.

$$\frac{(2a^5b^3c)^4}{24c^9}$$

$$\frac{3a^{20}b^{12}}{4c^5}$$

1 pt for each variable with correct exponent

2 pts for the number  $\frac{3}{4}$  (or anything equal to  $\frac{3}{4}$ )20a. Divide. Write your answer in standard form,  $Q(x) + \frac{R}{3x}$ .

$$(24x^3 - 6x^2 - 12x + 8) \div (3x)$$

$$\frac{24x^3}{3x} - \frac{6x^2}{3x} - \frac{12x}{3x} + \frac{8}{3x}$$

3 pts to here

$$8x^2 - 2x - 4 + \frac{8}{3x}$$

5 pts total

20b. Divide. Write your answer in standard form,  $Q(x) + \frac{R}{2x}$ .

$$(6x^3 - 8x^2 - 10x + 5) \div (2x)$$

$$\frac{6x^3}{2x} - \frac{8x^2}{2x} - \frac{10x}{2x} + \frac{5}{2x}$$

3 pts to here

$$3x^2 - 4x - 5 + \frac{5}{2x}$$

5 pts total

20c. Divide. Write your answer in standard form,  $Q(x) + \frac{R}{5x}$ .

$$(15x^3 + 20x^2 - 30x + 4) \div (5x)$$

$\frac{15x^3}{5x} + \frac{20x^2}{5x} - \frac{30x}{5x} + \frac{4}{5x}$	3 pts to here
$3x^2 + 4x - 6 + \frac{4}{5x}$	5 pts total

20d. Divide. Write your answer in standard form,  $Q(x) + \frac{R}{3x}$ .

$$(18x^3 - 9x^2 + 3x + 5) \div (3x)$$

$\frac{18x^3}{3x} - \frac{9x^2}{3x} - \frac{3x}{3x} + \frac{5}{3x}$	3 pts to here
$6x^2 - 3x + 1 + \frac{5}{3x}$	5 pts total

20.5a. Using long division, divide.

$$(6x^3 + 5x^2 - 16x + 6) \div (2x - 1)$$

Set up long division properly	2 points
$3x^2 + 4x - 6$	1 point for each correct term

20.5b. Using long division, divide.

$$(12x^3 - 11x^2 + 4x + 3) \div (3x + 1)$$

Set up long division properly	2 points
$4x^2 - 5x + 3$	1 point for each correct term

20.5c. Using long division, divide.

$$(8x^3 - 26x^2 + 13x + 5) \div (4x + 1)$$

Set up long division properly	2 points
$2x^2 - 7x + 5$	1 point for each correct term

20.5d. Using long division, divide.

$$(12x^3 + 5x^2 + 15x - 6) \div (3x - 1)$$

Set up long division properly	2 points
$4x^2 + 3x + 6$	1 point for each correct term