

Undo and Redo Support for Replicated Registers

PaPoC '24, Athens

Leo Stewen and Martin Kleppmann

April, 2024

Part I: Undo Semantics in a Collaborative Setting



Figure 1: Users *A* and *B* collaboratively edit *two registers*.




Figure 1: Users *A* and *B* collaboratively edit ***two registers***.




Figure 1: Users *A* and *B* collaboratively edit *two registers*.




Figure 1: Users *A* and *B* collaboratively edit *two registers*.




Figure 1: Users *A* and *B* collaboratively edit *two* registers.




Figure 1: Users *A* and *B* collaboratively edit *two* registers.




Figure 1: Users *A* and *B* collaboratively edit *two* registers.




Figure 1: Users *A* and *B* collaboratively edit *two registers*.




Figure 1: Users A and B collaboratively edit *two* registers.




Figure 1: Users A and B collaboratively edit *two* registers.




Figure 1: Users *A* and *B* collaboratively edit *two* registers.




Figure 2: Users *A* and *B* collaboratively edit *one* register.




Figure 2: Users *A* and *B* collaboratively edit *one* register.




Figure 2: Users *A* and *B* collaboratively edit *one* register.




Figure 2: Users *A* and *B* collaboratively edit *one* register.




Figure 2: Users *A* and *B* collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit ***one*** register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.




Figure 2: Users A and B collaboratively edit *one* register.

Part II: An Algorithm for (Local) Undo




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 3: The algorithm applied on a small operation history.




Figure 4: Sequence of alternating undo-redo operations.




Figure 4: Sequence of alternating undo-redo operations.




Figure 4: Sequence of alternating undo-redo operations of length 1.




Figure 4: Sequence of alternating undo-redo operations.




Figure 4: Sequence of alternating undo-redo operations of length 2.

Part III: Experimental Evaluation




Figure 5: Runtime of resolving the head of a sequence of alternating undo-redo operations of length n .

Outlook

- foundation for undo and redo
- flexible approach: could mix different undo behaviors


Outlook

- foundation for undo and redo
- flexible approach: could mix different undo behaviors
- open question: how to extend beyond a single register?

```
{  
  A: a,  
  B: [b1, b2]  
}
```

Outlook

- foundation for undo and redo
- flexible approach: could mix different undo behaviors
- open question: how to extend beyond a single register?



Questions? Feedback?

Reach us at
lstwn@mailbox.org
martin@kleppmann.com

