

SOEN 6751: Final Report

Concordia Safe Path

Mary Ann Ng Kwet Pin
40336644
Concordia University
Montreal, Canada

Pirasana Ariyam
40188773
Concordia University
Montreal, Canada

Honey Sharma
40292445
Concordia University
Montreal, Canada

The-Luan Tran
40321765
Concordia University
Montreal, Canada

Siva Sankar Reddy Veluri
40162043
Concordia University
Montreal, Canada

Lokesh Kommalapati
40301947
Concordia University
Montreal, Canada

1 Introduction

Concordia University is an open urban campus in Montreal where students frequently move between several buildings, roads, and public spaces. The students are exposed to disruptions such as protests, strikes, construction, vandalism and other tense situations within the campus areas. With more of these types of incidents, this makes the campus navigation more difficult and unpredictable, making the student unsafe. These challenges do not affect all students equally, especially for particular students with mobility impairments and anxiety. They might face significant barriers when their usual routes are blocked or the environment becomes too crowded, resulting in a stressful area.

To address these issues, Concordia Safe Path is proposed as a mobile application to support students in navigating the campus safely. The primary goal of this application is to provide real-time information about ongoing incidents and suggest safer alternative routes to the users. Also, users are able to report any incident and access updates within a single platform. The design of the application follows a user-centred approach, which emphasises clarity, accessibility and a calm tech interface to reduce confusion and cognitive overload, making users feel more in control of their surroundings. By enhancing the user experience during the usage of the application, students are able to navigate the campus more efficiently, allowing them to make proper decisions, which makes them feel more confident and secure during high-tension situations.

1.1 Research Question

This project proposes the design of a mobile application aimed at supporting Concordia students and staff during high-tension campus events or path obstruction scenarios. The central question driving this work is:

How can a mobile application help students — particularly those with accessibility needs or heightened stress sensitivity — navigate campus disruptions safely, calmly, and with confidence?

Rather than simply alerting users to danger, the system seeks to provide actionable, personalized guidance that reduces cognitive

load, respects diverse accessibility requirements, and creates a sense of security even in uncertain situations.

2 User Tasks and Goals

The user tasks and goals of Concordia Safe Path were identified through the analysis of the personas, empathy maps, and journey maps developed during the early stages of the project. These helped us better understand the main needs and challenges faced by our target users during campus disruptions, including cognitive overload, blocked or inaccessible routes, uncertainty around incident information, and the need for quick access to support. Based on these findings, we defined a set of user goals that were necessary for the application to effectively fulfill its purpose. Each goal presented below includes its purpose, the main tasks users can perform within the system, and the specific user difficulty it is designed to address.

2.1 Goal 1: Create a User Account

This goal focuses on allowing users to set up the application according to their role and personal needs from the beginning. Since students and campus security staff interact with the system differently, personalization is important to ensure a more relevant and supportive experience.

- Any student can enter basic information (email)
- A new user can select their account type (Security Staff or Student)
- A student can set accessibility and notification preferences (mobility needs, anxiety triggers)

2.2 Goal 2: Apply Emergency UX

This goal focuses on making the interface usable and reassuring during stressful situations. The application must communicate urgency clearly while still remaining simple, accessible, and quick to use when users need support immediately.

- A user can receive alerts with visual and text indicators showing urgency beyond color alone
- A user can view alert status and severity easily through consistent visual hierarchy and iconography
- A user can view emergency notifications and access more details with simple gestures (1-tap)
- A user can contact emergency resources (security, mental health, 911, emergency contacts) quickly within 2 taps

- A user can access a “safe zone now” button in one touch
- The system will recommend a safe option if the destination is in an at-risk zone or there are no safe paths

2.3 Goal 3: Label Crowdsourced Data

This goal focuses on helping users understand whether incident reports are trustworthy. Since the system relies partly on user-contributed information, it is important to distinguish between unverified reports and reports confirmed by campus security.

- Any user can view incident reports with or without verification status
- A user can upvote existing reports for accuracy
- A user can see “Reported by X users” vs. “Verified by Campus Safety” badges
- A user can add supporting details to existing reports (comments)
- A campus security staff member can verify reports
- A regular student user cannot verify reports (view-only verification status)

2.4 Goal 4: Show Report Progress

This goal focuses on improving transparency by showing users what happens after an incident is reported. Instead of leaving reports static or unclear, the system allows users to follow the status of a situation from submission to resolution.

- A user can see verification stages: Submitted → Reported by X users (5+) → Verified by Campus → Resolved
- A campus security user can flag incidents as resolved
- A user can view report timestamps
- A user can follow an incident to receive updates when report status changes

2.5 Goal 5: Design for Offline Mode

This goal focuses on ensuring that the application remains useful even when internet or cellular access is limited. Since major gatherings or emergencies can affect connectivity, the system must still provide essential support under reduced conditions.

- The system works with reduced functionality and notifies the user with a pop-up when not connected
- A user can access saved emergency contacts offline
- A user can see whether they are offline or online at all times

2.6 Goal 6: Zone of Interest Awareness

This goal focuses on warning users before they enter a risky or stressful area and helping them react early. Rather than only showing danger after a user has already arrived, the application is designed to support more proactive awareness.

- A user can receive progressive calm alerts when approaching an at-risk zone
- A user can get access to a safe route when entering a danger zone

2.7 Goal 7: Report Incidents

This goal focuses on allowing users to contribute real-time information quickly and easily whenever they encounter a disruption on

campus. Since the accuracy and usefulness of the system depend partly on user-submitted reports, the reporting process must be simple, fast, and accessible from anywhere in the application.

- Any user can open the quick-report interface from any screen
- A user can select incident type (blockade, protest, construction, accessibility issue, safety concern)
- A user can drop a pin on the map or use their current location
- A user can add an optional description
- A user can set incident severity
- A user can submit a report
- A user can receive a confirmation

2.8 Goal 8: Plan a Safe Route to Destination

This goal focuses on helping users navigate campus more safely when their usual path is blocked, inaccessible, or potentially unsafe. The application should not only provide directions, but also help users choose routes that better match current campus conditions and their accessibility needs.

- A user can enter a destination (building, classroom, address)
- A user can view multiple route options
- A user can see estimated time and distance for each route

2.9 Goal 9: Access Emergency Resources

This goal focuses on making emergency support easy to reach when users need immediate help. In high-tension situations, users should not have to search through several screens to find important contacts or resources.

- A user can access mental health crisis resources
- A user can contact campus security
- A user can call emergency services (911)
- A user can call emergency contacts
- A user can set up optional emergency contacts

2.10 Goal 10: Support Accessible and Inclusive Interaction

This goal focuses on ensuring that the application remains usable for people with different accessibility needs and interaction preferences. Since campus disruptions do not affect all users in the same way, the system must be flexible enough to support a wider range of physical, sensory, and cognitive needs.

- The system must support screen readers and assistive technologies (WCAG AA compliance)
- A user can switch to a high-contrast or alternative UI setting
- A user can enable or disable specific alert categories
- A user can set accessibility needs (elevator access, ramps, wide paths)

3 Methods Design Approach

3.1 Double Diamond Design Methodology

The development of Concordia Safe Path (CSP) follows a user-centred approach based on the Double Diamond design methodology [1], which is based on four phases: Discover, Define, Develop, and Deliver.

3.1.1 Discover. A competitive analysis of existing safety applications was conducted, alongside a review of literature on calm technology, emergency UX, and accessibility guidelines. This helped to identify key limitations in current systems and develop a better understanding of the problem space. This phase is documented in Section 5.

3.1.2 Define. The research findings were converted into clear design requirements through the creation of personas, empathy maps, and journey maps. These findings highlight the needs of different user groups, including students with mobility impairments, visual limitations, and anxiety, helping to define the core problem the system aims to address. This phase is documented in Section 3.3.

3.1.3 Develop. User flow diagrams were created to map how users interact with the application to perform key tasks. Based on these flows, low-fidelity wireframes were first designed to explore layout and structure, followed by high-fidelity prototypes in Figma to refine the visual design and interactions. These designs were then converted into a functional application through implementation, where core features were developed. This phase is documented in Section 3.7.

3.1.4 Deliver. The final application was implemented and evaluated to ensure that it meets user needs. The system was refined based on usability principles, including Nielsen’s heuristics, to boost clarity, accessibility, and user-friendliness. The design process was iterative, where feedback from testing and interaction with the application led to continuous improvements in both the interface and functionality.

3.2 Principles and Design Guidelines

Nielsen’s 10 Usability Heuristics [2] serve as the primary evaluation framework for the interface. Particularly relevant heuristics include visibility of system status, error prevention, recognition over recall, and help and documentation.

Calm Technology Principles [3] are a core feature of the system. Alerts are designed to escalate gradually from ambient to prominent only when the situation genuinely requires it, and the interface maintains a neutral, minimal visual language in non-critical states.

WCAG 2.1 AA Accessibility Guidelines [4] govern the visual and interactive design of the application, ensuring usability for students with visual impairments, motor limitations, and cognitive differences. This includes minimum contrast ratios of 4.5:1, non-color-based indicators, screen reader compatibility, and clear input labeling.

Fitts’ Law [5] informs the sizing and placement of interactive elements, particularly one-tap emergency actions. Touch targets are designed to be large, centrally placed, and reachable with one

thumb, reducing motor demand for users who are moving, stressed, or have limited dexterity.

Cognitive Load Theory [6] guides the screen layout. Each screen shows only the information relevant to the user’s current context, avoiding unnecessary choices or visual complexity during high-stress interactions.

3.3 User Population

The system is designed primarily for the Concordia University student community, with a secondary user group of campus security staff. Rather than treating students as a uniform population, our user research identified three distinct personas that represent meaningfully different interaction patterns and needs within the system. These personas were developed to reflect the diversity of the student body and to ensure that design decisions address the users who are most vulnerable during campus disruptions.

3.4 Personas

Personas are fictional but research-grounded representations of key user types within our target population [7]. We developed three personas that represent the most distinct and non-overlapping interaction patterns within the Concordia student community: a student with mobility and visual impairments (Figure 2), a student managing anxiety (Figure 1), and a campus security staff member (Figure 3).

Chloe Martin

AGE: 21
LOCATION: Montreal
ARCHETYPE: The Calm Seeker

OCCUPATION: Student / Part-Time Barista
TIER: 3rd Year Undergraduate
DISABILITY: Generalized anxiety

BIO
Chloe is a 3rd year undergraduate at Concordia studying Management, juggling 5 courses and a part-time barista job at a nearby café. She lives alone for the first time and spends most of her day on campus, studying at the library between classes before heading to her shift. She has diagnosed generalized anxiety that flares in crowded, unpredictable environments. Campus disruptions like protests and strikes don't just inconvenience her, they can derail her entire day, making her late to class or work and triggering anxiety that is difficult to shake. She avoids asking for help in public and strongly prefers quiet, self-guided solutions.

TECH COMFORT
Tech: Very High — iOS user, values minimal and calm interfaces

GOALS

- ~ Navigate campus avoiding crowded zones
- ~ Receive calm, trustworthy disruption alerts
- ~ Get to class and work on time
- ~ Feel in control during unexpected situations
- ~ Navigate independently without relying on others

FRUSTRATIONS

- ~ Panic caused by loud or aggressive emergency alerts
- ~ Uncertainty due to unverified information
- ~ Overwhelming interfaces during stressful situations
- ~ Disruptions make her late to her job and classes
- ~ Lack of clear, safe navigation alternatives

INTROVERT | **VIGILANT**
GOAL-ORIENTED
INDEPENDENT

"I just want to get to class and my shift without feeling overwhelmed. One surprise can throw off my whole day."

Figure 1: Persona 1: Chloe Martin — Student with Generalized Anxiety.

3.5 Empathy Maps

To move beyond the demographic and behavioral descriptions captured in our personas, we developed an empathy map for each persona [8]. For each persona, we mapped what the user *thinks*, *feels*, *says*, and *does* when navigating a campus disruption, as well as their core *pains* and *gains*. These maps were used to pressure-test our persona assumptions and to ensure that the system requirements defined in Section 2 are grounded in genuine user experience rather than assumed needs. Empathy maps for Chloe, Sarah, and James are shown in Figures 4, 5, and 6 respectively.




Figure 2: Persona 2: Sarah Peters — Student with Wheelchair and Minor Vision Impairment.




Figure 3: Persona 3: James David — Campus Security Staff.




Figure 4: Empathy Map: Chloe Martin — Student with Generalized Anxiety.

3.6 Journey Maps

With a clear understanding of who our users are and how they experience the problem emotionally, journey maps were developed to trace each persona's end-to-end experience through a realistic campus disruption scenario. Journey maps plot a user's actions, thoughts, and emotional state across time [9]. Each journey map is tied to a concrete scenario relevant to Concordia's campus context.




Figure 5: Empathy Map: Sarah Peters — Student with Wheelchair and Minor Vision Impairment.




Figure 6: Empathy Map: James David — Campus Security Staff.

Sarah Peters. Sarah's scenario follows her morning commute to the EV building on a day when a protest has blocked her usual accessible entrance (see Figure 16 in Appendix 8).

Chloe Martin. Chloe's scenario follows her to work when she unexpectedly encounters a large, loud demonstration near the Hall building (see Figure 15 in Appendix 8).

James David. James's scenario follows his shift on a day when multiple incidents occur across campus and he must respond to them accordingly without any prior information (see Figure 17 in Appendix 8).

These scenarios were chosen because they represent the most common and highest-impact disruption situations that our target users are likely to face, and because they expose the sharpest gaps between what users need and what existing tools currently provide. Together, the personas and journey maps form the foundation for the goal and task definitions in Section 2, translating observed pain points into concrete system requirements.

3.7 User Flow Diagrams

Four user flow diagrams were developed to map how each persona moves through the application step by step. The Login / Sign Up flow (Figure 26) covers account creation, role selection, and preference

configuration. The Main Navigation flow (Figure 27) shows how users move between core sections during a disruption. The Menu flow (Figure 28) covers access to emergency contacts, accessibility settings, and notification preferences. The Route Planning flow (Figure 29) follows the steps a user takes to select a destination, review safe route options, and begin navigation. The full user flow diagrams are presented in Appendix 8.

3.8 Low-Fidelity Wireframes

With the flows done, the next step was sketching out what the screens would actually look like. These wireframes are intentionally simple — no colors, no images, just boxes and text to show where things go on each screen. Keeping it simple at this stage meant different layouts could be tried out quickly and decisions about structure could be made before spending time on the visual details. The full wireframes are presented in Appendix 8.

- **Login / Sign Up** (Figure 18): covers the login screen, role selection, and the student and staff sign up screens.
- **Menu** (Figure 19): covers the home page list view, hamburger menu variations, preferences setup, and the emergency resources screen.
- **Core UI Views** (Figure 20): covers the home page, map view, incident type selection, report incident view, incident detail view, and notification view.

3.9 High-Fidelity Prototypes

Although incorporating Concordia's burgundy, dark red, and gold tones was initially considered to reflect institutional identity, these colors are emotionally intense and commonly associated with urgency, danger, or alert states. In a safety-focused application for potentially stressful situations, such visually heavy tones could unintentionally heighten anxiety and may conflict with map indicators or warning signals, reducing visual clarity.

From a psychological and accessibility perspective, blue is better suited to our users. Blue is associated with calmness, trust, and stability, aligning with our goal of reducing stress during high-tension events. Additionally, red and green are most affected by color vision deficiency, whereas blue deficiency is extremely rare [10], making blue the most universally distinguishable and inclusive choice.

For these reasons, a two-tone monochromatic blue palette was selected: dark blue for headers and emphasis, and primary blue for buttons and interactive elements. Critical alert colors (red, yellow, green) are reserved strictly for status indicators to ensure they remain highly visible and meaningful. The color system also meets WCAG contrast ratio requirements, ensuring sufficient contrast between text and backgrounds for users with visual impairments.

To support cognitive comfort, the interface primarily uses white and off-white backgrounds. These neutral surfaces reduce visual noise and prevent overstimulation during prolonged use. Clear spacing between sections further enhances readability and reduces cognitive load.

Typography reinforces clarity and usability. Roboto was selected as the primary font because it is widely used in mobile apps, familiar to users, and optimized for mobile performance [11]. Its readability and cross-platform compatibility reduce cognitive load and improve

comfort. Body text is set at a minimum of 16px, secondary text at 14px, and headlines between 24–32px, in line with mobile UI best practices and WCAG recommendations [4] for legibility and scalable text. Instead of pure black text, a dark grey tone is used to soften contrast while maintaining strong legibility.

Together, these design decisions create a calm, accessible, and visually clear interface aligned with the app's goal of supporting students safely and confidently during campus disruptions. The full high-fidelity prototypes are presented in Appendix 8.

- **Login / Sign Up** (Figure 22): covers the login screen, role selection, student and staff sign up screens, and email confirmation.
- **Menu** (Figure 23): covers the home page, hamburger menu, preferences setup, emergency resources screen, and profile page.
- **Core UI Views** (Figure 24): covers the home page, filtered list view, map view, incident reporting, incident detail views, notifications screen, and confirmation pop-up.
- **Route Planning** (Figure 25): covers the accessibility filter screen, route preview, suggested action view, and safe zone button state.

4 System Functionality

The screens presented in this section are screenshots taken directly from the functional Android application, representing the end result of the design process described in Section 3. The high-fidelity Figma prototypes served as the direct reference for implementation: layout, color system, typography, and interaction patterns were carried through from design into code with minimal deviation. Where implementation constraints required adjustments, the underlying design rationale — calm technology, WCAG AA compliance, and reduced cognitive load — remained the guiding principle.

Concordia Safe Path is implemented as a cross-platform mobile application targeting Android, built with React Native and Expo Router. Expo Router provides a file-based navigation architecture suited to the multi-screen structure of the system. The backend is powered by Supabase, which provides real-time database capabilities, user authentication, and storage built on PostgreSQL. Row Level Security (RLS) policies enforce role-based access control at the database level, ensuring that staff-only actions such as incident verification cannot be performed by student accounts at the API level. Campus map rendering, routing, and incident visualization are handled through the Google Maps SDK via the react-native-maps library. Production builds are distributed as APKs via EAS Build.

Development followed standard software engineering practices throughout. The codebase is hosted on GitHub at <https://github.com/luantran/concordia-safe-path>, with all feature work carried out on dedicated branches and integrated into the main branch exclusively through pull requests. Each pull request required a written description, screenshots of affected screens, and at least one team member review before merging. A shared pull request template enforced consistency across contributions. Work was tracked using GitHub Projects with a Kanban board, allowing the team to coordinate tasks across the six contributors and maintain visibility into what was in progress, under review, and complete. This workflow ensured that the codebase remained stable and reviewable at every stage of development.

4.1 Authentication and Onboarding




Figure 7: Authentication screens: (1) login, (2) password reset, (3) role selection, (4) email verification, (5) staff sign up, (6) student sign up.

The authentication flow (Figure 7) supports account creation for both students and staff, with role selection at sign-up determining permissions throughout the app. Staff accounts gain access to verification and resolution controls not available to students. This addresses **Goal 1**.

4.2 Preferences and Accessibility Settings




Figure 8: Preferences screens: (1) main preferences with onboarding banner, (2) alert distance and incident type override settings, (3) proximity alert zone info modal, (4) alert override by incident type info modal.

The preferences screen (Figure 8) allows users to configure accessible routing, proximity alert distances, and per-incident-type notification behavior (Normal, Silent, or Mute). An onboarding banner guides first-time users through setup without blocking access. This addresses **Goal 1** and **Goal 10**.

4.3 Campus Map and Incident Visualization




Figure 9: Map screens: (1) live incident map, (2) incident call-out with building markers, (3) danger zone warning on destination, (4) safe route options, (5) route passing through danger zone warning.

The map screen (Figure 9) shows live color-coded incident markers across the SGW campus. When a user enters a destination, the system warns if it falls within a danger zone and flags any route passing through one. Multiple route options are shown with time and distance estimates. This addresses **Goals 2, 6, and 8**.

4.4 Proximity Alerts and Safe Zone




Figure 10: Proximity alert screens: (1) level 1 “Heads Up” alert, (2) level 2 “Incident Nearby” alert, (3) safe route displayed after entering danger zone, (4) “I’m Safe” confirmation state, (5) “Safe Zone Now” persistent button.

The proximity alert system (Figure 10) triggers progressive alerts as users approach an incident zone: a “Heads Up” banner at the outer radius, escalating to an “Incident Nearby” modal at the inner zone. A persistent “Safe Zone Now” button remains visible until the user confirms they are safe. This implements graduated escalation from **Goal 6** and one-touch safe zone access from **Goal 2**.

4.5 Incident Reporting




Figure 11: Incident reporting screens: (1) incident type selection modal, (2) report form with map pin, severity selector, and description field, (3) submission confirmation.

Incident reporting (Figure 11) is reachable in one tap from any screen. Users select an incident type, place a pin or use their current location, set severity, and optionally add a description. A confirmation is shown on submission. The severity selector uses color alongside text labels for accessibility. This addresses **Goals 7 and 10**.

4.6 Incident List and Detail View




Figure 12: Incident list and detail screens: (1) list view with ongoing and resolved sections, (2) filtered and sorted list view, (3) student incident detail with verification progress, upvotes, and comments, (4) staff incident detail with verify and resolve controls.

The incident list (Figure 12) groups reports into ongoing and resolved sections with color-coded severity and verification badges, filterable by severity and sortable by time or distance. The detail

view shows a four-stage verification progress bar, upvote and down-vote counts, a follow button, and a comments section. Staff accounts see Verify and Resolve controls. This addresses **Goals 1, 3, and 4**.

4.7 Notifications and Offline Mode




Figure 13: Notifications and offline screens: (1) in-app notifications list, (2) system push notifications on the device lock screen, (3) offline banner with reduced-functionality incident list, (4) offline modal blocking actions that require connectivity.

The notifications screen (Figure 13) logs all received alerts. Push notifications are delivered even when the app is backgrounded. When offline, a persistent banner appears on every screen and actions requiring connectivity display an explanatory modal rather than failing silently. Cached data remains visible in read-only state. This addresses **Goals 2, 5, and 6**.

4.8 Menu, Emergency Resources, and Profile




Figure 14: Menu and support screens: (1) hamburger menu with navigation links, (2) emergency resources with contact options, (3) emergency contact notification confirmation, (4) FAQs accordion, (5) profile page with editable user details.

The menu (Figure 14) provides access to preferences, emergency resources, FAQs, and the profile page. The emergency resources screen offers one-tap call and email buttons for mental health support and campus security, a “Notify Emergency Contact” button, and a prominently placed “Call 911” button. This addresses **Goals 9 and 10**.

5 Evaluation of Existing Systems

As part of our problem space investigation, we surveyed five existing mobile safety applications — Rave Guardian, LiveSafe, Citizen, Life360, and AccessNow — to understand the current landscape and identify the gaps that motivate the design of CSP. Table 1 summarizes the key features of each surveyed application compared to Concordia Safe Path.

Table 1: Feature comparison of existing safety applications and Concordia Safe Path.

Feature	Rave G.	Citizen	LiveSafe	Life360	AccessNow	CSP
Real-time alerts	✓	✓	✓			✓
User-reported incidents		✓	✓			✓
Emergency contact	✓	✓	✓	✓		✓
Danger zone visualisation		✓				✓
Calm tech design						✓
Accessibility features					✓	✓
Safe route navigation						✓
Offline support						✓
University context	✓					✓

5.1 Summary of Gaps

Across all surveyed applications, a consistent limitation is observed: most systems focus on isolated functionalities such as alerting, reporting, or location tracking. They lack support for diverse user needs, do not apply calm technology within a campus environment, and fail to offer real-time, accessibility-aware navigation. Concordia Safe Path addresses these limitations by integrating these features into a single system tailored to the university context.

6 Challenges and Risks

6.1 Development Challenges

Several technical challenges were encountered during implementation that required investigation and iterative debugging to resolve. Platform-specific behavior in React Native caused issues with location services, keyboard handling, and UI layout that did not surface consistently across devices and required workarounds beyond what the standard documentation covered. Configuring the development environment (including build profiles, API key restrictions, and

environment variable management) introduced friction for team members onboarding mid-project and required careful coordination between cloud builds and local development. On the backend, database access control policies behaved unexpectedly in trigger-based contexts, causing silent failures that took deliberate debugging to diagnose and resolve. Each of these issues was addressed before the final build and contributed to a more robust and well-understood codebase.

6.2 Remaining Risks

The primary remaining risk concerns platform compatibility. The application was developed and tested exclusively on Android, using a Pixel 9a emulator and a physical Android device. It has not been built or tested on iOS. While React Native is designed for cross-platform development, native dependencies (including react-native-maps, the Google Maps SDK integration, and EAS Build configuration) require platform-specific setup and may behave differently on iOS. The Google Maps SDK on iOS uses a separate API key configuration, and certain UI behaviors related to keyboard handling, location permissions, and push notifications differ between the two platforms. Until an iOS build is produced and tested on a physical device or simulator, the behavior of the application on that platform cannot be guaranteed.

7 Results and Discussion

The final application successfully delivers the core feature set defined by the ten user goals established during the Define phase. All primary interaction flows — authentication, incident reporting, map-based situational awareness, proximity alerts, safe route navigation, emergency resource access, and role-based verification — are functional in the Android build. The system was tested on both an emulator and a physical device with GPS spoofing to simulate real campus navigation scenarios.

7.1 Heuristic Evaluation

As part of the Deliver phase of the Double Diamond process, the application was evaluated against Nielsen’s 10 Usability Heuristics [2]. Each screen was assessed independently, with ratings of *Yes* (fully satisfied), *Partial* (partially satisfied or with caveats), or *No* (not satisfied). The full results are presented in Table 2 in Appendix 8.

7.2 Discussion

The most notable gaps identified by the evaluation concern *user control and freedom* and *error recovery* on the report incident page and notifications screen. The report incident flow does not provide a clear undo or edit path after submission, and the notifications screen lacks a mechanism to dismiss or manage individual alerts. These gaps were identified during the evaluation and informed late-stage refinements to the interface: the incident detail view was updated to show submitted reports with a clear status indicator, and the notifications screen was given a mark-all-read action. Full undo of a submitted report was assessed as out of scope given the collaborative nature of the crowdsourced data model.

Help and documentation was partially or fully unsatisfied on several screens, most notably login, sign up, and notifications. In-app help was added to the preferences screen via info modals explaining

proximity alert zones and incident type overrides, and a dedicated FAQs screen was introduced in the menu to address common questions. However, contextual guidance on the notifications screen and inline error messaging on the login form remain areas for future improvement.

The evaluation process itself was consistent with the iterative spirit of the Double Diamond methodology. Findings did not simply validate a finished design — they surfaced specific interaction gaps that were fed back into the implementation, resulting in a tighter alignment between the stated user goals and the delivered experience. This feedback loop between evaluation and refinement is precisely what the Deliver phase is designed to produce.

Following the heuristic evaluation, a focused round of iterative improvements was carried out to address the identified gaps directly. Emergency contact functionality was verified under offline conditions to confirm that saved contacts remain accessible without connectivity, strengthening the reliability guarantee described in **Goal 5**. A dedicated FAQs screen was designed and added to the menu, providing help and documentation that was previously absent from several screens and resolving the most consistent gap identified in the evaluation. On the map screen, the incident icon was updated to a more semantically appropriate icon to improve recognition. The incident reporting flow was revised in two ways: a severity selection step was introduced as a dedicated screen with a blocking interaction pattern (consistent with the location selection step) to prevent users from accidentally skipping it, and the “drop a pin” label was reworded to clearer language following the same screen-level treatment. On the incident detail screen, comments were found to not update in real time and lacked scroll behavior; both were corrected. A delete function was added for users viewing their own reports, and a “View on Map” navigation link was introduced to allow users to jump directly from an incident detail to its location on the map, closing a navigation gap identified under the *user control and freedom* heuristic.

8 Conclusion

This project set out to design and build a mobile application that helps Concordia University students navigate campus disruptions safely, with a focus on students with mobility impairments, visual limitations, and anxiety. These are aspects that existing tools consistently fail to support. The result is Concordia Safe Path, a functional Android application that combines real-time incident awareness, crowdsourced and staff-verified reporting, proximity-based alerts, accessible route planning, and quick access to emergency resources in a single calm and accessible interface.

The application addresses the core limitation shared by all surveyed competitors, which is that none of them combines situational awareness, accessible navigation, and emergency support in a single experience designed for a diverse university population. While an iOS build and formal usability testing with target users remain as future work, the project shows that applying user-centered design principles from the start produces a more inclusive and effective safety tool than adding accessibility as an afterthought.

References

- [1] Design Council. A study of the design process: The double diamond. Technical report, Design Council, 2005.
- [2] Jakob Nielsen. *Usability Engineering*. Morgan Kaufmann, San Francisco, CA, 1994.
- [3] Mark Weiser and John Seely Brown. Designing calm technology. *PowerGrid Journal*, 1(1):75–85, 1996.
- [4] Andrew Kirkpatrick, Joshue O Connor, Alastair Campbell, and Michael Cooper. Web Content Accessibility Guidelines (WCAG) 2.1. Technical report, World Wide Web Consortium (W3C), 2018. W3C Recommendation.
- [5] Paul M. Fitts. The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Experimental Psychology*, 47(6):381–391, 1954.
- [6] John Sweller. Cognitive load during problem solving: Effects on learning. *Cognitive Science*, 12(2):257–285, 1988.
- [7] Alan Cooper. *The Inmates Are Running the Asylum: Why High-Tech Products Drive Us Crazy and How to Restore the Sanity*. Sams Publishing, Indianapolis, IN, 1999.
- [8] Dave Gray. Empathy map canvas, 2017. Updated empathy map framework, originally developed at XPLANE.
- [9] James Kalbach. *Mapping Experiences: A Complete Guide to Creating Value through Journeys, Blueprints, and Diagrams*. O’Reilly Media, Sebastopol, CA, 2016.
- [10] Jennifer Birch. *Practical Guide for Color Vision Examination*. Butterworth-Heinemann, Oxford, UK, 1993.
- [11] Google. Roboto font family, 2014. Google Fonts.

Appendix A: Journey Maps




Figure 15: Journey Map: Chloe Martin. Scenario: Chloe unexpectedly runs into a protest blocking her path to work near the Hall building.




Figure 16: Journey Map: Sarah Peters. Scenario: A protest blocks an accessible campus entrance while Sarah is heading to class.




Figure 17: Journey Map: James David. Scenario: A blockage is reported near a main campus entrance and requires monitoring and response.

Appendix B: Low-Fidelity Wireframes




Figure 18: Login / Sign Up low-fidelity designs.




Figure 19: Menu low-fidelity designs.




Figure 20: Core UI views low-fidelity designs.




Figure 21: Route planning views low-fidelity designs.

Appendix C: High-Fidelity Prototypes




Figure 22: Login / Sign Up high-fidelity designs.




Figure 23: Menu high-fidelity designs.




Figure 24: Core UI views high-fidelity designs.




Figure 25: Route planning high-fidelity designs.

Appendix D: Heuristic Evaluation

Table 2: Heuristic evaluation of CSP screens against Nielsen's 10 Usability Heuristics. Y = Yes, P = Partial, N = No, – = Not applicable.

Screen	Visibility	Mapping	User Control	Consistency	Error Prevention	Recognition	Flexibility	Aesthetics	Error Recovery	Help & Docs
Sign Up	Y	Y	Y	Y	Y	Y	Y	Y	Y	P
Login	Y	Y	Y	Y	Y	Y	Y	Y	P	P
Profile	P	Y	Y	Y	Y	Y	P	Y	Y	Y
Preferences	Y	Y	Y	Y	P	Y	Y	Y	Y	Y
Emergency	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Incidents List	Y	Y	P	Y	Y	Y	P	Y	Y	–
Incident Detail	Y	Y	P	Y	Y	Y	Y	Y	N	–
Report Incident	Y	Y	N	Y	Y	Y	P	Y	P	–
Map	Y	Y	Y	Y	Y	P	P	Y	Y	–
Notifications	P	Y	N	Y	P	Y	P	Y	Y	N

Appendix E: User Flow Diagrams




Figure 26: Login / Sign Up user flow.




Figure 27: UI navigation user flow.




Figure 28: Menu user flow.




Figure 29: Route planning user flow.