| Variable |          |           |          | Reference | Codebook for SAS data sets - Experimental sample.  |
|----------|----------|-----------|----------|-----------|--|
| Number   | Name     | Width [1] | Base [2] | Name      | Descriptive text, allowed values and skip instructions   |
|          |          |           |          |           | MONTHLY VARIABLE CODEBOOK VARIABLES:TOTERN00-TOTERN32 TOTAL EARNINGS DURING MONTH, INCLUDING OVERTIME, TIPS, BONUSES, ETC.   |
| 1800     | RECID    | 06        | all      | RECID     | INDIVIDUAL RECORD IDENTIFIER.  UNIQUE PROJECT ID FOR EACH RESPONDENT.  100000199999 = UNIQUE PROJECT ID  |
| 1801     | PRO_IND  | 03        | all      | PRO_IND   | PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.   |
| 1802     | TOTERN   |           | all      | TOTERN    | TOTAL EARNINGS TOTAL EARNINGS DURING MONTH, INCLUDING OVERTIME, TIPS, BONUSES ETC.   |
|          |          |           |          |           | NOTE:  1. EACH OF THE TOTERN VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR TOTERN00.   |
|          |          |           |          |           | 2. THE TOTERN MONTHLY VARIABLES OCCUPY A DATA BLOCK 165 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.  |
| 1802.01  | TOTERNOO | 05        |          | TOTERN00  | TOTAL EARNINGS: MONTH 00 (RA)  TOTAL EARNINGS DURING MONTH OF RANDOM ASSIGNMENT,  (MONTH 00) INCLUDING OVERTIME, TIPS, BONUSES, ETC.  BLANK = BLANK, N/A, NULL ENTRY  00000.89999 = DOLLARS  99994 = NOT COMPUTED, INVALID DATES  99995 = BEYOND INTERVIEW DATE  99999 = MISSING |
| 1802.02  | TOTERN01 | 05        |          | TOTERN01  | TOTAL EARNINGS: MONTH 01   |
| 1802.03  | TOTERN02 | 05        |          | TOTERN02  | TOTAL EARNINGS: MONTH 02   |
| 1802.04  | TOTERN03 | 05        |          | TOTERN03  | TOTAL EARNINGS: MONTH 03   |

| 1802.05 | TOTERN04 | 05 | TOTERN04 | TOTAL EARNINGS: MONTH 04 |
|---------|----------|----|----------|--------------------------|
| 1802.06 | TOTERN05 | 05 | TOTERN05 | TOTAL EARNINGS: MONTH 05 |
| 1802.07 | TOTERN06 | 05 | TOTERN06 | TOTAL EARNINGS: MONTH 06 |
| 1802.08 | TOTERN07 | 05 | TOTERN07 | TOTAL EARNINGS: MONTH 07 |
| 1802.09 | TOTERN08 | 05 | TOTERN08 | TOTAL EARNINGS: MONTH 08 |
| 1802.10 | TOTERN09 | 05 | TOTERN09 | TOTAL EARNINGS: MONTH 09 |

<sup>[1]:</sup> Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable |          |           | Defemens | Codebook for SAS data sets - Experimental sample. |  |
|----------|----------|-----------|----------|---|--|
| Number   | Name     | Width [1] | Base [2] | Reference<br>Name                                 | Descriptive text, allowed values and skip instructions |
| 1802.11  | TOTERN10 | 05        |          | TOTERN10  | TOTAL EARNINGS: MONTH 10                               |
| 1802.12  | TOTERN11 | 05        |          | TOTERN11  | TOTAL EARNINGS: MONTH 11                               |
| 1802.13  | TOTERN12 | 05        |          | TOTERN12  | TOTAL EARNINGS: MONTH 12                               |
| 1802.14  | TOTERN13 | 05        |          | TOTERN13  | TOTAL EARNINGS: MONTH 13                               |
| 1802.15  | TOTERN14 | 05        |          | TOTERN14  | TOTAL EARNINGS: MONTH 14                               |
| 1802.16  | TOTERN15 | 05        |          | TOTERN15  | TOTAL EARNINGS: MONTH 15                               |
| 1802.17  | TOTERN16 | 05        |          | TOTERN16  | TOTAL EARNINGS: MONTH 16                               |
| 1802.18  | TOTERN17 | 05        |          | TOTERN17  | TOTAL EARNINGS: MONTH 17                               |
| 1802.19  | TOTERN18 | 05        |          | TOTERN18  | TOTAL EARNINGS: MONTH 18                               |
| 1802.20  | TOTERN19 | 05        |          | TOTERN19  | TOTAL EARNINGS: MONTH 19                               |
| 1802.21  | TOTERN20 | 05        |          | TOTERN20  | TOTAL EARNINGS: MONTH 20                               |
| 1802.22  | TOTERN21 | 05        |          | TOTERN21  | TOTAL EARNINGS: MONTH 21                               |
| 1802.23  | TOTERN22 | 05        |          | TOTERN22  | TOTAL EARNINGS: MONTH 22                               |
| 1802.24  | TOTERN23 | 05        |          | TOTERN23  | TOTAL EARNINGS: MONTH 23                               |
| 1802.25  | TOTERN24 | 05        |          | TOTERN24  | TOTAL EARNINGS: MONTH 24                               |
| 1802.26  | TOTERN25 | 05        |          | TOTERN25  | TOTAL EARNINGS: MONTH 25                               |
| 1802.27  | TOTERN26 | 05        |          | TOTERN26  | TOTAL EARNINGS: MONTH 26                               |
| 1802.28  | TOTERN27 | 05        |          | TOTERN27  | TOTAL EARNINGS: MONTH 27                               |

| 18 | 302.29 | TOTERN28 | 05 | TOTERN28 | TOTAL EARNINGS: MONTH 28 |
|----|--------|----------|----|----------|--------------------------|
| 18 | 302.30 | TOTERN29 | 05 | TOTERN29 | TOTAL EARNINGS: MONTH 29 |
| 18 | 302.31 | TOTERN30 | 05 | TOTERN30 | TOTAL EARNINGS: MONTH 30 |
| 18 | 302.32 | TOTERN31 | 05 | TOTERN31 | TOTAL EARNINGS: MONTH 31 |
|    |        |          |    |          |                          |
|    |        |          |    |          |                          |

<sup>[1]:</sup> Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

|          |          | MIAL MONIAL: |           |   | THE NATIONAL SIPA SIDDI PAGE DATE: DEC 1               |
|----------|----------|--------------|-----------|---|--|
| Variable |          |              | Reference | Codebook for SAS data sets - Experimental sample. |  |
| Number   | Name     | Width [1]    | Base [2]  | Name  | Descriptive text, allowed values and skip instructions |
| 1802.33  | TOTERN32 | 05           |           | TOTERN32  | TOTAL EARNINGS: MONTH 32                               |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |
|          |          |              |           |   |  |

PAGE DATE:DEC 1993

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.