

# Use Of Jigsaw Puzzle Solving Algorithms In The Real World

Luca Sartore

May 2023

# Contents

<b>1</b>	<b>Abstract</b>	<b>3</b>
<b>2</b>	<b>Introduction</b>	<b>3</b>
2.1	Classification . . . . .	3
2.2	Digital vs Real-World Jigsaw Puzzles . . . . .	3
<b>3</b>	<b>Previous Literature</b>	<b>4</b>
3.1	General Structure Of The Algorithms . . . . .	4
3.1.1	The Splitter: . . . . .	4
3.1.2	The Comparator: . . . . .	4
3.1.3	The Solver: . . . . .	4
3.2	Solving Jigsaw Puzzles By The Graph Connection Laplacian . . . . .	4

# 1 Abstract

The jigsaw puzzle problem has been in the eye of computer scientists for a while, and some clever solutions have already been found. These algorithms are made to work with a “digital” jigsaw puzzle [F1](#), but there aren’t papers (at least not popular enough to be searchable) that try to apply the solution to a “real world” jigsaw puzzle [F2](#).

The problem has been tackled by some small projects. But, as said earlier, the process and eventual challenges has never been documented by a full paper, this wants to be the first.

As a bonus the paper will also cover the creation of a user friendly app that will be open source and free to use.

## 2 Introduction

### 2.1 Classification

This paper will focus on type 2 puzzles. A type 2 puzzle is a puzzle where the position, and the orientation of each piece is unknown.

### 2.2 Digital vs Real-World Jigsaw Puzzles

There is another important distinction between different types of puzzles. They can be divided into “digital” and “real world” jigsaw puzzles.

Figure F1: An example of a “digital” jigsaw puzzle





Figure F2: An example of a “real world” jigsaw puzzle



The reason this distinction is important is because, despite the generic concept of the puzzle not changing, obtaining accurate matches of a piece’s characteristics is far easier with a digital puzzle, since there are far less things that can go wrong.

Figure F3: An example of what can go wrong when dealing with the real world



### 3 Previous Literature

This section will analyze 3 different algorithms that have been proposed as a solution of type 2 puzzles. The objective is to understand the strengths and the weaknesses of each one, to build up some knowledge that will be useful for the next section.

#### 3.1 General Structure Of The Algorithms

All the algorithms that will be analyzed are composed of 3 sub algorithms:

##### 3.1.1 The Splitter:

This component takes as input one or more images containing all the pieces. It then split all the pieces from each other, and split each piece into his four sides.

##### 3.1.2 The Comparator:

This component compares each side with all the others, in order to understand whether they match or not.

There are two distinct kinds of “Comparator” algorithms: The “Binary Comparison” and the “Non Binary Comparison”. As the name suggests when comparing two sides with a “Binary Comparison” the result can either be 0 (they do not match) or 1 (they match). In contrast a “Non Binary Comparison” can give any value between 0 and 1. This allows states of uncertainty to be represented.

##### 3.1.3 The Solver:

This component uses the information provided by the Comparator [3.1.2](#), and tries to find a solution (i.e. a position and an orientation for each piece) that is the most likely to be correct.

#### 3.2 Solving Jigsaw Puzzles By The Graph Connection Laplacian