

Megrim

2024-07-17

```
library(dplyr)
```

```
## Warning: package 'dplyr' was built under R version 4.3.3
```

```
##
```

```
## Attaching package: 'dplyr'
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
## filter, lag
```

```
## The following objects are masked from 'package:base':
```

```
##
```

```
## intersect, setdiff, setequal, union
```

```
library(ggplot2)
```

```
## Warning: package 'ggplot2' was built under R version 4.3.3
```

```
load("C:/Users/lucab/Downloads/stomach_dataset.Rdata")
```

```
sprat <- stom_df %>% filter(pred_taxa=="Lepidorhombus whiffiagonis")
```

```
sprat <- sprat %>% filter(pred_weight_g < 3000)
```

```
ggplot(sprat, aes(x=pred_weight_g, y=log(ppmr)))+  
  geom_point()+  
  geom_smooth(method="gam", se=FALSE, aes(weight = nprey_perpred))+  
  labs(title="logPPMR vs Predator Weight", x="Predator Weight (g)", y="logPPMR")
```


```
## 'geom_smooth()' using formula = 'y ~ s(x, bs = "cs")'
```

```
## Warning: Removed 1 row containing non-finite outside the scale range
```

```
## ('stat_smooth()').
```

```
## Warning: Removed 1 row containing missing values or values outside the scale range
```

```
## ('geom_point()').
```



```
dig <- 1

ggplot(sprat, aes(x=pred_weight_g, y=log(ppmr)))+
  geom_point()+
  facet_wrap(~data)+
  geom_smooth(method="gam", se=FALSE, aes(weight = nprey_perpred*sprat$prey_ind_weight_g^dig))+
  labs(title="logPPMR vs Predator Weight", x="Predator Weight (g)", y="logPPMR")


## Warning: Use of 'sprat$prey_ind_weight_g' is discouraged.
## i Use 'prey_ind_weight_g' instead.

## 'geom_smooth()' using formula = 'y ~ s(x, bs = "cs")'

## Warning: Removed 1 row containing non-finite outside the scale range
## ('stat_smooth()').

## Warning: Failed to fit group -1.
## Caused by error in 'smooth.construct.cr.smooth.spec()':
## ! x has insufficient unique values to support 10 knots: reduce k.

## Warning: Removed 1 row containing missing values or values outside the scale range
## ('geom_point()').
```




The ppmr looks consistent across sizes.

```
sprat$weight_numbers <- sprat$nprey_perpred
sprat$weight_biomass <- sprat$nprey_perpred*sprat$prey_ind_weight_g^dig

ggplot() +
  geom_density(data = sprat, aes(x = log(ppmr), weight = weight_biomass), color = "red") +
  geom_density(data = sprat, aes(x = log(ppmr), weight = weight_numbers), color = "blue") +
  labs(title = "Density Plot of log(ppmr) Weighted by Biomass and Numbers",
       x = "log(ppmr)",
       y = "Density") +
  theme_minimal()
```

```
## Warning: Removed 1 row containing non-finite outside the scale range ('stat_density()').
## Removed 1 row containing non-finite outside the scale range ('stat_density()').
```

Density Plot of log(ppmr) Weighted by Biomass and Numbers



This looks like 2 mixture gaussians. (Also looks very similar to plaice)

```
library(mclust)
```

```
## Warning: package 'mclust' was built under R version 4.3.3
```

```
## Package 'mclust' version 6.1.1
```

```
## Type 'citation("mclust")' for citing this R package in publications.
```

```
repeat_elements <- function(data, weights) {  
  valid_indices <- !is.na(data) & !is.na(weights)  
  data <- data[valid_indices]  
  weights <- weights[valid_indices]  
  
  final_vector <- c()  
  
  for (i in seq_along(data)) {  
    rounded_weight <- round(weights[i])  
    repeated_values <- rep(data[i], times = rounded_weight)  
    final_vector <- c(final_vector, repeated_values)  
  }  
}
```


```

    return(final_vector)
  }

spratnu <- repeat_elements(log(sprat$ppmr), sprat$npred_perpred)

gmm <- densityMclust(spratnu, G=2)

```



```

dplot <- data.frame(x=gmm[["data"]], density=gmm[["density"]])

(numbfit <- ggplot() +
  geom_density(data=sprat, aes(log(ppmr), weight=weight_numbers), fill="lightblue")+
  geom_line(data=dplot, aes(x = x, y = density), color="red") +
  labs(x = "Values", y = "Density") +
  ggtitle("Number Density Plot from Number Distribution"))


```

```

## Warning: Removed 1 row containing non-finite outside the scale range
## ('stat_density()').

```

Number Density Plot from Number Distribution



Now lets shift over.


```
newspratdens <- gmm[["density"]]*exp(-dig*gmm[["data"]])
shifted_pdf_normalized <- newspratdens / sum(newspratdens)

#making new dataframe
dplot <- data.frame(x=gmm[["data"]], density=shifted_pdf_normalized)

(numbfittbio <- ggplot() +
  geom_density(data=sprat, aes(log(ppmr), weight=weight_biomass), fill="lightblue")+
  geom_density(data=dplot, aes(x, weight=shifted_pdf_normalized), fill="red", alpha=0.5)+
  #geom_line(data=dplot, aes(x = x, y = density), color="red") +
  labs(x = "Values", y = "Density") +
  ggtitle("Diet Density Plot from Number Distribution"))
```

```
## Warning: Removed 1 row containing non-finite outside the scale range
## ('stat_density()').
```

Diet Density Plot from Number Distribution



This shifts very well.

```
print(gmm$parameters)
```

```
## $pro
## [1] 0.5504123 0.4495877
##
## $mean
##      1      2
## 4.015029 5.947145
##
## $variance
## $variance$modelName
## [1] "V"
##
## $variance$d
## [1] 1
##
## $variance$G
## [1] 2
##
## $variance$sigmaSq
## [1] 0.2139633 2.8654756
##
## $variance$scale
## [1] 0.2139633 2.8654756
```