



MINISTÈRE
DE L'ENSEIGNEMENT SUPÉRIEUR,
DE LA RECHERCHE
ET DE L'INNOVATION



PHAST
PHYSIQUE
ET ASTROPHYSIQUE
UNIVERSITÉ DE LYON



Recherche d'un boson de Higgs de haute masse se désintégrant en paire de taus dans l'expérience CMS au LHC

Thèse de doctorat

Lucas TORTEROTOT

Institut de Physique des deux Infinis – Lyon


XX xxxx 2021





1 The CMS detector at CERN LHC


- CERN LHC
- The CMS detector


2 Calibration en énergie des jets
























Trajectographe














► Niveaux de connaissance

particule	(ptcl)
reconstruit	(reco)
corrigé	(corr)

► Niveaux de connaissance



particule	(ptcl)
reconstruit	(reco)
corrigé	(corr)

► Réponse d'un jet

$$R = \frac{p_T}{p_{T\text{ptcl}}}$$

Jets
Reconstitués



Jets
Calibrés



Appliqué aux données

Jets
ReconstituésJets
Calibrés




Appliqué aux simulations







Appliqué aux données



Appliqué aux simulations



Appliqué aux données







Appliqué aux données





Appliqué aux simulations







Appliqué aux données






Appliqué aux données















$$\vec{p}_{T\text{ptcl}}^\gamma + \vec{p}_{T\text{ptcl}}^{\text{jet}} = \vec{0} \Rightarrow p_{T\text{ptcl}}^\gamma = p_{T\text{ptcl}}^{\text{jet}}$$



$$\vec{p}_{\text{T ptcl}}^{\gamma} + \vec{p}_{\text{T ptcl}}^{\text{jet}} = \vec{0} \Rightarrow p_{\text{T ptcl}}^{\gamma} = p_{\text{T ptcl}}^{\text{jet}}$$


$$R = \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T ptcl}}^{\text{jet}}} = \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T ptcl}}^{\gamma}} \simeq \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T reco}}^{\gamma}}$$









$$\vec{p}_{\text{T ptcl}}^\gamma + \vec{p}_{\text{T ptcl}}^{\text{jet}} = \vec{0} \Rightarrow p_{\text{T ptcl}}^\gamma = p_{\text{T ptcl}}^{\text{jet}}$$

$$R = \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T ptcl}}^{\text{jet}}} = \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T ptcl}}^\gamma} \simeq \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T reco}}^\gamma}$$

$$R_{\text{bal}} = \frac{p_{\text{T reco}}^{\text{jet}}}{p_{\text{T}}^\gamma}$$







$$R_{bal} = \frac{p_T^{\text{jet 1}}}{p_T^\gamma}$$

$$\alpha = \frac{p_T^{\text{jet 2}}}{p_T^\gamma}$$

$$\vec{p}_{T\text{ptcl}}^{\gamma} + \vec{p}_{T\text{ptcl}}^{\text{recul}} = \vec{0}$$

$$\vec{p}_T^{\gamma} + \vec{p}_T^{\text{recul}} = \vec{0}$$

$$\underbrace{\vec{p}_T^{\gamma} + R_{MPF} \vec{p}_T^{\text{recul}}}_{\vec{p}_T^{\text{reco}}} = -\vec{E}_T^{\text{miss}} \Rightarrow R_{MPF} = 1 + \frac{\vec{p}_T^{\gamma} \cdot \vec{E}_T^{\text{miss}}}{|\vec{p}_T^{\gamma}|^2}$$

Jet Energy Resolution

- ▶ Remember R_{bal} definition,

$$R_{bal} = \frac{p_{\text{T}}^{\text{reco, 1st jet}}}{p_{\text{T}}^{\gamma, \text{reco}}}$$

Jet Energy Resolution

- ▶ Remember R_{bal} definition,

$$R_{bal} = \frac{p_{T\text{reco}}^{\text{1st jet}}}{p_{T\text{reco}}^\gamma}$$

Then

$$R_{bal} = \underbrace{\frac{p_{T\text{reco}}^{\text{1st jet}}}{p_{T\text{ptcl}}^{\text{1st jet}}}}_{\sigma_{\text{jet}} = \text{JER}} \times \underbrace{\frac{p_{T\text{ptcl}}^{\text{1st jet}}}{p_{T\text{ptcl}}^\gamma}}_{\text{PLI}} \times \underbrace{\frac{p_{T\text{ptcl}}^\gamma}{p_{T\text{reco}}^\gamma}}_{\sigma_\gamma \equiv 1}$$

- ▶ PLI: Particle Level Imbalance (pile-up, radiations, neutrinos...), $\rightarrow 0$ when $\alpha \rightarrow 0$.

Jet Energy Resolution

- ▶ Remember R_{bal} definition,

$$R_{bal} = \frac{p_{T\text{reco}}^{\text{1st jet}}}{p_{T\text{reco}}^\gamma}$$

Then

$$R_{bal} = \underbrace{\frac{p_{T\text{reco}}^{\text{1st jet}}}{p_{T\text{ptcl}}^{\text{1st jet}}}}_{\sigma_{\text{jet}} = \text{JER}} \times \underbrace{\frac{p_{T\text{ptcl}}^{\text{1st jet}}}{p_{T\text{ptcl}}^\gamma}}_{\text{PLI}} \times \underbrace{\frac{p_{T\text{ptcl}}^\gamma}{p_{T\text{reco}}^\gamma}}_{\sigma_\gamma \equiv 1}$$

- ▶ PLI: Particle Level Imbalance (pile-up, radiations, neutrinos...), $\rightarrow 0$ when $\alpha \rightarrow 0$.

$$\text{JER} = \sigma_{\text{jet}} = \sqrt{\sigma_{R_{bal}}^2 - \sigma_{\text{PLI}}^2}$$

Thank you for your attention!