

## 1. UEFI & Keyboard & Locale

`ls /sys/firmware/efi/efivars <-->` if any error change to MBR+BIOS Legacy  
`efibootmgr <-->` should list "Linux Boot Manager"

`loadkeys br-abnt2`

`nano /etc/locale.gen <-->` unmark `LANG=pt_BR.UTF-8`

`locale-gen`

`nano /etc/locale.conf <-->` set `LANG=pt_BR.UTF-8`

## 2. Network & Connectivity

`ip link`

`iwctl`

`device list`

`station wlan0 scan`

`station wlan0 get-networks`

`station wlan0 connect`

`exit`

`ping archlinux.org`

`timedatectl <-->` Time Zone Setting

`ls /usr/share/kbd/consolefonts/ | grep ter-128b`

if yes: `setfont ter-128b`

if not: `pacman -Sy terminus-font`

if ok: `setfont ter-128b <-->` for best readability

## 3. Partitioning & Formatting

`parted /dev/nvme0n1 mklabel gpt`

`parted /dev/nvme0n1 mkpart ESP fat32 1MiB 1025MiB`

`parted /dev/nvme0n1 set 1 esp on`

`parted /dev/nvme0n1 mkpart primary linux-swap 1025MiB 9217MiB`

`parted /dev/nvme0n1 mkpart primary btrfs 9217MiB 100%`

`mkfs.fat -F32 /dev/nvme0n1p1`

`mkswap /dev/nvme0n1p2`

`swapon /dev/nvme0n1p2`

`mkfs.btrfs -L ROOT /dev/nvme0n1p3`

## 4. Mounting btrfs Subvolumes

`mount /dev/nvme0n1p3 /mnt`

`btrfs subvolume create /mnt/@`

`btrfs subvolume create /mnt/@home`

`btrfs subvolume create /mnt/@log`

`btrfs subvolume create /mnt/@cache`

`btrfs subvolume create /mnt/@snapshots`

`umount /mnt`

```
mount -o subvol=@ /dev/nvme0n1p3 /mnt
mkdir -p /mnt/{home,var/log,var/cache,var/snapshots}
mount -o subvol=@home /dev/nvme0n1p3 /mnt/home
mount -o subvol=@log /dev/nvme0n1p3 /mnt/var/log
mount -o subvol=@cache /dev/nvme0n1p3 /mnt/var/cache
mount -o subvol=@snapshots /dev/nvme0n1p3 /mnt/var/snapshots
mkdir -p /mnt/boot
mount /dev/nvme0n1p1 /mnt/boot
```

## 5. Base System Installation for Intel Chipset

```
reflector --latest 20 --sort rate --save /etc/pacman.d/mirrorlist
```

```
pacstrap -K /mnt base linux-zen linux-firmware intel-ucode vulkan-intel
vulkan-mesa-device-select vulkan-tools apparmor btrfs-progs dhcpcd hwdetect
iproute2 iwd mkinitcpio mkinitcpio-busybox mkinitcpio-systemd-tool
mkinitcpio-utils net-tools netctl networkmanager sudo systemd systemd-
resolvconf util-linux wpa_supplicant
```

```
genfstab -U /mnt > /mnt/etc/fstab <--> disk partition mount table
```

## 6. Chroot Configuration

```
arch-chroot /mnt <--> entering to chroot environment
```

```
ln -sf /usr/share/zoneinfo/America/Sao_Paulo /etc/localtime
hwclock --systohc
nano /etc/locale.gen <--> check if LANG=pt_BR.UTF-8 is enabled
locale-gen
nano /etc/locale.conf <--> set LANG=pt_BR.UTF-8
nano /etc/vconsole.conf <--> set KEYMAP=br-abnt2
nano /etc/hostname <--> set book (choose a preferred name)
```

```
passwd <--> setting "root" admin password
useradd -m -g users -G wheel -s /bin/bash archer (choose a preferred name)
passwd archer <--> setting "archer" sudo password
EDITOR=nano visudo
%wheel ALL=(ALL:ALL) ALL <--> uncomment for enabling sudo for "archer" user
```

## 7. Bootloader (systemd-boot)

```
bootctl install
```

```
blkid /dev/nvme0n1p3 <--> catch the UUID in PARTUUID field
```

```
nano /boot/loader/entries/arch.conf
```

```
title    Arch Linux Zen
linux    /vmlinuz-linux-zen
initrd   /intel-ucode.img
initrd   /initramfs-linux-zen.img
```

```
options root=PARTUUID=<UUID caught> rw
rootflags=subvol=@,compress=zstd,ssd,discard=async,space_cache=v2 apparmor=1
security=apparmor quiet loglevel=3
```

```
nano /boot/loader/entries/arch-fallback.conf
```

```
title    Arch Linux Fallback
linux    /vmlinuz-linux-zen
initrd   /intel-ucode.img
initrd   /initramfs-linux-zen-fallback.img
options  root=PARTUUID=<UUID caught> rw
rootflags=subvol=@,compress=zstd,ssd,discard=async,space_cache=v2 apparmor=1
security=apparmor quiet loglevel=3
```

```
nano /boot/loader/loader.conf
```

```
default arch.conf
timeout 2
console-mode max
editor no
```

```
ls /sys/firmware/efi/efivars <--> check if UEFI remain active
efibootmgr <--> should list "Linux Boot Manager"
```

```
systemctl enable NetworkManager.service <--> enable network access options
```

```
mkinitcpio -P
```

```
exit <--> exiting from chroot environment
```

```
umount -R /mnt
swapoff -a
```

```
shutdown
```

```
remove the USB drive before "initiate"
```

## 8. Post-Installation Network Configuration

```
Login: root
```

```
systemctl start NetworkManager.service
```

```
nmcli general status
nmcli device status
nmcli device wifi list
nmcli device wifi connect "wifi name" password "wifi password"
```

```
e.g.: nmcli device wifi connect "my-network" password "1234567890"
```

```
pacman -Sy terminus-font
setfont ter-128b
```

## 9. Installing GNOME and Essential Packages

```
pacman -S adwaita-icon-theme contrast decibel eog evolution eyedropper file-roller firefox firefox-locale-pt-br foliate fragments gdm gedit gedit-plugins gimp gimp-help-pt-br gnome gnome-applets gnome-backgrounds gnome-bluetooth gnome-browser-connector gnome-calendar gnome-characters gnome-clocks gnome-color-manager gnome-commander gnome-control-center gnome-disk-utility gnome-firmware gnome-info-collect gnome-keyring gnome-logs gnome-menus gnome-music gnome-nettool gnome-online-accounts gnome-packagekit gnome-power-manager gnome-remote-desktop gnome-screenshot gnome-session gnome-settings-daemon gnome-shell gnome-shell-extension-appindicator gnome-shell-extension-arc-menu gnome-shell-extension-caffeine gnome-shell-extension-dash-to-panel gnome-shell-extension-weather-oclock gnome-shell-extensions gnome-system-monitor gnome-terminal gnome-text-editor gnome-themes-extra gnome-tweaks gnome-usage gnome-user-docs gnome-user-share gnome-weather gparted grilo-plugins gthumb gvfs gvfs-afc gvfs-dnssd gvfs-goa gvfs-gphoto2 gvfs-mtp gvfs-nfs gvfs-smb gvfs-wsdd letterpress loupe morphosis mpv mutter nautilus network-manager-applet orca papers pavucontrol qalculate-gtk rygel seahorse shotwell showtime simple-scan snapshot system-config-printer timeshift xdg-desktop-portal-gnome xdg-user-dirs-gtk xkeyboard-config xorg-server yelp yelp-tools yelp-xsl zed
```

```
pacman -S alsa-utils aspell aspell-en aspell-pt at-spi2-core avahi bat bind-tools bluez bluez-utils colord cronie cups cups-browsed cups-filters cups-pdf curl ethtool fail2ban fd ffmpeg firewalld foomatic-db foomatic-db-engine foomatic-db-ppds fwupd fzf git glances grc gst-plugins-base gst-plugins-base-libs gutenprint hspell htop hunspell imagemagick inxi less libinput libssh libssh2 libvncserver libvoikko libwireplumber localesearch lsd lsof man-db man-pages mesa-utils meson micro ninja nmap nss-mdns nuspell p7zip pacman-contrib parted pipewire pipewire-pulse powertop pwgen qt5-wayland qt6-wayland ripgrep smartmontools speedtest-cli tecla tinysparql tlp tree unzip upower v4l-utils v4l2loopback-utils wget wireless_tools wireplumber yt-dlp zip zram-generator zsh zsh-autocomplete zsh-autosuggestions zsh-completions zsh-history-substring-search zsh-lovers zsh-syntax-highlighting
```

```
systemctl enable gdm.service
systemctl status gdm.service
systemctl enable apparmor.service
systemctl enable avahi-daemon.service
systemctl enable bluetooth.service
systemctl enable cups.service
systemctl enable cups-browsed.service
systemctl enable firewalld.service
systemctl enable timeshift.timer
systemctl enable tlp.service
```

reboot

Login: user <--> if fail → make login by CLI

CLI command: sudo systemctl start gdm.service

on the next page ...

## 11. Services and Optimizations

```
sudo nano /etc/mkinitcpio.conf
```

HOOKS=(base udev autodetect microcode modconf kms keyboard keymap consolefont  
block filesystems fsck) <--> fields that must be verified

1. make setup in gnome-control-center
2. make setup in gnome-shell-extensions
3. make setup in gnome-tweaker
4. configure fstab: `sudo nano /etc/fstab`
5. configure timeshift
6. configure zram-generator
7. `zsh <--> chsh -s /bin/zsh $USER`
8. install fonts :

```
sudo pacman -S gnu-free-fonts ttf-atkinson-hyperlegible ttf-bitstream-vera  
ttf-caladea ttf-carlito ttf-cascadia-code ttf-croscore ttf-dejavu ttf-droid  
ttf-fira-code ttf-fira-mono ttf-fira-sans ttf-firacode-nerd ttf-hack ttf-ibm-  
plex ttf-inconsolata ttf-input ttf-jetbrains-mono ttf-junicode ttf-junicode-  
variable ttf-liberation ttf-libertinus ttf-linux-libertine ttf-linux-  
libertine-g ttf-meslo-nerd ttf-mona-sans ttf-monospace-frozen ttf-monospace-  
variable ttf-opensans ttf-roboto ttf-roboto-mono
```

\* \* \*