

Quantum Pseudo-Telepathy

The Magic Square Game

Luigi Soares and Roberto Rosmaninho

Department of Computer Science, UFMG - Brazil
{luigi.domenico, robertogomes}@dcc.ufmg.br

1 Introduction

Telepathy, the ability of transmitting information from one person's mind to another's, would certainly come in handy in many situations, right? Unfortunately (or not), (to the best of our knowledge) telepathy is not a thing. At least, not according to classical physics. Certain aspects of the quantum realm, however, provide a way of communication that for a layman looks as magical as “true” telepathy. This phenomenon is called quantum *pseudo-telepathy* [1].

Quantum pseudo-telepathy is observed in many contexts, usually described in the format of a game: the “impossible colouring games” [1, 3]; the parity games, in which $n \geq 3$ players are given bit-strings and, without communicating to each other, they output one of their bits, winning if their outputs combined obey certain parity conditions [1, 4]; the Deutsch-Jozsa games, where Alice and Bob are given bit strings x and y , and must output bit strings a and b such that $a = b$ if and only if $x = y$ [1, 2]; and, the Magic Square game [1, 4]. None of these games admit a classical winning strategy (i.e. is not possible to always win), yet they can be won systematically, without any communication, provided that the players share prior entanglement [1].

In this project, we shall explore the Mermin-Peres Magic Square game (hereinafter referred simply as Magic Square). The origins of this game date back to the nineties. It was first described — albeit not in the format of a game — in the works of Mermin [mermin:1990] and of Peres [peres:1990]. Their results provided (as per the title of Mermin's review letter) a simplified proof for the Kochen-Specker theorem [Kocher1975]. Later, in 2002, Aravind demonstrated how to transform Mermin-Peres's proof of then Kochen-Specker theorem into a proof of Bell's theorem [aravind:xxx]. Bell's theorem shows the incompatibility of hidden variables (i.e. determinism) and locality, whereas Kochen-Specker's theorem demonstrates the conflicting nature of determinism and non-contextuality. These sort of results may seem challenging, but their descriptions can be greatly simplified by modeling them as quantum games. In particular, it is extremely easy to show that there cannot be a classical solution to the the Magic Square game, and to convince an observer that something “magical” (classically impossible) is happening in a successful implementation of a quantum winnin strategy [1].

TODO: FIX: they talk about contextuality only (both theorems)

Outline of this paper.

2 Contextuality

3 The Magic Square Game

A magic square is a 3×3 matrix whose entries are filled with ± 1 's. The product of every row of a magic square must be $+1$. Similarly, the product of every column of a magic square must be -1 . Is impossible to satisfy these two properties at the same time, hence the term *magic*: such a matrix cannot exist. The Magic Square game features two players, Alice and Bob, that must work together to fill in entries of the 3×3 table. At the beginning of the game, Alice and Bob are separated by a referee, Charlie, so that communication between them is impossible. At each round, Charlie assigns one row of the matrix at random to Alice, and asks Alice to give him the entries to fill in that particular row. After that, Charlie visits Bob and asks him to fill one column of the table, which Charlie draws at random. Bob does not know which row Alice was assigned, and Alice does not know which colum Bob was assigned. Alice and Bob win the round if their answers are valid,

i.e. the product of the row filled by Alice is $+1$ and the product of the column filled by Bob is -1 , and, in addition, the intersection of the row and the column agrees (i.e. both answered $+1$ or both answered -1). Before the game starts, Alice and Bob are allowed to communicate, so they can come up with an strategy. For example, they may prepare their answers for each row and column beforehand, or they may decide to follow a probabilistic strategy.

3.1 Classical Solution

Assume that Alice and Bob decided to adopt a deterministic strategy. For that, they met before the beginning of the game, and prepared their answers for each possible row and column. For example, they might have agreed that, if given the first column, Bob shall fill it with three -1 's. Then, whatever row Alice is given, she must fill it with either $\{-1, +1, -1\}$ or $\{-1, -1, +1\}$. Suppose that Alice decided that she would fill any row in the same way: $\{-1, -1, +1\}$. Figure 1 (a) shows how the predefined matrix would look like. Notice that Alice's rows are already defined, but Bob still has to decide how to fill the second and third columns. He can, and must, fill the second column with three -1 's, so that whatever row Alice is given, the intersection agrees. Intuitively, for the same reason, he should then fill the third column with three $+1$'s. However, this is not a valid strategy, since the product of the last column will be $+1$ and not -1 , as required. Thus, Bob must fill at least one of the entries of the last column with -1 . By doing that, there will be one row and column whose intersection does not agree, and thus one row and column for which Alice and Bob lose, as illustrated in Figure 1 (b). It is not difficult to convince yourself that, no matter how Alice and Bob decide to fill in their entries, it is impossible for them to come up with predefined answers that always win. In fact, the best that they can do is to win with probability $8/9$.

-1	-1	$+1$
-1	-1	$+1$
-1	-1	$+1$

(a) Initially, Alice and Bob agree that Bob shall fill the first column with $\{-1, -1, -1\}$. Based on this choice, Alice decides to fill all of her rows with $\{-1, -1, +1\}$.

-1	-1	± 1
-1	-1	$+1$
-1	-1	$+1$

(b) Bob has to fill the second column with -1 's, to match Alice's choice. He should also match Alice's choice for each cell of the third column, but he cannot, for the product of the column must be -1 .

Fig. 1: One possible classical deterministic strategy for the Magic Square game. Following this predefined strategy, Alice and Bob lose when assigned, respectively, the first row and third column, but win in any other scenario. That is, their probability of winning a round is $8/9$. Gray cells are entries for which Alice's and Bob's choices agree.

What if Alice and Bob decide for a probabilistic strategy? That is, Alice and Bob each carry a coin. When assigned a row/column, they flip their coins and fill the entries of the row/column based on the outcomes of the coins. Can they do better? To randomly assign values to one row (equivalently, one column) is essentially the same as randomly selecting one of the 2^3 possible predefined 3×3 grids (including those matrices that would lead to invalid answers). In other words, a probabilistic strategy for the Magic Square game is one in which Alice and Bob randomly select a deterministic strategy. Hence, no matter how lucky Alice and Bob are, the probability of success of any strategy that they come up with is bounded by the winning probability of the best deterministic strategy, which is $8/9$. Theorem ?? formalizes this argument.

3.2 Quantum Solution

4 Quantum Unitaries (? research)

References

1. Brassard, G., Broadbent, A., and Tapp, A.: Quantum Pseudo-Telepathy. *Foundations of Physics* 35(11), 1877–1907 (2005). DOI: [10.1007/s10701-005-7353-4](https://doi.org/10.1007/s10701-005-7353-4)
2. Brassard, G., Cleve, R., and Tapp, A.: Cost of Exactly Simulating Quantum Entanglement with Classical Communication. *Physical Review Letters* 83(9), 1874–1877 (1999). DOI: [10.1103/physrevlett.83.1874](https://doi.org/10.1103/physrevlett.83.1874)
3. Kochen, S., and Specker, E.P.: “The Problem of Hidden Variables in Quantum Mechanics”. In: *The Logico-Algebraic Approach to Quantum Mechanics: Volume I: Historical Evolution*. Ed. by C.A. Hooker. Dordrecht: Springer Netherlands, 1975, pp. 293–328. ISBN: 978-94-010-1795-4. DOI: [10.1007/978-94-010-1795-4_17](https://doi.org/10.1007/978-94-010-1795-4_17). https://doi.org/10.1007/978-94-010-1795-4_17.
4. Mermin, N.D.: Extreme quantum entanglement in a superposition of macroscopically distinct states. *Phys. Rev. Lett.* 65, 1838–1840 (1990). DOI: [10.1103/PhysRevLett.65.1838](https://doi.org/10.1103/PhysRevLett.65.1838)