Package name: XCharter (Charter) **Derived from:** Bitstream Charter (free version)

Weights and shapes: {m, b}, {n, it}. Features:

> • SMALL CAPS in all weights and shapes; tabular lining figures 0123456789;

• full set of f-ligatures;

• proportional oldstyle figures with two choices for 'one': 0123456789 and 0123456789—options osf

• superior figures 0123456789. The option sups forces their use as footnote markers;

and osfI set the default figure style in text accordingly;

very plain but very readable, even at small sizes and lower resolutions.

\usepackage[full]{textcomp} \usepackage[osf,sups,scaled=.97]{XCharter} % osf for text, not math

\usepackage{cabin} % sans serif \usepackage[varqu,varl]{inconsolata} % sans serif typewriter

\usepackage[libertine,bigdelims,vvarbb,scaled=1.03]{newtxmath} % bb from STIX \usepackage[cal=boondoxo]{mathalfa} % mathcal

Example using this preamble:

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing

vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate

a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus

vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius

or, equivalently, letting $S_n := \sum_{1}^{n} X_k$,

orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci

dignissim rutrum. The typeset math below follows the ISO recommendations that only variables be set in italic. Note the use

of upright shapes for d, e and π . (The first two are entered as \mathrm{d} and \mathrm{e}, and in fonts derived from mtpro2 or newtxmath, the latter is entered as \uppi.) **Simplest form of the Central Limit Theorem:** Let X_1, X_2, \cdots be a sequence of iid random variables with mean 0 and variance 1 on a probability space $(\Omega, \mathcal{F}, \mathbb{P})$. Then

 $\mathbb{E} f\left(S_n/\sqrt{n}\right) \to \int_{-\infty}^{\infty} f(t) \frac{\mathrm{e}^{-t^2/2}}{\sqrt{2\pi}} \, \mathrm{d}t \quad \text{as } n \to \infty, \text{ for every } f \in \mathrm{b}\mathscr{C}(\mathbb{R}).$

 $\mathbb{P}\left(\frac{X_1 + \dots + X_n}{\sqrt{n}} \le y\right) \to \Re(y) := \int_{-\infty}^{y} \frac{e^{-t^2/2}}{\sqrt{2\pi}} dt \quad \text{as } n \to \infty,$

Typical invocation: