

## CH 2 — Logical Analysis

Luke Lu • 2025-09-13

---

### Truth Tables and Negation

$A$  is a statement with an assigned truth value and can be manipulated as a logical expression using the operators not, or, and,  $\Rightarrow$

#### Negation table

A	not A	not(not A)
T	F	T
F	T	F

### Compound Statements

A compound statement is built from simpler statements using or and and

- $\vee$  is disjunction
- $\wedge$  is conjunction

#### Tables for

A	B	A or B	A and B
T	T	T	T
T	F	T	F
F	T	T	F
F	F	F	F

### Logical Laws

#### 1. De Morgan's Laws for statements $A$ and $B$

1.  $\neg(A \wedge B) \equiv \neg A \vee \neg B$
2.  $\neg(A \vee B) \equiv \neg A \wedge \neg B$

#### 2. Commutative, Associative, and Distributive Laws

##### 1. Commutative

- $A \vee B \equiv B \vee A$
- $A \wedge B \equiv B \wedge A$

##### 2. Associative

- $A \wedge (B \wedge C) \equiv (A \wedge B) \wedge C$
- $A \vee (B \vee C) \equiv (A \vee B) \vee C$

##### 3. Distributive

- $A \wedge (B \vee C) \equiv (A \wedge B) \vee (A \wedge C)$
- $A \vee (B \wedge C) \equiv (A \vee B) \wedge (A \vee C)$

### Truth-table proof of De Morgan Law

A	B	not A	not B	A and B	not(A and B)	not A or not B
T	T	F	F	T	F	F
T	F	F	T	F	T	T
F	T	T	F	F	T	T
F	F	T	T	F	T	T

Since the columns for  $\neg(A \wedge B)$  and  $\neg A \vee \neg B$  are identical in the table, they are logically equivalent.

### Example:

Truth table proof of Distributive  $\wedge$  over  $\vee$

Show  $A \wedge (B \vee C) \equiv (A \wedge B) \vee (A \wedge C)$

A	B	C	B or C	A and (B or C)	A and B	A and C	(A and B) or (A and C)
T	T	T	T	T	T	T	T
T	T	F	T	T	T	F	T
T	F	T	T	T	F	T	T
T	F	F	F	F	F	F	F
F	T	T	T	F	F	F	F
F	T	F	T	F	F	F	F
F	F	T	T	F	F	F	F
F	F	F	F	F	F	F	F

### Implications

$\Rightarrow$  is implication

B if A

B when A

B whenever A

A is a sufficient condition for B

### Key equivalence

$(A \Rightarrow B) \equiv (\neg A \vee B)$

A	B	A $\Rightarrow$ B	not A	(not A) or B
T	T	T	F	T
T	F	F	F	F
F	T	T	T	T
F	F	T	T	T

So  $\neg(A \Rightarrow B) \equiv \neg(\neg A \vee B) \equiv A \wedge \neg B$

### Practice

$$((A \vee B) \Rightarrow C) \equiv (A \Rightarrow C) \wedge (B \Rightarrow C)$$

A	B	C	A or B	(A or B) => C	A => C	B => C	(A => C) and (B => C)
T	T	T	T	T	T	T	T
T	T	F	T	F	F	T	F
T	F	T	T	T	T	T	T
T	F	F	T	F	F	F	F
F	T	T	T	T	T	T	T
F	T	F	T	F	T	F	F
F	F	T	F	T	T	T	T
F	F	F	F	T	T	T	T

### Converse

$B \Rightarrow A$  is the converse of  $A \Rightarrow B$

### Contrapositive

$(\neg B) \Rightarrow (\neg A)$  is the contrapositive of  $A \Rightarrow B$

A	B	A => B	B => A	not A	not B	(not B) => (not A)
T	T	T	T	F	F	T
T	F	F	T	F	T	F
F	T	T	F	T	F	T
F	F	T	T	T	T	T

### Examples

1. If  $x > y$  then  $x \geq y$
2. Converse If  $x \geq y$  then  $x > y$
3. Contrapositive If  $x < y$  then  $x \leq y$

### If and Only If

$\Leftrightarrow$  means if and only if

A	B	A => B	B => A	A <=> B	(A => B) and (B => A)
T	T	T	T	T	T
T	F	F	T	F	F
F	T	T	F	F	F
F	F	T	T	T	T

What is  $\neg(A \Leftrightarrow B)$ ?

Solution:

$$\equiv \neg((A \Rightarrow B) \wedge (B \Rightarrow A))$$

$$\equiv \neg(A \Rightarrow B) \vee \neg(B \Rightarrow A)$$

$$\equiv \neg(\neg A \vee B) \vee \neg(A \vee \neg B)$$

$$\equiv (A \wedge \neg B) \vee (\neg A \wedge B)$$