Table S1: Accessions of Zea mays ssp. mexicana (RIMME) and Zea mays ssp. parviglumis (RIMPA) sampled. RIHY is a Z. mays ssp. parviglumis and Zea mays ssp. mays hybrid.

Accession	USDA ID	Locality	Alleles Sampled	Hopscotch Freq.	No Hopscotch Freq.
RIHY0009	N/A	N/A	2	0.5	0.5
RIMME0006	566673	Durango	2	0	1
RIMME0007	566680	Guanajuato	2	0	1
RIMME0008	566681	Michoacan	2	0	1
RIMME0009	566682	Distrito Federal	2	0	1
RIMME0011	566685	Mexico	2	0	1
RIMME0014	714151	Breeders line	6	0	1
RIMME0017	699874	Ayotlan	8	0	1
RIMME0021	N/A	El Porvenir	69	0.17	0.83
RIMME0026	N/A	Opopeo	42	0.07	0.93
RIMME0028	N/A	Puruandiro	28	0.04	0.96
RIMME0029	N/A	Ixtlan	35	0	1
RIMME0030	N/A	San Pedro	27	0	1
RIMME0031	N/A	Tenango del Aire	25	0.08	0.92
RIMME0032	N/A	Nabogame	24	0	1
RIMME0033	N/A	Puerta Encantada	25	0	1
RIMME0034	N/A	Santa Clara	23	0	1
RIMME0035	N/A	Xochimilco	25	0	1
RIMPA0001	87168	El Salado Magatlan	4	0	$\frac{1}{0.87}$
RIMPA0003	87171	Mazatlan	8	0.13	
RIMPA0017 RIMPA0019	87200	N/A	$\frac{4}{2}$	0	1
	87213	El Salado		0.50	0.50
RIMPA0029	87244	N/A	$\frac{2}{2}$	0.50	0.50
RIMPA0031	87249	N/A Jalisco		0.5	0.5
RIMPA0035	87288		4		1
RIMPA0040	288185	Mexico	4	0	$\frac{1}{0.75}$
RIMPA0042	288187	Guerrero Guerrero	4	$0.25 \\ 0$	0.75
RIMPA0043 RIMPA0045	288188 288193	Guerrero	4	0	1
RIMPA0055	714152	Breeders line	2	0	1
RIMPA0056	714152	Breeders line	$\frac{2}{2}$	0.50	0.50
RIMPA0057	714154	Breeders line	$\frac{2}{2}$	0.50	0.50
RIMPA0058	N/A	N/A	4	0.50	0.50
RIMPA0059	N/A	N/A	4	1	0.50
RIMPA0060	714157	Breeders line	2	0	1
RIMPA0061	714158	Breeders line	4	0.5	0.5
RIMPA0062	714159	Breeders line	4	0.5	0.5
RIMPA0063	714160	Breeders line Breeders line	4	0	1
RIMPA0064	714161	Breeders line	3	0	1
RIMPA0065	714162	Breeders line Breeders line	4	0.25	0.75
RIMPA0068	699861	Jalisco, Mexico	16	0	1
RIMPA0069	699862	Ixtlan	14	0.14	0.86
RIMPA0070	699863	Benito Jaurez	16	0	1
RIMPA0071	699864	Tuzantla	28	0	1
RIMPA0072	699865	Tiquicheo	16	0	1
RIMPA0073	699866	Tiquicheo	16	0.12	0.88
RIMPA0074	699867	Huetamo	12	0	1
RIMPA0075	699868	Huetamo	2	0	1
RIMPA0076	699869	Huetamo	4	0	1
RIMPA0077	699870	Caracuaro	2	0	1
RIMPA0078	699871	Caracuaro	2	0.5	0.5
RIMPA0079	699872	Villa Madero	14	0	1
RIMPA0080	699873	Guachinango	12	0	1
RIMPA0081	699875	Ameca	16	0	1
RIMPA0083	699877	Tepoztlan	14	0	1
RIMPA0084	699878	Tepoztlan	16	0	1
RIMPA0085	699879	Miahuatlan	16	0	1
RIMPA0086	699880	Miahuatlan	16	0.06	0.94
RIMPA0087	699881	Tecoanapa	24	0	1
RIMPA0089	699883	Guerrero	12	0	1
RIMPA0090	699884	Guerrero	10	0	1
RIMPA0091 RIMPA0092	699885 699886	Guerrero Guerrero	16 10	0	1 1

Accession	USDA ID	Locality	Alleles Sampled	Hopscotch Freq.	No Hopscotch Freq.
RIMPA0093	699887	Guerrero	26	0.08	0.92
RIMPA0094	699888	Guerrero	2	0	1
RIMPA0095	699889	Guerrero	4	0	1
RIMPA0096	699890	Guerrero	26	0.04	0.96
RIMPA0097	699891	Guerrero	6	0	1
RIMPA0098	699892	Guerrero	4	0	1
RIMPA0099	699893	Guerrero	4	0	1
RIMPA0100	699894	Guerrero	6	0	1
RIMPA0101	699895	Guerrero	2	0	1
RIMPA0103	699897	Guerrero	2	0	1
RIMPA0104	699898	Guerrero	22	0.09	0.91
RIMPA0105	699899	Guerrero	6	0	1
RIMPA0106	699900	Guerrero	6	0.33	0.67
RIMPA0107	699901	Guerrero	4	0	1
RIMPA0108	699902	Guerrero	6	0	1
RIMPA0109	699903	Michoacan	4	0.25	0.75
RIMPA0110	699904	Michoacan	2	0	1
RIMPA0111	699905	Michoacan	4	0	1
RIMPA0112	699906	Michoacan	4	0.25	0.75
RIMPA0114	699908	Michoacan	6	0.17	0.83
RIMPA0116	699910	Mexico	2	0	1
RIMPA0117	699911	Mexico	4	0	1
RIMPA0118	699912	Mexico	6	0.17	0.83
RIMPA0119	699913	Mexico	2	0	1
RIMPA0120	699914	Mexico	1	1	0
RIMPA0121	699915	Mexico	2	0	1
RIMPA0128	699922	Mexico	2	0.5	0.5
RIMPA0129	699923	Michoacan	2	0.5	0.5
RIMPA0135	699929	Nayarit	24	0	1
RIMPA0138	699932	Jalisco	2	0.5	0.5
RIMPA0139	699933	Jalisco	1	1	0
RIMPA0142	699936	Colima	18	0.44	0.56
RIMPA0144	699938	Jalisco	2	1	0
RIMPA0145	699939	Michoacan	1	1	0
RIMPA0147	699941	Jalisco	1	1	0
RIMPA0155	N/A	Jalisco	73	0.01	0.99
RIMPA0156	N/A	Jalisco	20	0	1
RIMPA0157	N/A	Jalisco	58	0.34	0.66
RIMPA0158	N/A	Jalisco	64	0.53	0.47
RIMPA0159	N/A	Jalisco	26	0	1
RIMPA0162	21785	N/A	4	0	1

Table S2: Hopscotch frequency in sampled $Zea\ mays$ ssp. mays (RIMMA).

Accession	Alleles Sampled	Hopscotch Freq.
RIMMA0066	2	1
RIMMA0075	2	1
RIMMA0077	2	1
RIMMA0079	2	1
RIMMA0081	2	1
RIMMA0084	2	1
RIMMA0086	2	1
RIMMA0088	2	1
RIMMA0089	2	1
RIMMA0090	2	1
RIMMA0092	4	1
RIMMA0094	4	1
RIMMA0097	2	1
RIMMA0099	2	1
RIMMA0100	2	1
RIMMA0101	2	1
RIMMA0104	2	1
RIMMA0108	2	1
RIMMA0111	6	1
RIMMA0115	2	1
RIMMA0117	$\frac{2}{2}$	1 1
RIMMA0130		
RIMMA0133 RIMMA0134	$\frac{2}{2}$	1 1
RIMMA0134	$\frac{2}{2}$	1
RIMMA0142	$\frac{2}{2}$	0.5
RIMMA0142 RIMMA0143	4	0.5
RIMMA0146	4	1
RIMMA0149	2	1
RIMMA0152	$\frac{2}{2}$	1
RIMMA0153	2	1
RIMMA0154	2	1
RIMMA0155	2	1
RIMMA0156	2	1
RIMMA0157	2	1
RIMMA0158	2	1
RIMMA0159	2	1
RIMMA0160	2	1
RIMMA0162	2	1
RIMMA0166	2	1
RIMMA0167	2	1
RIMMA0168	2	1
RIMMA0169	2	1
RIMMA0172	2	1
RIMMA0174	4	1
RIMMA0177	2	1
RIMMA0178	2	1
RIMMA0179	2	1
RIMMA0181	2	1
RIMMA0183	2	1
RIMMA0184	2	1
RIMMA0186	2	1
RIMMA0187	1	1
RIMMA0188	2	1
RIMMA0195	2	1
RIMMA0196	2	1
RIMMA0197	2	1
RIMMA0198	2	1
RIMMA0199	2	1
RIMMA0200	2	1
RIMMA0202	2	1
RIMMA0203	2	1
RIMMA0206	$\frac{2}{2}$	1
RIMMA0208		1
RIMMA0209	2	1

A acces!	A 11 a 1 -	Consmi- J	Homocotok E.
Accession RIMMA0210	Alleles	Sampled 2	Hopscotch Freq.
RIMMA0210 RIMMA0212		2	1
RIMMA0213		2	1
RIMMA0214		2	1
RIMMA0217		2	1
RIMMA0218		2	1
RIMMA0220		2	1
RIMMA0221		2	1
RIMMA0222		2	1
RIMMA0223		2	1
RIMMA0226		2	1
RIMMA0227		2	1
RIMMA0228 RIMMA0229		2	1
RIMMA0229		2	1
RIMMA0232		2	1
RIMMA0233		2	1
RIMMA0235		2	0.5
RIMMA0242		2	1
RIMMA0243		2	1
RIMMA0247		4	1
RIMMA0248		2	1
RIMMA0249		2	1
RIMMA0252		2	1
RIMMA0253		2	1
RIMMA0254		2	1
RIMMA0256 RIMMA0257		2	1 1
RIMMA0257		2	1
RIMMA0259		2	1
RIMMA0260		2	1
RIMMA0262		2	1
RIMMA0263		2	1
RIMMA0264		2	1
RIMMA0265		2	1
RIMMA0268		2	1
RIMMA0269		2	1
RIMMA0270		2	1
RIMMA0272 RIMMA0275		2	1
RIMMA0276		2	1
RIMMA0277		2	1
RIMMA0279		2	1
RIMMA0280		2	1
RIMMA0283		2	1
RIMMA0285		2	1
RIMMA0288		2	1
RIMMA0290		2	1
RIMMA0291		2	1
RIMMA0292		2	1
RIMMA0293		2	1
RIMMA0298 RIMMA0302		2 2	1 1
RIMMA0302 RIMMA0305		2	1
RIMMA0305 RIMMA0310		2	1
RIMMA0312		2	1
RIMMA0320		2	1
RIMMA0322		2	1
RIMMA0324		2	1
RIMMA0334		2	1
RIMMA0336		2	1
RIMMA0337		2	1
RIMMA0338		2	1
RIMMA0339		2	1
RIMMA0340		2	1
RIMMA0341 RIMMA0342		2 2	1 1
TUIVIIVIAU342		4	1

Accession RIMMA0344	Alleles Sampled	Hopscotch Freq.
RIMMA0346	$\frac{2}{2}$	1
RIMMA0347	2	1
RIMMA0350	2	1
RIMMA0351	2	1
RIMMA0352	2	1
RIMMA0357	2	1
RIMMA0360	18	1
RIMMA0362 RIMMA0363	8 16	1 1
RIMMA0370	17	1
RIMMA0372	24	1
RIMMA0373	22	1
RIMMA0408	2	1
RIMMA0411	1	1
RIMMA0413	1	1
RIMMA0414	1 8	1
RIMMA0424 RIMMA0432	8	0.9
RIMMA0432	2	0.5
RIMMA0435	1	1
RIMMA0442	2	1
RIMMA0443	2	1
RIMMA0444	2	1
RIMMA0445	2	1
RIMMA0446	2	1
RIMMA0447 RIMMA0448	$\frac{2}{2}$	1 1
RIMMA0448	2	1
RIMMA0450	2	1
RIMMA0451	2	1
RIMMA0452	2	1
RIMMA0453	2	1
RIMMA0454	2	1
RIMMA0455	2	1
RIMMA0456 RIMMA0457	$\frac{2}{2}$	1 1
RIMMA0457	2	1
RIMMA0459	2	1
RIMMA0483	2	1
RIMMA0490	2	1
RIMMA0515	2	1
RIMMA0537	2	1
RIMMA0550	2	1
RIMMA0553	2	1
RIMMA0559 RIMMA0561	$\frac{2}{2}$	1 1
RIMMA0562	$\frac{2}{2}$	1
RIMMA0571	2	1
RIMMA0572	2	1
RIMMA0577	2	1
RIMMA0579	2	1
RIMMA0590	2	1
RIMMA0591	2	1
RIMMA0592 RIMMA0593	$\frac{2}{2}$	1 1
RIMMA0593	2	1
RIMMA0595	$\frac{2}{2}$	1
RIMMA0596	2	1
RIMMA0597	2	1
RIMMA0598	2	1
RIMMA0599	2	1
RIMMA0600	2	1
RIMMA0601	2	1
RIMMA0602 RIMMA0603	$\frac{2}{2}$	1 1
RIMMA0604	2	1
101111111111111111111111111111111111111	4	1

Accession	Alleles Sampled	Hopscotch Freq.
RIMMA0605	2	1
RIMMA0606	2	1
RIMMA0607	2	1
RIMMA0608	2	1
RIMMA0609	2	1
RIMMA0610	2	1
RIMMA0611	2	1
RIMMA0612	2	1
RIMMA0613	2	1
RIMMA0622	2	0.5
RIMMA0624	1	1
RIMMA0629	2	0.5
RIMMA0631	2	0.5
RIMMA0659	2	1
RIMMA0660	2	1
RIMMA0678	1	1
RIMMA0681	2	1
RIMMA0683	2	1
RIMMA0684	2	1
RIMMA0685	4	1
RIMMA0693	2	1
RIMMA0694	2	1
RIMMA0695	1	1
RIMMA0699	2	1
RIMMA0704	2	1
RIMMA0706	2	1
RIMMA0711	1	1
RIMMA0713	2	1
RIMMA0715	2	1
RIMMA0717	2	1
RIMMA0718	2	1
RIMMA0723	2	1
RIMMA0724	2	1
RIMMA0725	1	1
RIMMA0728	1	1
RIMMA0732	2	1
RIMMA0734	2	1
RIMMA0738	2	1
RIMMA0739	2	1
RIMMA0744	2	1
RIMMA0747	1	1
RIMMA0748	2	1
RIMMA0749	2	1
RIMMA0750	2	0.5
RIMMA0751	1	1
RIMMA0752	1	1
RIMMA0753	2	1
RIMMA0755	2	1




Figure S1: Representation of the upstream regulatory region of tb1, showing the tb1 coding region (green) and the Hopscotch insertion (red). Arrows show the location of primer sets; in black, primers used for amplification and sequencing (Region 1; within the 5' UTR, and Region 2; 66,169 bp upstream from the tb1 ORF); in blue, primers used to genotype the Hopscotch insertion.




Figure S2: Agarose gel image of amplification products using our primer sets. Genotypes are indicated at the top of the gel.



Figure S3: Neighbor-joining tree of the sequenced region in the 5' UTR (right; Region 1) and the 66,169 bp upstream region (left; Region 2) of tb1. Individuals with genotype data are colored: Homozygous for the teosinte (no Hopscotch) allele (red), homozygous for the maize (Hopscotch) allele (blue), heterozygotes (purple). TILs (teosinte inbred lines) are colored in green, with stars indicating the 3 TILs known to have the Hopscotch insertion. Black indicates individuals not genotyped for the Hopscotch insertion. EjuA refers to individuals from population Ejutla A, EjuB from Ejutla B, SLO from San Lorenzo, and MSA from La Mesa. Remaining individuals are lines of maize (Zea mays ssp. mays).