

MapWars: Location-Aware Multi-Player Mobile Game

Final Report for CS39440 Major Project

Author: Luke Ward (luw9@aber.ac.uk)

Supervisor: Reyer Zwiggelaar (rzz@aber.ac.uk)

25th March 2013

Version: 1.0 (Draft)

This report was submitted as partial fulfilment of a BSc degree in
Computer Science (G400)

Department of Computer Science
Aberystwyth University
Aberystwyth
Ceredigion
SY23 3DB
Wales, UK

Declaration of originality

In signing below, I confirm that:

- This submission is my own work, except where clearly indicated.
- I understand that there are severe penalties for plagiarism and other unfair practice, which can lead to loss of marks or even the withholding of a degree.
- I have read the sections on unfair practice in the Students' Examinations Handbook and the relevant sections of the current Student Handbook of the Department of Computer Science.
- I understand and agree to abide by the University's regulations governing these issues.

Signature

Date

Consent to share this work

In signing below, I hereby agree to this dissertation being made available to other students and academic staff of the Aberystwyth Computer Science Department.

Signature

Date

Abstract

MapWars is the culmination of an investigation into the feasibility of creating a location-aware, multi-player real-time strategy (RTS) game for mobile platforms. Combining strategic game play against multiple players in a persistent environment, where game play is based on map of Earth and users are restricted in game to their real world location. Giving each user the capability to create their own army and battle against other players within their local area. Consideration while protecting each users privacy.

CONTENTS

1	Overview	1
1.1	Background	1
1.1.1	Market	1
1.1.2	Platforms	2
1.2	Objectives	2
2	Development Process	3
2.1	Introduction	3
2.2	Modifications	3
3	Design	4
3.1	Overall Architecture	4
3.2	Mapping	4
3.2.1	Google	4
3.2.2	OpenStreet Map	4
3.2.3	MapBox	5
3.3	User Interface	5
4	Implementation	7
5	Testing	8
5.1	Overall Approach to Testing	8
5.2	Automated Testing	8
5.2.1	Unit Tests	8
5.2.2	User Interface Testing	8
5.2.3	Stress Testing	8
5.2.4	Other types of testing	8
5.3	Integration Testing	8
5.4	User Testing	8
6	Evaluation	9
	Appendices	10
A	Third-Party Code and Libraries	11
	Annotated Bibliography	12

LIST OF FIGURES

3.1	Insert design of game map	6
3.2	Insert design of game map menu	6

LIST OF TABLES

Chapter 1

Overview

1.1 Background

RTS games have a huge market on desktop environments, but have yet to make the break through into both the console and the mobile gaming markets. This is mostly attributed to the complex control mechanisms that need to be executed precisely. A mobile devices form factor restricts the number of controls that can be presented to the user at any given time as well as the precision in which these commands can be issued.

RTS games are generally designed around large, expansive maps that cover a large range of environments and landscapes. The game map shapes how the game will be played, how involved the player feels and ultimately the engagement of players. These maps can take years to develop and result in one of the largest costs within the development process. So when coming up with an environment why not take advantage of a ready made one? That of planet Earth.

Building a game where the game play takes place on a map of Earth has a number of benefits. First is the scale of a map covering 510 million square kilometers of varying terrain and features. This scale also contains a huge level of detail that could not be achieved by a team of designers. Along side this there is the feeling of familiarity, unlike when starting a new game and having to teach the player about the environment, the user will already have a well formed model in their own head. Along with highly detailed knowledge about certain areas especially those within close proximity of their current location.

Mobile devices have a whole host of unique features and sensors that set it apart from other gaming platforms. One feature that has been widely adopted in a huge range of different applications is location. A users location can be easily determined with a number of different components present on most modern smart phones, these are a GPS chip and the mobile GSM network. Although location has been used extensively in applications it has yet to be utilized effectively as a key metric within a game. This extra information about the user would enable a game set around the physical world to be able to be integrated with the user. Instead of placing new users randomly on a unfamiliar map they can be placed in their real location. Thus giving them a chance to use their own knowledge of their surroundings to help them within the game environment.

1.1.1 Market

A worldwide RTS game that combines a map of the world and data gathered about the user combine to create a unique gaming experience and could add an entirely new dimension to the genre. This can also reduce the learning curve and thus shorten the time between installation and engagement. With the sheer number of applications available on a mobile platform combined with the

ease and minimal to no cost of installing new applications, this is important to reduce the chance of the user simply finding an alternative.

1.1.2 Platforms

The Google Android smartphone platform, as of February 2013, had over 51% market share in the US [1]. Closely followed by the original and most established app ecosystem of Apple iOS. These two platforms are the most appealing platforms for mobile application developers.

1.2 Objectives

Chapter 2

Development Process

You need to describe briefly the life cycle model that you used. Do not force your project into the waterfall model if it is better described by prototyping or some other evolutionary model. You do not need to write about all of the different process models that you are aware of. Focus on the process model that you have used. It is possible that you needed to adapt an existing process model to suit your project; clearly identify what you used and how you adapted it for your needs.

In most cases, the agreed objectives or requirements will be the result of a compromise between what would ideally have been produced and what was felt to be possible in the time available. A discussion of the process of arriving at the final list is usually appropriate.

You should briefly describe the design method you used and any support tools that you used. You should discuss your choice of implementation tools - programming language, compilers, database management system, program development environment, etc.

2.1 Introduction

Introduce the specific model that you chose to use.

2.2 Modifications

Did you have to modify the model to suit a one-person project. If so, what did you change and why?

Chapter 3

Design

3.1 Overall Architecture

3.2 Mapping

The central component of the application was going to be a map. For this reason it was vitally important that an appropriate mapping solution was used.

3.2.1 Google

Google provides a simple, easy to use interface to their own maps making it the obvious choice for any Android application. Their maps are accurate, up-to-date and very detailed.

Google Maps were used for early prototype development.

Unfortunately there are a number of restrictions in place stopping their use in a number of situations. The most relevant of which is that they can not be used in an application that is not freely available to the public. Therefore restricting it's use in a paid-for application, such as MapWars may become. As the future of the application is uncertain it seemed desirable to steer clear of as many possible restrictions as possible. For this reason it was important to find a comparable alternative.

3.2.2 OpenStreet Map

OpenStreet map is an INSERT DESCRIPTION OF OSM HERE. It's growing popularity means that INSERT STATS ABOUT AREAS COVERED. With an acceptable level of detail combined with it's open SOMETHING(ethos?) made it the next most obvious source.

OSM has an API that allows it to be easily embedded into webpages but no native android SDK. A number of 3rd party libraries are available. The most complete and popular is that provided by MapQuest.

MapQuest are a mapping company that combines proprietary data and OSM data to create their own maps. They offer an Android SDK that gives you the option of which tile source to use. There are obviously restrictions to the proprietary data but if you opt for the free tiles then the same license is used as with OSM. The Android SDK available was designed to mirror the API available for the Google Map SDK. This made swapping out the Google Maps code and replacing it with the MapQuest code was trivial and problem free.

At the point in time of implementing MapQuest the design had called for the option to switch between satellite and road maps. MapQuest's main drawback, and more widely OSM itself, was

it's lack of detail. The level of zoom supported was a number of levels less than that of Google Maps. These extra zoom levels would have made unit manipulation easier on smaller devices. Satellite images were the main concern as they were not available at the level of zoom required to make game play comfortable.

MapQuest was used as the mapping solution for a large portion of development and offered a stable platform. Once more of the functionality was in place user testing presented a number of problems with the map tiles being used. Most significant of which was a difficulty in being able to locate units among the details presented with the map. The sprites and colours being used to represent units were experimented with but none were clearly visible. The problem was with the design of the tiles being used and not necessarily the zoom levels present, although this may have helped alleviate the problems.

3.2.3 MapBox

One option available was to use a tile creator and host the map tiles on a server. This would be a costly and difficult solution to the problem. Hosting tiles is not a trivial task and require large amounts of storage and bandwidth.

MapBox offer beautiful hosted tiles. They also have their own software called TileMill which allows the creation of bespoke tiles based on any data source which can then be hosted and distributed via their network. TileMill was based on a CSS style syntax allowing you to customise any visual aspect, from line widths, colours, strokes. It also had the ability to import data from any source giving the ability to build up rich tiles with as much detail as required. For MapWars only the most basic detail was required while using a simple colour pallet. The idea was to make any unit stand out against the map while still presenting all the information required to orientate the user with their surroundings.

Tiles could be loaded from MapBox using a standard URI syntax used by the most tile vendors. This allowed it to integrate easily into any mapping framework. All that was needed was an SDK that allowed custom tile sources. Such functionality was found in OSMDroid. Like with MapQuest, OSMDroid followed the same pattern as Google Maps allowing it to be easily placed into the application without only one substantial problem. OSMDroid was missing one function that was supported by both Google Maps and MapQuest. These function was key in selecting units so had to be reimplemented ... which was not difficult but took time. Assumption was made it would be as effortless as the previous transition. After integration was complete plugging in the URI to my generated tiles was simple and worked straight of the bat.

MapBox did not offer satellite imagery but the beauty and simplicity of the maps being used made up for this. It was also decided that the complexity of such maps would just present the same images as found with the default OSM tiles. Satellite images could always be added to OSMDroid by simply finding a tile source and using that and would have no affect on the functionality of the application.

3.3 User Interface

When developing any application for a small form factor it is important to consider how the user interface can be minimized, and to not clutter the display making precise controls difficult. This is especially important when trying to fit all the functionality of a RTS game within the small form factor of a mobile device. To get around this problem only the essential controls will be included with only a portion of these being accessible from the main game screen.




Figure 3.1: Insert design of game map



Figure 3.2: Insert design of game map menu

more words here Figure 3.2

Chapter 4

Implementation

Chapter 5

Testing

Detailed descriptions of every test case are definitely not what is required here. What is important is to show that you adopted a sensible strategy that was, in principle, capable of testing the system adequately even if you did not have the time to test the system fully.

Have you tested your system on 'real users'? For example, if your system is supposed to solve a problem for a business, then it would be appropriate to present your approach to involve the users in the testing process and to record the results that you obtained. Depending on the level of detail, it is likely that you would put any detailed results in an appendix.

5.1 Overall Approach to Testing

5.2 Automated Testing

5.2.1 Unit Tests

5.2.2 User Interface Testing

5.2.3 Stress Testing

5.2.4 Other types of testing

5.3 Integration Testing

5.4 User Testing

Chapter 6

Evaluation

Examiners expect to find in your dissertation a section addressing such questions as:

- Were the requirements correctly identified?
- Were the design decisions correct?
- Could a more suitable set of tools have been chosen?
- How well did the software meet the needs of those who were expecting to use it?
- How well were any other project aims achieved?
- If you were starting again, what would you do differently?

Such material is regarded as an important part of the dissertation; it should demonstrate that you are capable not only of carrying out a piece of work but also of thinking critically about how you did it and how you might have done it better. This is seen as an important part of an honours degree.

There will be good things and room for improvement with any project. As you write this section, identify and discuss the parts of the work that went well and also consider ways in which the work could be improved.

The critical evaluation can sometimes be the weakest aspect of most project dissertations. We will discuss this in a future lecture and there are some additional points raised on the project website.

Appendices

Appendix A

Third-Party Code and Libraries

If you have made use of any third party code or software libraries, i.e. any code that you have not designed and written yourself, then you must include this appendix.

As has been said in lectures, it is acceptable and likely that you will make use of third-party code and software libraries. The key requirement is that we understand what is your original work and what work is based on that of other people.

Therefore, you need to clearly state what you have used and where the original material can be found. Also, if you have made any changes to the original versions, you must explain what you have changed.

Annotated Bibliography

- [1] comScore, “comScore Reports February 2013 U.S. Smartphone Subscriber Market Share,” http://www.comscore.com/Insights/Press_Releases/2013/4/comScore_Reports_February_2013_U.S._Smartphone_Subscriber_Market_Share, 2013.

This is my annotation. I should add in a description here.

- [2] H. M. Dee and D. C. Hogg, “Navigational strategies in behaviour modelling,” vol. 173(2), pp. 329–342, 2009.

This is my annotation. I should add in a description here.

- [3] W. Press *et al.*, *Numerical recipes in C*. Cambridge University Press Cambridge, 1992, pp. 349–361.

This is my annotation. I can add in comments that are in **bold** and *italics and then other content*.