Date: July 17, 2018

Location: WAT

"*CP23 MIX"

quadratID	speciesID	cover	notes	flowering
1-1	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		all p
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95	WAT	
	uh Known grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95	sample	
	plantain	1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 (5-25 25-50 50-75 75-95 >95		
	MEDSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	un Known #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 9-25 25-50 50-75 75-95 >95		-
	HELGI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	1.1-5 8-25 25-50 50-75 75-95 >95		
h	* Known grass #2	<1(1-5)5-25 25-50 50-75 75-95 >95	sample	
1-2	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95	<u> </u>	
	HELHE	<1 1-5 5- 2 5 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MEDSA	1-5 5-25 25-50 50-75 75-95 >95	 	
1-3	MEDSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	nuknown grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95	Sample	
	ELYVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95	\ 	
	BROIN	<1 25. 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 2-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 525 25-50 50-75 75-95 >95		
1-4	PHLPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1(1-5) 5-25 25-50 50-75 75-95 >95		

Date: 7-17

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-4	ELYVI	<1 1-5 (5-25 25-50 50-75 75-95 >95		
. — — — — — — — — — — — — — — — — —	"Pennycrese"	(1) 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	nnknown grass #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-5	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
, yee, yee, last day, war dan dan last dan say park hale dat list dat did did	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
M 44 16 16 16 16 16 16 16 16 16 16 16 16 16	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
**************************************	inknown grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PHLPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
الطاقة منذ منذ قدة بعد	ELYVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HELHE	<1(1-5)5-25 25-50 50-75 75-95 >95		V
	MEDSA	<1 1-5 5-25 25-50 50-75 75-95 >95]]]]
1-6	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	NU KNOWN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	"penny was"	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	"foxtail barley"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	nn Known H	2 <1 (1-5) 5-25 25-50 50-75 75-95 >95	semple	# P P P P P P P P P P P P P P P P P P P
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ANDGE	1-5 5-25 25-50 50-75 75-95 >95		
	PHLPR	(<1) 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-7	PANCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	unknaverat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	"penny aess"	<1 (1.5) 5-25 25-50 50-75 75-95 >95		
	NUKUOMA #1	<1 1-5 (5-2) 25-50 50-75 75-95 >95))))

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-7	PHLPR	<1. 1-5 5-25 25-50 50-75 75-95 >95		
2-8	AMBTR	<1 1-5 5-25 25-50 50-75 75-95 >95		! ! !
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
	mknown # 1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PHLPP	<1(1-5) 5-25 25-50 50-75 75-95 >95		
	unknown grass #	<1 1-5 3- 25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 6-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (-25) 25-50 50-75 75-95 >95		
	MEPSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-2	CIRAR	<1 1-5 5-25) 25-50 50-75 75-95 >95		
	HELGI	1-5 5-25 25-50 50-75 75-95 >95		
	"plantain"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MEDSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i ! !
	VAKNOWA FORD #3	<1 1-5 (5-25) 25-50 50-75 75-95 >95	weedy le Tru-blue photo e sample Hower	
	LACSE	< 125 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown guss#1	<1 1-5 5 25 25-50 50-75 75-95 >95		
	CONCA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5 5 -25 25-50 50-75 75-95 >95		i
	AMBAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-3	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	UNKNOWN avassty	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	"plantain"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRIPP	< 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	(<1) 1-5 5-25 25-50 50-75 75-95 >95		
	PAVCA	<1 -5 5-25 25-50 50-75 75-95 >95	 	

Ò

Location: WAT

	quadratID	speciesID	cover	notes	flowering
11	2-4	VAKNOWN qvass #1	<1 1-5 5-25 25 50 50-75 75-95 >95		
		TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	G Bane ground	
-		PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95	50-75%	
		CONCA	<1 (1-5)5-25 25-50 50-75 75-95 >95		
		PHLPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		! ! !
		MEPSA	<1(1-5)5-25 25-50 50-75 75-95 >95		! ! !
		TRIPR	1-5 5-25 25-50 50-75 75-95 >95		
		ANDLE	<1 .1-5 -25 25-50 50-75 75-95 >95		1 1 1 1
2	2-5	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95]]]
•		AMBAR	<1 (1-5 5- 25 25-50 50-75 75-95 >95		
•		TRIPR	<1 1-5 (5-25 25-50 50-75 75-95 >95		
•		unknown #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
•	*** *** *** **** **** **** **** ****	Vnknown grass #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
•		ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
•		TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
13	2-6	ELYCA	<1 .1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1
•		AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
,	(1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965) - 1965)	CONCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	1
,	pay pay had had had nam had nam dan had	PHLPR	(1) 1-5 5-25 25-50 50-75 75-95 >95		1
•		TRIPR	<1 1-9 5-25 25-50 50-75 75-95 >95		1
•		Muknown grass	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 1 1 1
·		ABUTH	<1 1-5 5-25 25-50 50-75 75-95 >95]]]]
14	2-7	AGRGI	<1 1-5 (5-25) 25-50 50-75 75-95 >95]
,		PAUCA	<1 1-8 (5-25) 25-50 50-75 75-95 >95		
,		CONCA	<1 1-5 5-29 25-50 50-75 75-95 >95		
		AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
,	H - H - H - H - H - H - H - H - H - H -	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
,	=======================================	"fox fail borley	<1, 1-5 5-25 25-50 50-75 75-95 >95		

Date: 7-17

Location: WAT

	quadratID	speciesID	cover	notes	flowering
	2-7	"unknown after # ()	<1 (5-25) 25-50 50-75 75-95 >95		
		SOLCA	<1(1-5) 5-25 25-50 50-75 75-95 >95		} ! !
S	2-8	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
•	, per	TRIPP	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
·		PHLPR	<1 1-5 (5-29 25-50 50-75 75-95 >95		
,		AMBAR	(<1) 1-5 5-25 25-50 50-75 75-95 >95		
		LACSE	<1 (.1-5) 5-25 25-50 50-75 75-95 >95		1
		BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
6	2-9	MNKNOWN grass	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		Vn Known + 4	<1(1-5) 5-25 25-50 50-75 75-95 >95	spikery	1
		TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		PHLPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	M	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
7	2-10	PHLPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
		TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		AMBAR	<1 1-9 5-29 25-50 50-75 75-95 >95		
		ANPGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		MEPSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		=
		VAKNOWN	<1 1-5 (5-25) 25-50 50-75 75-95 >95] 	
	, and the last last last last last last last last	CONCA	<1(1-5) 5-25 25-50 50-75 75-95 >95		
		BROIN	(1) 1-5 5-25 25-50 50-75 75-95 >95	 	
		Unknown Woodylegum	(<1) 1-5 5-25 25-50 50-75 75-95 >95	Photo only	- x j - x w w w w w w w w ,
		"pennyeresa"	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
		unknown je t	(<1) 1-5 5-25 25-50 50-75 75-95 >95	 	
8	3-1	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95	- ! !	

Scanned:

Date: 7 - 17

Location: WAY

	quadratID	speciesID	cover	notes	flowering
18	3~1	AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
			<1 (-5)5-25 25-50 50-75 75-95 >95		
		unknown forbits	<1 1-5 5-25 25-50 50-75 75-95 >95	photo only	
		MEDSA '	<1 (1-5) 5-25 25-50 50-75 75-95 >95		[
		TRIPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95	; ; ; ;	i i i i
		PUAPR	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
			<1 1-5 (5-25) 25-50 50-75 75-95 >95	; 1 1 1 1 1	
		VA Known (<1) 1-5 5-25 25-50 50-75 75-95 >95	try very vive	only
ĺ٦	3-2	VERFO	<1 1-5 5-25 25-50 50-75 75-95 >95	; 	<u> </u>
		SOLCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		DAVCA	<1(1-5)5-25 25-50 50-75 75-95 >95	 	L/
		MEDSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
		TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
		AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		unknown aster #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		"nut sedge"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		UNKNOWN 43	<1 (1-5)5-25 25-50 50-75 75-95 >95		
		"plantain"	<1 1-5 9-25 25-50 50-75 75-95 >95	 	
		UNKNOWN quess #1	<1 (15 (6-25) 25-50 50-75 75-95 >95		ļ
.SO	4-1	Boncu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		HELHE	<1(1-5)5-25 25-50 50-75 75-95 >95		
		AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
		vaknown aster#1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		TRIPR	<1 (1-5 5)25 25-50 50-75 75-95 >95	i 	
	***********	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
		MEDSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		ļ
		DAU(A	<1 1-5 5-25 25-50 50-75 75-95 >95		 -
21	4-2	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		 -
		SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i i i i

Date: 7-17

Location: WAT

	quadratID	speciesID	cover	notes	flowering
	4-2	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95	; 	
		DANCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		TRIPR	<1 1-6 5-25 25-50 50-75 75-95 >95		
		wyknown -666 #4	<1 1-5 5-25 25-50 50-75 75-95 >95		
		PHAAR	1-5 5-25 25-50 50-75 75-95 >95		
22	455-1	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	***************************************	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
		AMBAR	< 1-5 5-25 25-50 50-75 75-95 >95		
		PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		BONCM	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		PHLPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
23	5-2	SORNN	<1 1-5 5-2 5, 25-50 50-75 75-95 >95		
		ELYCA	<1 1-5 (5-25 25-50 50-75 75-95 >95		
		TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
		AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
		Vn Known	<1 1-5 (5-25 25-50 50-75 75-95 >95		
74	5-3	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		L = = = = = = = = = = = = = = = = = = =
- (ELYVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		PHLPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		VAKNOWA ASPORTI	<1 .1-5 5-25 25-50 50-75 75-95 >95		
		UNKNOWN AVESS A	<1 1-5 •25 25-50 50-75 75-95 >95		
		TRIPR	<1 1-5 (5-25 25-50 50-75 75-95 >95		L =
		MEDSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		"nut sedge"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		SYMER	<1 (1-5 5-25 25-50 50-75 75-95 >95		
			<1 1-5 5-25 25-50 50-75 75-95 >95	 	
			<1 1-5 5-25 25-50 50-75 75-95 >95		
			<1 1-5 5-25 25-50 50-75 75-95 >95		