

Date: RDM 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
1-1	chafa	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	dalpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
melal	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	polav	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	digsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trire	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-2	chafa	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
melal	medsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	chafa	<1 1-5 5-25 25-50 50-75 (75-95) >95	chafa	
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symoe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
1-3	desca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	clauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schoc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	echpa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	polav	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-4	chafa	<1 1-5 5-25 25-50 50-75 (75-95) >95	mowed	
	cirru	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyea	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	spohi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	clauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-5	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed	
	medlu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	clauvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
me1a1	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RIM

quadratID	speciesID	cover	notes	flowering
1-5	Setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95	mowed	
	muhfr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Cirvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	clavca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 (1-5) (5-25) 25-50 50-75 75-95 >95	andge	
	Oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Oxast	
1-6	"pink claver"	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed took sample	
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ambar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brain	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	glyma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	"hatch"	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
1-7	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ambar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	astca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sehsem	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
1-7	spohr	<1 (1-5) 5-25 25-50 50-75 75-95 >95	mowed	
	echpa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	asosy	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	daupu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	clauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ambar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-8	conca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broja	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	boucu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarog	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zizau rud	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	hi			
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	brain	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	medlu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-9	melof	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	desca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
1-9	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monf	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	synho	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-10	phlpr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monf	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	artlu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	verfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-11	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	solca	<1 1-5 (5-25) (25-50) 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	echpa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lacse	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	artlu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-12	polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95	mowed	

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
1-12	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95	monred	
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	glyma	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	daupu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	symoe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-13	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95	monred	
	trine	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	agre	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	digsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	eryyu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarob	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
2-1	cirto	<1 1-5 5-25 25-50 50-75 75-95 >95		
silin	silin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symno	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-2	rudsu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	eryyu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symno	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	salri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cervu	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	"thatch"	<1 1-5 5-25 25-50 50-75 75-95 >95	mowed	
	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helgr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	carvu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ascsy	<1 1-5 5-25 25-50 50-75 75-95 >95		
	agme	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	artlu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	trire	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
3-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed	
4-1	silla	<1 (1-5) 5-25 25-50 50-75 75-95 >95	mowed	
	symla	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trine	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarof	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
4-2	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	symla	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	bro in	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	claupe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
4-3	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
4-4	helke	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	desca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	symno	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	glyma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudsu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cervu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-1	solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	astca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symla	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	eryyu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-2	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	symla	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ambtr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.25.19

Location: RDM

quadratID	speciesID	cover	notes	flowering
5-2	desca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ghyma	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trire	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-3	ratpi	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symla	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
5-4	symla	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	Solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarop	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	trir	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	echpa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: