

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-1	Andropogon ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	MELOF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	FESAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Setaria	
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	POLTE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	LACSE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	MELOF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMATU	<1 (1-5) 5-25 25-50 50-75 75-95 >95	water hemp	
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95	BROIN	
	SETVE	<1 (1-5) 5-25 25-50 50-75 75-95 >95	SETVE	
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95	SETFA	
	CHEAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETPU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	URTDI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	AMBAR	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TEROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAR

quadratID	speciesID	cover	notes	flowering
1-3	TRIRE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETVE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETPU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	RODHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-4	ADRG1	<1 1-5 (5-25) 25-50 50-75 75-95 >95	ANG E ANDGE	
	PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAUCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	EUPMA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	PHLTR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	PANDAI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-5	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95	ELYCA	
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	SOLCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAUCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MEDLU	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Took photo, double check	*
	SETPU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	URTDI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAF

quadratID	speciesID	cover	notes	flowering
1-5	DACGL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	UNK #1	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Rough leaf sunflower family taking photo (Asteraceae)	
	BIDTR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-6	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	SYMPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TIROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POSTAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MEDLU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-7	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PHLPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	BRO IN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	OXA ST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-8	PAN VI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	SYMPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MEDLU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DIG SA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CON CA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-8	SETPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OxAST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-9	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Elyca	
	DACGL	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	IPOST	<1 (1-5) 5-25 25-50 50-75 75-95 >95	IPOST sp. Purple/blue Took Photo	*
	SETPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POS SA	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Seedling Took Photo	*
	UNK#2	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Photo (found at NYK)	*
1-10	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	PANVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ANDGI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAUCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 (5) 5-25 25-50 50-75 75-95 >95		
	OXA#ST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	RETP1	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	UNK#1	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	UNK#2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	MEDLU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

quadratID	speciesID	cover	notes	flowering
1-10	PHL PR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SYMPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ZIZAU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	IPO SP.	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SET PU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-11	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SET FA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OXA ST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MELOF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TIR OF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-12	AMBAR	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	SOLCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MELOF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TIR OF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MEPLU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SET PU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	UNK #2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*

Scanned:

Entered:

Date: 8/22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-12	SET VI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ECH CR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DAUCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-13	SOLCA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ANDGI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HEL CA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	SETPU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SET FA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	UNK #3	<1 (1-5) 5-25 25-50 50-75 75-95 >95	opposite leaves Took picture	★
	TIROX	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CYPRO	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Cyperaceae Took photo, doublecheck	★
	BRAIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SYMPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI RE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DAUCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-14	CAICIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	BIDFR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI TR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SET FA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DIG SA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	HORJU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	EUP MA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	UNK #2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		★
	AMA TU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-14	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MELOF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ECH CR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-15	UNK#2	<1 1-5 (5-25) 25-50 50-75 75-95 >95		*
	TIROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MEDLU	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TRI RE	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	CIC IN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DIGSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-16	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	XANST	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CICIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-17	CONCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	UNK#2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*

Scanned:

Entered:

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-17	DIGSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	EUP MA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-18	AMBAR	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PLA MA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MED LU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SET FA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ASCE SY	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SYMP I	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DAC GL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAU CA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-19	AMBAR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAU CA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAC GL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	IPO SP.	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	UNK #2	<1 1-5 (5-25) 25-50 50-75 75-95 >95		*
	RUD HI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BID FR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	VER UR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SET PU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SET FA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PLA MA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-20	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TRI PR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-20	SETFA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	MED LU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	IPO SP.	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	EUPMA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CARNU	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Musk thistle	
	AGRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-21	SYMPA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	TRI PR	
	TAR OF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ERIAN	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	UNK #1	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	SOL CAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	Solanum	
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POATR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI RE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DIG SA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-22	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	SOLCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CARNU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	TIROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PLAMA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MED LU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POATR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DAC GL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OXAST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.22

Location: WAT

quadratID	speciesID	cover	notes	flowering
1-22	TRITR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-23	AMBAR	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMBTR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ECH CR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DEN EI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	UNK#2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		*
	PLAMA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POLTE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-24	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	CHA FA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	TIROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95	ELYVI	
	ECH CR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Solanum	
	SETPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	UNK#2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	GLETR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MEDLU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: