Date: 7.15.19

Location: MUG

quadratID	speciesID	cover	notes	flowering
1_1	tar of	<1 1-5 5-25 25-50 50-75 75-95 >95		
)	RAT CO	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	RUD HI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRI PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POA PR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	vetch	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
9	AGR RE	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-2	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5- 25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLPT	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
6	CIRAL	<1 1-5 (5-25) 25-50 50-75 75-95 >95	perhaps cIRDI, photo	
1-3	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TIRPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-1	CIRAR	<1 1-5 (5-25 25-50 50-75 75-95 >95		
í	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
V	POA PR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

(1-2 new - native sedge)
observed
Scanned:

Entered:

Location:

quadratID	speciesID	cover	notes	flowering
2-1	RUDHI	<1 1-5 (5-25) 25-50 50-75 75-95 >95	i 	<u> </u>
	MEDLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CIRAL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
J	SETPH	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-2	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1	POLPE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 0.5 5-25 25-50 50-75 75-95 >95		
	Polco	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DALPU	1-5 5-25 25-50 50-75 75-95 >95		
	ASTCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CONCA	(1) 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 55 5-25 25-50 50-75 75-95 >95		
	MeDSA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	LACSE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		đ
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-3	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95	3	
	AGRRE	<1 1-5 6-25 25-50 50-75 75-95 >95		ļ
2-4	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
ì	MONFI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
4	ASTCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Location: MV99E

quadratiD	speciesID	cover	notes	flowering
2-4	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	,
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	OXAST	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	RATPI	<1 1-5 6-25 25-50 50-75 75-95 >	95	
	OENBI	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >	95	
6	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
3_1	SPOCR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	OENBI	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	RUDHI	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	TZAXO	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	POTAR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >	>95	
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >	>95	
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >	>95	
	AND	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >	>95	
	SOUNDE-	<1 1-5 5-25 25-50 50-75 75-95 >	95-	
3_2	& DESCA	<1 1-5 (5-25) 25-50 50-75 75-95 >	>95	
	ELYCA	<1 1-5 6-25 25-50 50-75 75-95 >	>95	
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >	>95	
1	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >	>95	

Scanned:

Entered:

Location: MUGGE

quadratID	speciesID	cover	notes	flowering
433-2	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		5
	POTAR	<1 1-5 6-25 25-50 50-75 75-95 >95] } } }	1 1 1 1
	TAROF	<1 (-5)5-25 25-50 50-75 75-95 >95	1	2 2 3 3 5
	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95	1	7 2 2 2 3 3 4
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		7
NO. NO.	BOULU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		2
an jan hak ka jan jan an an an ang an an ka	OXAST	<1 (1-5) 5-25 25-50 50-75 75-95 >95	4	1
	CHEAL	<1 (1-5) 5-25 25-50 50-75 .75-95 >95		1 2 1 1
6	B RUDHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 2 3 5
3_3	OENBI	<1 1-5 5-25 25-50 50-75 75- 95 >95		1
M 100 INC NOT US 100 INC NOT US 100 INC NOT US	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		1
no dan kao na pao pao fait da tre tre no de pre no de Go pod Re. We tre file des	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95	1	1
m man dan man ann ann ann ann ann ann ann ann a	RUDHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95)
p 200 tab see hie dat hat hie per ook in 100 tab see per hie ood 177 hie per ook hee	OXAST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
. John Sale Case dan Life Case (100 page 100 pag	POAPR	<1 1-5 5-25 (5-50) 50-75 75-95 >95		1
5 350 500 500 600 600 500 500 500 500 500 5	BOULV	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
. Mile day day has pas pas pas has has has for an are has are for his has no of co. (iv.)	ELYVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
	MEDSA	<1 (-5)5-25 25-50 50-75 75-95 >95		1
	ELYCA	<1_1-5 5-25 25-50 50-75 75-95 >95		}
	TRIPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3_4	HELHE	<1 1-5 6-25 25-50 50-75 75-95 >95		1
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	1	1
B. Mai. (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30) (30)	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	RUDHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
no lab die die die der die die jes jes jes jes der die der jes des die	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		1
V	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1

Scanned:

Location: MVGGE

quadratID	speciesID	cover	notes	flowering
3-4	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95	1	
	OXAST	<1)1-5 5-25 25-50 50-75 75-95 >95	-	
	MEDSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
•	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		5 5 7 3 1 1
3_5	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	CIRAR	<1 1-5 5-25 (5-50) 50-75 75-95 >95		1
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		3 1 2 2 4 5
	OENBI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 1
	RATCO	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 2 1
	POAPR	<1 1-5 5-25 (5-50) 50-75 75-95 >95		3 5 9 8
	AGRRE	<1 (1-5)5-25 25-50 50-75 75-95 >95		i i i
	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 5 1 3
	RUDHI	<1 (-5)5-25 25-50 50-75 75-95 >95		1 1 2 2 4
•	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		1 5 5 6
3-6	CIRAR	<1. 1-5 (5-25) 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	AGRRE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POAPR	<1 - 1-5 5-25 25-50 50-75 75-95 >95		1
4_1	ASCSY	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 5 2 2 1
	CIRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	AGRRE	<1 1-5 5-25 25-50 60-75 75-95 >95		
6	POAPR	<1 1-5 6-25 25-50 50-75 75-95 >95)
4-2	GRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95]]]]
	TAROF	<1 1-5 6-25 25-50 50-75 75-95 >95		1
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
4_3	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		1

Location: MUGGE

quadratID	speciesID	cover	notes	flowering
4_3	ELYVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 (5-50 50-75 75-95 >95		1
	POLCO	(1)1-5 5-25 25-50 50-75 75-95 >95		
•	CIRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		5 1 3 3 3
4_4	AGRRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95	1 5 2 3 2	
	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		3 5 6 8 3
	POAPR	<1 1-5 6-25 25-50 50-75 75-95 >95		
	MELOF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4_5	DESCA	<1 1-5 (5-2) 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95	1	1
	MELOF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	TRIPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		5 2 1 1 1
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	MEDSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95	2 5 1 2 1	1
En 100 100 100 100 100 100 100 100 100 10	DALPU	<1 1-5 5-25 25-50 50-75 75-95 >95		
des lies des aux les les plus des services les aux des aux des aux des juit des	BOUCU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 1
	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
Mad have age to the low for the part of the low of the low for the	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
è	RUDPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
4-6	ELYVI	<1 1-5 (-25) 25-50 50-75 75-95 >95	1	
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 6-25 25-50 50-75 75-95 >95		
	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Location: MUGGE

quadratID	speciesID	cover	notes	flowering
4-6	RATCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1	ASTGA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		2 3 1 1 1
	BOUCU	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
	CIRAL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
	RUDHI	<1 (5-25) 25-50 50-75 75-95 >95		
•	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		1
4.7	MONFI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		1
MR ME TO THE ROLL NO. THE TWO HE THE SET OF THE SET OF THE SET OF THE SET OF	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
AND REPORT FOR SAN AND AND AND AND AND AND AND AND AND A	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NO DIE AND AND AND S ET SEE AND SEE AND SEE AND SEE AND SEE AND SET SET AND AND AND AND	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
Mile that the field that the same start has been seen that the field that the same that the	MEDSA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
and the light had had been one per control to the first start first first first start start first first start start first first start start first start start first start star	HELHI	<1 1-5 6-25 25-50 50-75 75-95 >95		
god jag has not him has my had the best of \$10 km has her has not not not not	RUDH)	<1 (-5) 5-25 25-50 50-75 75-95 >95		
No description and that have been place and an indicated the sale, and have been been been been been been	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
No. 40. 50 Fee See See See See See See See See See	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
4_8	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
No. No. has had the last part and side of 100 or 100 less that had not not the	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
No. 100, 100, 100, 100, 100, 100, 100, 100	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
May had been had here had past from home had been and had had been had had here	RUDHI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
No dies des free has been pas had not have have been free free free free free had been desty free	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 6-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
. 6	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4_9	MONFI	<1 1-5 6-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
<u>J</u>	AGRRE	<1 1-5 6-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

第7/15/19

Location:

MUGGE

quadratID	speciesID	cover	notes	flowering
4-9	TAROF	<1 1-5 (5-2) 25-50 50-75 75-9 5 >95		1 8 1
1	POAPR	<1 1-5 5-25 25-50 50-79 75-95 >95		
	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		37
	TRIPR	<1 (-5) 5-25 25-50 50-75 75-95 >95		1 3 1 5
4210	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95	,	- 1
	OENBI	<1. 1-5 6-29 25-50 50-75 75-95 >95		1
	RUPHI	<1 1-5 6-2 25-50 50-75 75-95 >95		1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	RATCO	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
and any feet had not see any fire, and any res one see that for the fire the fire state of	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
AND MAD AND THAT THAT AND	POLCO	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 (-25) (25-50) 50-75 75-95 >95		
the pro tak his life has no his for his pro the pro to on the his me had not	BOULU	<1 (2) 25-50 50-75 75-95 >95		
	RATPI	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-11	MONFI	<1 1-5 5-25 (5-5) 50-75 75-95 >95		
	HELHE	<1 1-5 (5-2) 25-50 50-75 75-95 >95		2) Lor can be Mr. no hed his too you the par gas pas to
Man from them from the state state from the state on the state state state state state state state state state	RUDHI	<1 1-5 (-25) 25-50 50-75 75-95 >95		
NO DE DES DOS DOS DES DOS DOS DOS DOS DOS DOS DOS DOS DOS DO	OENBI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
San him has don day you got you got any and him you had been to got you just just just	RATPI	<1 1-5 6-29 25-50 50-75 75-95 >95		
this that then have been part then been been been been the first that the per time their first.	BOULU	<1 1-5 (-25) 25-50 50-75 75-95 >95		
and the just the law has been and has been been are and are just here over here from here it	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POAPR	<1 (1-5) 5-25 25-50 50-75 75-9 5 >95		
No. 100 100 100 100 100 100 100 100 100 10	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
MAN, MAN SANS PARE SANS DANS JOS SANS PARE SANS SANS SANS SANS SANS SANS SANS SAN	unknown - tree	<1 1-5 6-29 25-50 50-75 75-95 >95	Photo	
	LACSE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
10 Mar 100 Mar		<1 1-5 5-25 25-50 50-75 75-95 >95		
	1	<1 1-5 5-25 25-50 50-75 75-9 5 >95		
		<1 1-5 5-25 25-50 50-75 75-9 5 >95		1
		<1 1-5 5-25 25-50 50-75 75-95 >95		