Date: 7,31.19

adratID	speciesID	cover	notes	flowering
aurauv	ANDGE	<1 1-5 5-25 25-50 50-75 75-9 !		
	CARR (canad	61 1-5 5-25 25-50 50-75 75-9	5 >95	
	CATOSOS	1 1-5 (5-25) 25-50 50-75 75- 9	5 >95	
w = = = = = = = = = = = = = = = = = = =	CAROSINA	<1 1-5 5-25 25-50 50-75 75- 9	5 >95	
	K 1 1 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6	<1 1-5 5-25 25-50 50-75 75-9		
	<u> </u>	25 (1.5) 5-25 25-50 50-75 75- 9		
	- 146AL . W. 1	(a) 1-5 5-25 25-50 50-75 75-		
		*60° 1.5 5-25 25-50 50-75 75-	<u> </u>	
	7 A 4	<1 1-5 5-25 25-50 50-75 75 -		
	<u> </u>	<1 1-5 5-25 25-50 50-75 7 5-	i	
	VX 511.	1 1-5 5-25 25-50 50-75 75		
? 	0 19h			
	Grand Control	4 1 5 25 25-50 50-75 7 5		
		<1 1-5 5-25 25-50 50-75 75		
	RATTPI 2007	<1 1-5 5-25 25-50 50-75 75		
	CATTY DATE			
	1 J. 3 V.			
	I POSE	<1 1-5 5-25 25-50 50-75 7		
5.3	V/ITT	<1 1-5 5-25) 25-50 50-75 7		
	of serv	<1 1-5 5-25 25-50 50-75 7		
	=1 <u>20</u>	<1 1-5 5-25 25-50 50-75 7		
	No. 1 1 1 1 1 1 1 1 1	<1 1-5 5-25 25-50 50-75 7		
	SWEEL"	<1 1-5 5-25 25-50 50-75		
	aith) 69	(1 1-5 5-25 25-50 50-75)		
	Arm.	<1 1-5 /5-25 25-50 50-75		
	7 T	<1 1-5 5-25 25-50 50-75		
	OU AR B	<1 1-5 5-25 25-50 50-75		
	DEAL	<1 1-5 5-25 25-50 50-75	75-95 >95	
		<1 1-5 5-25 25-50 50-75	75-95 >95	
		<1 1-5 5-25 25-50 50-75	75-95 >95	

Date:

quadratID	speciesID	cover	notes	flowering
	1/011F - Paracia	<1 1-5 5-25 25-50 50-75 75-95 >95	<u> </u>	i
	ZIZAU Ruden	<1 1-5 5-25 25-50 50-75 75-95 >95		
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	<1 1-5 5-25) 25-50 50-75 75-95 >95		
. 20 eg en en mi hi hi hi hi pa pa mi di di ci ci en en h		<1 1-5 5-25 25-50 50-75 75-95 >95		i i
<u></u>	Elevyy) Ralfogua	<1 1-5 5-25) 25-50 50-75 75-95 >95		1
	ECUPA Further	<1 1-5 5-25 25-50 50-75 75-95 >95		
)	THA Forter	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DAUCA "MA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	EX DVA Organic	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHEA	<1 1-5 5-25 25-50 50-75 75-95 >95		
8.5	ELU OF	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
	RODH: Block egg	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PSCSDI "ed	<1 1-5 5-25 25-50 50-75 75-95 >95	<u> </u>	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
	EREVI "Usplus	<1 1-5 5-25 25-50 50-75 75-95 >95		
3.6	INVOE blue	<1 1-5 5-25 25-50 50-75 75-95 >95		
	19002 million	<1 1-5 5-25 25-50 50-75 75-95 895		
	Will Al Orenagoog]
	AT MT21 CONE heav	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	I they have been to the second of the second	<1 1-5 (5-25 25-50 50-75 75-95 >95		
	<u> </u>	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PANJEY WAS	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
	A grant Colored Constant			İ-
		<1 1-5 5-25 25-50 50-75 75-95 >95		
	The Market Constitution of the Market Constitution of the Constitu	[<1 1-2 2-22 22-20 20-72 73-32 232		
	PoA(2)	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: (1) (1) (a)

quadratID	speciesID	cover	notes	flowering
3.7	ZADPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95	; ; ; ; ;	
	MANAGE Brigh	<1 1-5 5-25 (25-50 50-75 75-95 >95] - -
	SSMLA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE Clare	[2] 1-5/5-75/75-50 5D-75 75-95 295		
	TELACA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TKITE NO	<1 1-5 5-25 25-50 50-75 75-95 >95)	
m =)4 W W W W W M = 4 W W W M = 7	ECHTA "	<pre>1 1-5 (5-25) 25-50 50-75 75-95 >95</pre>)	
7, 8	RATE:	<1 1-5 5-25 25-50 50-75 75-95 >95	; ;	
	ECHTA	<1 1-5 5-25 25-50 50-75 75-95 >95	5	
	0 1 1 1	<1 1-5 5-25 25-50 50-75 75-95 >95	5	
	CRRAR	<1 1-5 5-25 25-50 50-75 75-95 >95	5	
	SAMPE	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	EXPAT COLOR	<1 1-5 5-25 25-50 50-75 75-95 >9	5	i
	ZIZAU Side	<1 1-5 5-25 25-50 50-75 75-95 >9	5	i
	OFNBA TYEN	<1 1-5 5-25 25-50 50-75 75-95 >9	5	i
, ,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	SPORT	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	TARTE Pavalo	<1 (1-5) 5-25 25-50 50-75 75-95 >9	5	
	EISCA	<1 1-5 (5-25) 25-50 50-75 75-95 >9	5	
	YBOCO	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	CONCA CON	(1) 1-5 5-25 25-50 50-75 75-95 >9	5	
	AMARE	<1) 1-5 5-25 25-50 50-75 75-95 >9	5	
3.9	SOLPA TOS	<1 1-5 (5-25) 25-50 50-75 75-95 >9	5	
	EUPCO TI	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	A Programme	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	to tre	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
		<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	RATE:	<1 1-5 5-25 25-50 50-75 75-95 >9	5	

Date: 4, 4149

Location:

quadratID	speciesID	cover	notes	flowering
3.9	EIMA	<1 1-5 5-25 25-50 50-75 75-95 >9	5	<u> </u>
	207110 200	<1 1-5 5-25 (25-50) 50-75 75-95 >9	5	
. B. F. F. F. F. B. B. B. B. F. F. F. B. B. B. F. F. F. B. B. B. F.	KUDHE	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
	TRIPR O	<1 (1-5) 5-25 25-50 50-75 75-95 >9	5	
		<1 1-5 5-25 25-50 50-75 75-95 >9	95	
	ZKRAK	<1 1-5 5-25 25-50 50-75 75-95 >9	95	
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >9	95	
	AMARE	1-5 5-25 25-50 50-75 75-95 >9	95	
3.10	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >9	95] -
	MONTI	<1 1-5 5-25 25-50 50-75 75-95 >9	95	
• 40 0 0 7 7 7 W W W W B 7 7 7 7 W W W	EISCA	<1 1-5 5-25 25-50 50-75 75-95 >9	95	
	Books	<1 1-5 5-25 25-50 50-75 75-95 >9	95	i
	ZIZAU	<1 (1-5) 5-25 25-50 50-75 75-95 >9	95	
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >9	95	
	SUMLA	<1 1-5 5-25 25-50 50-75 75-95 ×	95	
		1 1-5 (5-25) 25-50 50-75 75-95 ×	95	
	ECHTA	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	SOLR	<1 1-5 5-25 25-50 50-75 75-95 ×	95	
	HELLE	<1 1-5)5-25 25-50 50-75 75-95 >	95	
	SUMER	<1 (1-5) 5-25 25-50 50-75 75-95 ×	95 	
	RODEI	<1) 1-5 5-25 25-50 50-75 75-95 ×	95	
<u> </u>	MONEI	<1 1-5 5-25 25-50 50-75 75-95 >		
	ZIZAO 91	<1 1-5 5-25 25-50 50-75 75-95 >	95 	
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >		
3.12	MONTI	<1 1-5 5-25 25-50 50-75 75-95 >	95 	
	MATTE	<1 1-5 5-25 25-50 50-75 75-95 >	95 	
	SSYSTE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	CHRA	<1 1-5 5-25 25-50 50-75 75-95 >	95	

Date:

Location: ARM

quadratID	speciesID	cover	notes	flowering
3 12	CHATA Charm	20 <1 1-5 5-25 25-50 50-75 75-95 >95		À
<u> </u>	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHEAL Chemopoo	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SORNY	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONAR Comput	os <1 1-5 5-25 25-50 50-75 75-95 >95		
	KATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ZIZAU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	AMDGE Folm	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	OXASt	<1) 1-5 5-25 25-50 50-75 75-95 >95		
3_13	74111	<1 1-5 5-25 25-50 50-75 75-95 >95		
,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	MONTE!	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TUCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	EETHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
	CHRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i !
	LACST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ASCSU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONT	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	ELUCA	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	ERAK	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	7.17.40	<1 1-5 5-25 25-50 50-75 75-95 >95		
~~~~~~	CONCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		   
	TARDE	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		i ! ! !
2.1	EWCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		<u> </u>
	MONTH	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
	SYMP,I.	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	BROEN	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	50H5C	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	i 	i ! 
	21230	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		

Scanned:

Entered:

Date:

Location: ARM

quadratID	speciesID	cover	notes	flowering
	UELLE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	5   ,	
2-2	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	5	
	CILLA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	5	i ! ! !
	MONE	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	5	
	ZATT	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	5	
	CONCA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	ZIZAU	<1) 1-5 5-25 25-50 50-75 75-95 >9	5	
1	SCHSC	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
* = = = = = = = = = = = = = = = = = = =	3000 <b>0</b>	<1 1-5 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	TRITR	<1 1-5 5-25 25-50 50-75 75-95 >9	5	
, , , , , , , , , , , , , , , , , , ,	ERIVI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
2,25	TRIPR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	KATPI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	CIRAR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	FIR (V)	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	i i i
m m m m m m m m m m m m m m m m m m m	30000	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	i ! ! !
	ECHPA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	 
<u> </u>	PANVI	<1 <b>1-5</b> ) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	TAROF	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	CONCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
24	MONTE	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	ERSSU	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	; ; ; ; ,
	The second secon	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	5	
	CONCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	95	
	三LUCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	95	j   
	SORNU	<1 1-5 5-25 <b>25-50</b> 50-75 <b>75-95</b> >9	95	
	ECHPA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >9	95	
	SSMOO	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >9	95	! ! !

Scanned:

Entered:

Date: 1 . 31 15

quadratID	speciesID	cover	notes	flowering
2 June had	RATPL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SPO HE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	TAROF	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	CARVU	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ERIVI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
2.5	CHAFA	<1 1-5 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	KPTPI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	S9M100	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	TRIPR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	MONFI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	AQUEA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		E E I I
# # # # # # # # # # # # # # # # # # #	14W0MX110	<1 (1 1-5) 5-25 25-50 50-75 75-95 >95	Took who tence family	
	MEDLU	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	CIRAR	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		i i i
	TAROF	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		]       
	ERIVI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	TRIRE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	<u> </u>	i   
2-6	MONTI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	URTDI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	   	
	ELYCA	<1 1-5 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		 
	EOLCA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		   
	CUR AR	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		! ! !
2.4	MONFI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	URTDI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIZAR.	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		

Date: 7,31 19

Location:  $\mathbb{ARM}$ 

quadratID	speciesID	cover	notes	flowering
2.7	BROEN	<1 <b>1-5</b> 5-25 <b>25-50</b> (50-75) <b>75-95</b> >95	i   	 
2,28	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RETPI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		] 
	SOLCA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ECHTA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	DALTU	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	ASCTO	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ERIVI	<1 <b>1-5</b> §-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	CONCA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SPO HE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	TORAF	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
** ** ** ** ** ** ** ** ** ** ** ** **	KUDHI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	MONFL	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
# <b></b>	OEAJVI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
and the second s	MONEL	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ASC 63	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	BROEN	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	URTDI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELUCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
1 2	MONFI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHE	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		; ; ; ;
	URTDI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	   	
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		; !
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		i ! !
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	1	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		