

Date: 8.6

Location: SME

quadratID	speciesID	cover	notes	flowering
2-1	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-2	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POATR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLRI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. #1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, square stem	
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HORJU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIM	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	MEDOF	<1 1-5 5-25 25-50 50-75 75-95 >95	yellow sweet clover	
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8-6

Location: SME

quadratID	speciesID	cover	notes	flowering
2-3 (cont.)	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-4	MEDLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HORJU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-1	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROJA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.6

Location: SMF

quadratID	speciesID	cover	notes	flowering
1-2 (cont.)	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	WILDELLA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROJA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOURI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AQUCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-3	AMATA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIDAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-4	unkn. #2	<1 1-5 5-25 25-50 50-75 75-95 >95	RATPI-ish, photo	
	RUMCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	maple-tree	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAFR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.6

Location: SME

quadratID	speciesID	cover	notes	flowering
I-4 (cont.)	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-5	unkn. #2	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUMCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECTCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SILIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PoAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMATA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-6	HOPJU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PHAAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PoAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUMCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-7	CIRAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.6

Location: SME

quadratID	speciesID	cover	notes	flowering
1-7(cont.)	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Symoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn #3	<1 1-5 5-25 25-50 50-75 75-95 >95	sonchus?, photo	
1-8	SOLGA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Symoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLAI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELGR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-9	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLGA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/6

Location: SME

quadratID	speciesID	cover	notes	flowering
I-9 (cont.)	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-10	ZIZAU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAAPP	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-11	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-12	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8-6

Location: SME

quadratID	speciesID	cover	notes	flowering
I-13	SOLRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DACLA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGREF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ASCIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HORJU	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-14	ERYMU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONEI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HORJU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLM	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ASCIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-15	ASC SY	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8.6

Location:

SMe

quadratID	speciesID	cover	notes	flowering
I-15 (cont)	CHAFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HOR TH BROJA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPP	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-16	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. #4	<1 1-5 5-25 25-50 50-75 75-95 >95	horseweed, spidery, photo	
I-17	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PHAAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. #5	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, garlic mustard?	
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/6

Location: SME

quadratID	speciesID	cover	notes	flowering
I-17 (cont.)	MEDU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-18	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-19	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-20	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: