

Approximate Staging Solution



Approximate Staging Concept

Approximate staging philosophy is an **alternative** to the Lagrange' technique in which, **we** drop one equation and **solve** the residual N × N system of **equations**.

While, this **methodology** provides sub-optimal **solutions**, in many cases we can **use** the solutions, so obtained, to **initiate** a more rigorous design **iteration**.



Approximate Staging Features

While, there can be **many** options for **dropping** one equation, this can be **achieved** exactly, if one of the **partial** derivatives is **zero** throughout the design **space**.

However, as this is **not** necessarily true all the **time**, we assume that there is **only** one point in design **space** where objective **function** is a maximum.



Approximate Staging Concept

In such a case, the **point** automatically represents **optimal** design solution, at which all **partial** derivatives go to zero.

Of course, as **sensitivity** of objective function to design **variables** may not be **same** for all **variables**, we may remain in the **close** vicinity of the exact **optimal** point.

Such **solutions**, while approximate in nature, provide a good **starting** point for a more **rigorous** design exercise.



Approximate Staging Strategy

In this method, as **constraint** needs to be satisfied **exactly**, the corresponding **equation** is used to express **one** design variable in **terms** of all other remaining variables.

This **solution** is then substituted in (N-1) equations corresponding to the (N-1) partial derivatives.



Approximate Staging Strategy

Further, the derivative corresponding to selected design variable is ignored, resulting in $(N-1) \times (N-1)$ system.

Once this system is **solved**, these are substituted back into the **constraint** and the Nth variable is **solved** for.



Approximate Staging Formulation

The **basic** formulations for both the **cases** of constraints, are as given **below**.

$$\ln\left[\varepsilon_{1} + (1 - \varepsilon_{1})\pi_{1}\right] = -\left\{\frac{V_{*}}{I_{sp_{1}}g_{0}} + \sum_{i=2}^{N} \frac{I_{sp_{i}}}{I_{sp_{1}}} \ln\left[\varepsilon_{i} + (1 - \varepsilon_{i})\pi_{i}\right]\right\}$$

$$\ln \pi_{*} = \sum_{i=1}^{N} \ln \pi_{i} \rightarrow \frac{\partial \pi_{*}}{\partial \pi_{j}} = 0 \quad j = 2, N; \quad V_{*} \text{ Constraint Solution}$$

$$\ln \pi_{1} = \ln \pi_{*} - \sum_{i=2}^{N} \ln \pi_{i}; \quad V_{*} = \sum_{i=1}^{N} g_{0}I_{spi} \ln\left[\varepsilon_{i} + (1 - \varepsilon_{i})\pi_{i}\right]$$

$$\frac{\partial V_{*}}{\partial \pi_{j}} = 0 \quad j = 2, N; \quad \pi_{*} \text{ Constraint Solution}$$



Summary

To **summarize**, approximate staging solution **method** simplifies the solution **steps**.

However, it also **results** in the loss of **accuracy**, which is also dependent on the **equation** that is ignored.