

# Draft Analyzer

## 1. Modeling

### 1.1. Defining Items and Objects

Let us define a champion by an ID: each champion has a unique ID between 1 and 170 (since there are currently 170 champions).

Let us define the Victory-Defeat matrix  $M \in M_{170}(\mathbb{N})$ .

For  $(i, j) \in \llbracket 1; 170 \rrbracket^2$ , the coefficient  $M_{i,j}$  represents the number of victories of champion  $i$  over the champion  $j$ .

Consequently we can have the number of win  $w_i \in \mathbb{N}$  and the number of loose  $l_i \in \mathbb{N}$ .

$$w_i = \frac{\sum_{k=1}^{170} M_{i,k}}{5}$$
$$l_i = \frac{\sum_{k=1}^{170} M_{k,i}}{5}$$

$w_i$  will be the sum of the line  $i$  and  $l_i$  will be the sum of the column  $i$ . We will explain later why these sums are divided by 5.

### 1.2. Draft

What is a draft ? A draft is the selection of 5 champions against 5 others champions, all of which are distinct. Mathematically, we can define a draft as a 10-tuple, denoted by  $D$  :

$$D = (x_1, x_2, x_3, x_4, x_5, x_6, x_7, x_8, x_9, x_{10})$$
$$\forall (i, j) \in \llbracket 1, 10 \rrbracket \text{ we have : } x_i \neq x_j$$

The draft is divided into two teams: the “Red” team and the “Blue” team. We can define these teams as two 5 –tuple:  $R$  and  $B$ :

$$R = (x_1, x_2, x_3, x_4, x_5)$$
$$B = (x_6, x_7, x_8, x_9, x_{10})$$

And finally after a match one of the two team win and the other team loose and we need to update  $M$ .

After a match, one team wins and the other loses, and we update the matrix  $M$  accordingly. For each victorious champion, we add 1 to each column corresponding to the defeated champions of the opposing team. Since there are 5 champions on each team, this explains why we divide by 5 when calculating the number of wins and losses.

### 1.3. Probability

Now let's create your model to calculate probability of win of the “Red” or “Blue” with the history of the last match.

First define the “Strength of a champion” called  $S_i$  :

$$S_i = \sum_{k=1}^5 \left( \left( \frac{w_{x_k}}{w_{x_k} + l_{x_k}} \right) \frac{1}{3} + \left( \frac{M_{i,k}}{M_{i,k} + M_{k,i}} \right) \frac{2}{3} \right)$$

Lets add details about  $S_i$  :

- $i$  is the indice of the champion in draft.

- $x_i$  is the indice of the champion in the opponent team for  $i \in \llbracket 1, 5 \rrbracket$ .
- $\frac{1}{3}$  and  $\frac{2}{3}$  are weights for the general win probability and for the direct matchup.

Now we can define the “Strength of team” for the “Red” and for the “Blue” :  $S_R$  and  $S_B$

$$S_t = \sum_{k=1}^5 S_k$$

with  $t \in \{R, B\}$

Now lets use the logistic function to have the probability of winning of one side :

$$\mathbb{P}_R = \frac{1}{1 + e^{-(S_R - S_B)}}$$

## 2. Historical of draft and command in Prolog

initialiser(Matrix).

### 2.1. KC - TL :

	Victory					Defeat				
<b>Game 1</b>										
<b>TL</b>	Ornn	Maokai	Tristana	Varus	Nautilus	Jayce	Vi	Aurora	Ezreal	Rell
<b>Victory</b>										
<b>Game 2</b>										
<b>KC</b>	Camille	Sejuani	Azir	Miss Fortune	Leona	Ambessa	Skarner	Aurelion Sol	Ashe	Pantheon
<b>Victory</b>										
<b>Game 3</b>										
<b>TL</b>	K'Sante	Nocturne	Taliyah	Lucian	Nami	Gnar	Xin Zhao	Ahri	Zeri	Yuumi
<b>Victory</b>										

Add victory in matrix of the match :

```
add_victory('Ornn','Maokai','Tristana','Varus','Nautilus','Jayce','Vi','Aurora','Ezreal','Rell').
add_victory('Camille','Sejuani','Azir','Miss Fortune','Leona','Ambessa','Skarner','Aurelion Sol','Ashe','Pantheon').
add_victory('K'Sante','Nocturne','Taliyah','Lucian','Nami','Gnar','Xin Zhao','Ahri','Zeri','Yuumi').
```

### 2.2. TES - HLE

#### 2.2.1. Draft :

	Victory					Defeat				
<b>Game 1</b>										
<b>HLE</b>	Jax	Skarner	Azir	Ezreal	Alistar	Kennen	Vi	Aurora	Miss Fortune	Leona
<b>Victory</b>										
<b>Game 2</b>										
<b>HLE</b>	Aatrox	Nidalee	Akali	Varus	Poppy	Gragas	Nocturne	Orianna	Kalista	Renata Glasc
<b>Victory</b>										

#### 2.2.2. Calcul of winning proba of the drafts

TES-HLE Game 1 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Jax','Skarner','Azir','Ezreal','Alistar','Kennen'
Fortune','Leona',Matrix,P).
-> Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0,
0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0|...], [0|...],
```

```
[...|...|...],
-> P = 0.47834688488309984.
```

This model give probability of 0.47 at the first five champ entered in data.

In the final result the 5 first champ win this game We can say the model guess wrong the issue of the match.

TES - HLE Game 2 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Gragas','Nocturne','Orianna','Kalista','Renata
Glasc','Aatrox','Nidalee','Akali','Varus','Poppy',Matrix,P).
-> Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0,
0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...],
[...|...|...],
-> P = 0.5.
```

This model give probability of 0.5 at the first five champ entered in data.

In the final result the 5 first champ win this game.

### 2.2.3. Add Victory in Matrix

```
add_victory('Jax','Skarner','Azir','Ezreal','Alistar','Kennen','Vi','Aurora','Miss
Fortune','Leona').
add_victory('Aatrox','Nidalee','Akali','Varus','Poppy','Gragas','Nocturne','Orianna','Kalista','Ren
Glasc').
```

## 2.3. KC - CFO

### 2.3.1. Draft

	Victory					Defeat				
<b>Game 1 CFO Victory</b>	Rumble	Skarner	Viktor	Ezreal	Leona	Ambessa	Vi	Aurora	Kai'Sa	Rakan
<b>Game 2 CFO Victory</b>	Sion	Sejuani	Taliyah	Miss Fortune	Reil	Jayce	Brand	Yone	Varus	Nautilus

### 2.3.2. Calculus of the winning probability of the drafts

KC - CFO Game 1 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Ambessa','Vi','Aurora','Kai\'Sa','Rakan','Rumble'
-> Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0,
0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...],
[...|...|...],
-> P = 0.4419298941260467.
```

This model give probability of 0.44 at the first five champ entered in data.

In the final result the 5 last champ win this game. We can say the model give a good reponse because he give a proba of 56% to win at the last five champ.

KC -CFO Game 2 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Jayce','Brand','Yone','Varus','Nautilus','Sion','
Fortune','Reil',Matrix,P).
->Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0,
0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...],
[...|...|...],
->P = 0.5133301737382324.
```

This time the model don't give a good prediction.

### 2.3.3. Add victory in matrix

```
add_victory('Rumble','Skarner','Viktor','Ezreal','Leona','Ambessa','Vi','Aurora','Kai'Sa','Rakan')
add_victory('Sion','Sejuani','Taliyah','Miss Fortune','Rell','Jayce','Brand','Yone','Varus','Nautilus').
```

## 2.4. TES - TL

### 2.4.1. Draft

	Victory					Defeat				
Game 1 TES Victory	Rumble	Vi	Aurora	Ashe	Braum	Galio	Xin Zhao	Tristana	Ezreal	Rakan
Game 2 TES Victory	Aatrox	Pantheon	Sylas	Varus	Neeko	K'Sante	Maokai	Hwei	Kalista	Nautilus

### 2.4.2. Calculus of the winning probability of the drafts

TES - TL Game 1 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Rumble','Vi','Aurora','Ashe','Braum','Galio','Xin Zhao','Tristana','Ezreal','Rakan',Matrix,P).
-> Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...],
-> P = 0.46892897678537176.\
```

The model don't give a good prediction here.

TES - TL Game 2 :

```
load_matrix('matrix.txt',Matrix),win_proba_draft('K\Sante','Maokai','Hwei','Kalista','Nautilus','Aatrox','Pantheon','Sylas','Varus','Neeko','Galio','Xin Zhao','Tristana','Ezreal','Rakan',Matrix,P).
Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...],
P = 0.4922284950490025.
```

Here the model give a good prediction.

### 2.4.3. Add victory in matrix

```
add_victory('Rumble','Vi','Aurora','Ashe','Braum','Galio','Xin Zhao','Tristana','Ezreal','Rakan').
add_victory('Aatrox','Pantheon','Sylas','Varus','Neeko','K\Sante','Maokai','Hwei','Kalista','Nautilus').
```

## 2.5. HLE - CFO

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Rumble','Vi','Yone','Ashe','Rakan','Karma','Wukong','Azir','Ezreal','Alistar','Vladimir','Nidalee','Zed','Miss Fortune','Rell','Gragas','Kindred','Taliyah','Corki','Leona',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.4553966612109141.
```

```
add_victory('Rumble','Vi','Yone','Ashe','Rakan','Karma','Wukong','Azir','Ezreal','Alistar').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Vladimir','Nidalee','Zed','Miss Fortune','Rell','Gragas','Kindred','Taliyah','Corki','Leona',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.51499550161941.
```

```
add_victory('Vladimir','Nidalee','Zed','Miss Fortune','Rell','Gragas','Kindred','Taliyah','Corki','Leona').
```

## 2.6. TES - KC

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Ambessa','Viego','Aurora','Kalista','Renata Glasc','Jayce','Skarner','Taliyah','Ashe','Karma',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.46588641397664204.
```

```
add_victory('Jayce','Skarner','Taliyah','Ashe','Karma','Ambessa','Viego','Aurora','Kalista','Renata Glasc').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Gnar','Karthus','Corki','Varus','Rell','Aatrox','Ivern','Yone','Ezreal','Leona',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.5036110483266414.
```

```
add_victory('Aatrox','Ivern','Yone','Ezreal','Leona','Gnar','Karthus','Corki','Varus','Rell').
```

## 2.7. CFO - TL

```
load_matrix('matrix.txt',Matrix),win_proba_draft('K'Sante','Xin Zhao','Azir','Ezreal','Alistar','Gwen','Vi','Taliyah','Kai'Sa','Rakan',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.4830620392311757.
```

```
add_victory('K'Sante','Xin Zhao','Azir','Ezreal','Alistar','Gwen','Vi','Taliyah','Kai'Sa','Rakan').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Jax','Sejuani','Corki','Ziggs','Poppy','Gangplank','Maokai','Yone','Tristana',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.5122197884189273.
```

```
add_victory('Gangplank','Maokai','Yone','Tristana','Leona','Jax','Sejuani','Corki','Ziggs','Poppy').
```

## 2.8. KC - HLE

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Rumble','Xin Zhao','Taliyah','Ezreal','Leona','Aurora','Vi','Sylas','Varus','Poppy',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.5647338377718968.
```

```
add_victory('Aurora','Vi','Sylas','Varus','Poppy','Rumble','Xin Zhao','Taliyah','Ezreal','Leona').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Ambessa','Ivern','Azir','Jhin','Alistar','Gnar','Maokai','Corki','Ashe','Renata Glasc',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.5271953567276605.
```

```
add_victory('Ambessa','Ivern','Azir','Jhin','Alistar','Gnar','Maokai','Corki','Ashe','Renata Glasc').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Vladimir','Wukong','Jayce','Kai'Sa','Rell','Sion','Sejuani','Ryze','Draven',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.4628463872345206.
```

```
add_victory('Vladimir','Wukong','Jayce','Kai'Sa','Rell','Sion','Sejuani','Ryze','Draven','Rakan').
```

## 2.9. CFO - TES

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Jayce','Sejuani','Taliyah','Ezreal','Alistar','K'Sante','Nidalee','Yone','Jhin',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], P = 0.4652676676122881.
```

```
add_victory('Jayce','Sejuani','Taliyah','Ezreal','Alistar','K'Sante','Nidalee','Yone','Jhin','Leona').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Rumble','Xin Zhao','Sylas','Corki','Poppy','Sion','Skarner','Azir','Caitlyn','Nautilus',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5049998333399998.
```

```
add_victory('Sion','Skarner','Azir','Caitlyn','Nautilus','Rumble','Xin Zhao','Sylas','Corki','Poppy').
```

## 2.10. HLE - TL

```
load_matrix('matrix.txt',Matrix),win_proba_draft('K'Sante','Pantheon','Ziggs','Kalista','Renata Glasc','Kayle','Vi','Ryze','Draven','Pyke',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5020833212770899.
```

```
add_victory('Kayle','Vi','Ryze','Draven','Pyke','K'Sante','Pantheon','Ziggs','Kalista','Renata Glasc').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Renekton','Maokai','Cassiopeia','Varus','Rakan','Quinn','Zyra','Tristana',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [...|...]|...], P = 0.48611468225399523.
```

```
add_victory('Renekton','Maokai','Cassiopeia','Varus','Rakan','Quinn','Zyra','Tristana','Jhin','Rell').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Ambessa','Skarner','Kassadin','Sivir','Braum','Jax','Ivern','Viktor','Ezreal',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [...|...]|...], P = 0.4775151752081999.
```

```
add_victory('Ambessa','Skarner','Kassadin','Sivir','Braum','Jax','Ivern','Viktor','Ezreal','Leona').
```

## 3. Semi Final 1 : KC - CFO

```
?- load_matrix('matrix.txt',Matrix),win_proba_draft('Rumble','Xin Zhao','Azir','Sivir','Alistar','Jayce','Sejuani','Yone','Varus','Leona',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5110828404852331. wrong result
```

```
add_victory('Jayce','Sejuani','Yone','Varus','Leona','Rumble','Xin Zhao','Azir','Sivir','Alistar').
```

?-

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Gragas','Kindred','Galio','Ezreal','Nautilus','Aatrox','Pantheon','Taliyah',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [...|...]|...], P = 0.45449495193935213. good result
```

```
add_victory('Aatrox','Pantheon','Taliyah','Kai'Sa','Rell','Gragas','Kindred','Galio','Ezreal','Nautilus').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Renekton','Nidalee','Tristana','Ashe','Thresh','Ambessa','Vi','Hwei','Jhin',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [...|...]|...], P = 0.5181401827610472. good result
```

```
add_victory('Renekton','Nidalee','Tristana','Ashe','Thresh','Ambessa','Vi','Hwei','Jhin','Pyke').
```

```
load_matrix('matrix.txt',Matrix),win_proba_draft('Ornn','Nocturne','Akali','Kalista','Renata Glasc','Gnar','Wukong','Aurora','Caitlyn','Karma',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [...|...]|...], P = 0.5027777492001699. good result
```

```
add_victory('Ornn','Nocturne','Akali','Kalista','Renata Glasc','Gnar','Wukong','Aurora','Caitlyn','Karma').
```

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Gangplank','Skarner','Orianna','Zeri','Yuumi','Jax','Maokai','Aurora',  
Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...],  
[0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5351798696276825. wrong result

add\_victory('Jax','Maokai','Aurora','Corki','Senna','Gangplank','Skarner','Orianna','Zeri','Yuumi').

#### 4. Semi Final 2 : HLE - TES

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Rumble','Wukong','Azir','Ezreal','Alistar','Jayce','Sejuani','Yone','Miss Fortune','Rakan',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.47494164615261975. wrong result

add\_victory('Rumble','Wukong','Azir','Ezreal','Alistar','Jayce','Sejuani','Yone','Miss Fortune','Rakan').

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Aatrox','Vi','Akali','Ashe','Rell','Renekton','Xin Zhao','Sylas','Varus','Nautilus',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5022618893321819. good result

add\_victory('Aatrox','Vi','Akali','Ashe','Rell','Renekton','Xin Zhao','Sylas','Varus','Nautilus').

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Jax','Maokai','Vladimir','Jhin','Blitzcrank','Ambessa','Pantheon','Aurora',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5306559441632994. good result

add\_victory('Jax','Maokai','Vladimir','Jhin','Blitzcrank','Ambessa','Pantheon','Aurora','Corki','Bard').

#### 5. FINAL : HLE - KC

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Rumble','Wukong','Azir','Kai'Sa','Alistar','Jayce','Maokai','Taliyah','Miss Fortune','Rakan',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5864764357559431. wrong result

add\_victory('Jayce','Maokai','Taliyah','Miss Fortune','Rakan','Rumble','Wukong','Azir','Kai'Sa','Alistar').

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Gnar','Skarner','Aurora','Varus','Braum','Aatrox','Ivern','Hwei','Ezreal','Leona',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5045969400679873. good result

add\_victory('Gnar','Skarner','Aurora','Varus','Braum','Aatrox','Ivern','Hwei','Ezreal','Leona').

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Jax','Xin Zhao','Sylas','Ashe','Sett','Gangplank','Sejuani','Viktor','Jhin','Rell',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.47282442588745366. wrong result

add\_victory('Jax','Xin Zhao','Sylas','Ashe','Sett','Gangplank','Sejuani','Viktor','Jhin','Rell').

load\_matrix('matrix.txt',Matrix),win\_proba\_draft('Camille','Vi','Ahri','Xayah','Gragas','Kenneth','Pantheon','Galio','Draven','Renata Glasc',Matrix,P). Matrix = [[0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0, 0, 0|...], [0, 0, 0, 0|...], [0, 0, 0|...], [0, 0|...], [0|...], [...|...]|...], P = 0.5341889901715515. good result

add\_victory('Camille','Vi','Ahri','Xayah','Gragas','Kenneth','Pantheon','Galio','Draven','Renata Glasc').

#### 6. Result and conclusion