

Assignment 4: Data Wrangling

Masha Edmondson

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on Data Wrangling

Directions

1. Change “Student Name” on line 3 (above) with your name.
2. Work through the steps, **creating code and output** that fulfill each instruction.
3. Be sure to **answer the questions** in this assignment document.
4. When you have completed the assignment, **Knit** the text and code into a single PDF file.
5. After Knitting, submit the completed exercise (PDF file) to the dropbox in Sakai. Add your last name into the file name (e.g., “Salk_A04_DataWrangling.Rmd”) prior to submission.

The completed exercise is due on Tuesday, February 4 at 1:00 pm.

Set up your session

1. Check your working directory, load the `tidyverse` and `lubridate` packages, and upload all four raw data files associated with the EPA Air dataset. See the README file for the EPA air datasets for more information (especially if you have not worked with air quality data previously).

```
# 1. Set up your working directory
getwd()
```

```
## [1] "/Users/mashaedmondson/Desktop/Environmental_Data_Analytics_2020"
```

```
# 2. Load packages
library(tidyverse)
#install.packages(lubridate)
library(lubridate)
```

```
# 3. Import datasets
EPAair_03_NC2018 <- read.csv("./Data/Raw/EPAair_03_NC2018_raw.csv")
EPAair_03_NC2019 <- read.csv("./Data/Raw/EPAair_03_NC2019_raw.csv")
EPAair_PM25_NC2018 <- read.csv("./Data/Raw/EPAair_PM25_NC2018_raw.csv")
EPAair_PM25_NC2019 <- read.csv("./Data/Raw/EPAair_PM25_NC2019_raw.csv")
```

2. Explore the dimensions, column names, and structure of the datasets.

```
colnames(EPAair_03_NC2018)
```

```
## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
```

```
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"
```

```
dim(EPAair_03_NC2018)
```

```
## [1] 9737 20
```

```
str(EPAair_03_NC2018)
```

```
## 'data.frame': 9737 obs. of 20 variables:
```

```
## $ Date : Factor w/ 364 levels "01/01/2018","01/02/2018",...: 60 61 62 ...
## $ Source : Factor w/ 1 level "AQS": 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num 0.043 0.046 0.047 0.049 0.047 0.03 0.036 0.044 0.049 0.049 ...
## $ UNITS : Factor w/ 1 level "ppm": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 40 43 44 45 44 28 33 41 45 40 ...
## $ Site.Name : Factor w/ 40 levels "", "Beaufort",...: 35 35 35 35 35 35 35 35 35 35 ...
## $ DAILY_OBS_COUNT : int 17 17 17 17 17 17 17 17 17 17 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int 44201 44201 44201 44201 44201 44201 44201 44201 44201 44201 ...
## $ AQS_PARAMETER_DESC : Factor w/ 1 level "Ozone": 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int 25860 25860 25860 25860 25860 25860 25860 25860 25860 25860 ...
## $ CBSA_NAME : Factor w/ 17 levels "", "Asheville, NC",...: 9 9 9 9 9 9 9 9 9 9 ...
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37 37 ...
## $ STATE : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY : Factor w/ 32 levels "Alexander", "Avery",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE : num 35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE : num -81.2 -81.2 -81.2 -81.2 -81.2 ...
```

```
summary(EPAair_03_NC2018)
```

```
##      Date      Source      Site.ID      POC
## 04/01/2018: 40    AQS:9737    Min. :370030005    Min. :1
## 04/12/2018: 40      1st Qu.:370650099    1st Qu.:1
## 04/13/2018: 40      Median :371010002    Median :1
## 04/14/2018: 40      Mean :370969118    Mean :1
## 04/15/2018: 40      3rd Qu.:371290002    3rd Qu.:1
## 04/18/2018: 40      Max. :371990004    Max. :1
## (Other) :9497
## Daily.Max.8.hour.Ozone.Concentration UNITS    DAILY_AQI_VALUE
## Min. :0.00200      ppm:9737    Min. : 2.00
## 1st Qu.:0.03400      1st Qu.: 31.00
```

```

## Median :0.04200                      Median : 39.00
## Mean   :0.04194                      Mean   : 40.22
## 3rd Qu.:0.04900                      3rd Qu.: 45.00
## Max.   :0.07700                      Max.   :122.00
##
##           Site.Name    DAILY_OBS_COUNT PERCENT_COMPLETE
## Coweeta      : 355    Min.    :12.00    Min.    : 71.00
## Garinger High School: 354    1st Qu.:17.00    1st Qu.:100.00
## Millbrook School  : 352    Median :17.00    Median :100.00
## Candor        : 335    Mean     :16.94    Mean     : 99.65
## Rockwell       : 335    3rd Qu.:17.00    3rd Qu.:100.00
## Cranberry      : 323    Max.     :17.00    Max.     :100.00
## (Other)        :7683
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC CBSA_CODE
## Min.    :44201    Ozone:9737    Min.    :11700
## 1st Qu.:44201                    1st Qu.:16740
## Median :44201                    Median :24660
## Mean    :44201                    Mean    :27247
## 3rd Qu.:44201                    3rd Qu.:39580
## Max.    :44201                    Max.    :49180
##                                     NA's    :2609
##           CBSA_NAME    STATE_CODE    STATE
##           :2609    Min.    :37    North Carolina:9737
## Charlotte-Concord-Gastonia, NC-SC:1338    1st Qu.:37
## Asheville, NC           : 927    Median :37
## Winston-Salem, NC       : 725    Mean    :37
## Raleigh, NC            : 585    3rd Qu.:37
## Hickory-Lenoir-Morganton, NC : 477    Max.    :37
## (Other)                 :3076
## COUNTY_CODE    COUNTY    SITE_LATITUDE    SITE_LONGITUDE
## Min.    : 3.00    Forsyth    : 725    Min.    :34.36    Min.    : -83.80
## 1st Qu.: 65.00    Haywood    : 683    1st Qu.:35.26    1st Qu.: -82.05
## Median :101.00    Mecklenburg: 592    Median :35.55    Median : -80.34
## Mean    : 96.78    Avery    : 558    Mean    :35.62    Mean    : -80.42
## 3rd Qu.:129.00    Swain    : 483    3rd Qu.:36.03    3rd Qu.: -78.90
## Max.    :199.00    Cumberland : 444    Max.    :36.31    Max.    : -76.62
##           (Other)    :6252

```

```
class(EPAair_03_NC2018)
```

```
## [1] "data.frame"
```

```
colnames(EPAair_03_NC2019)
```

```

## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"

```

```
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"

dim(EPAair_03_NC2019)

## [1] 10592      20

str(EPAair_03_NC2019)

## 'data.frame':    10592 obs. of  20 variables:
## $ Date                : Factor w/ 365 levels "01/01/2019","01/02/2019",...: 1 2 3 4 5 ...
## $ Source              : Factor w/ 2 levels "AirNow","AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID            : int   370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 370030005 ...
## $ POC                : int    1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num   0.029 0.018 0.016 0.022 0.037 0.037 0.029 0.038 0.038 0.038 ...
## $ UNITS              : Factor w/ 1 level "ppm": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE    : int   27 17 15 20 34 34 27 35 35 28 ...
## $ Site.Name          : Factor w/ 38 levels "", "Beaufort",...: 33 33 33 33 33 33 33 33 33 33 ...
## $ DAILY_OBS_COUNT    : int   24 24 24 24 24 24 24 24 24 24 ...
## $ PERCENT_COMPLETE   : num   100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int  44201 44201 44201 44201 44201 44201 44201 44201 44201 44201 ...
## $ AQS_PARAMETER_DESC : Factor w/ 1 level "Ozone": 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE          : int  25860 25860 25860 25860 25860 25860 25860 25860 25860 25860 ...
## $ CBSA_NAME          : Factor w/ 15 levels "", "Asheville, NC",...: 8 8 8 8 8 8 8 8 8 8 ...
## $ STATE_CODE         : int   37 37 37 37 37 37 37 37 37 37 ...
## $ STATE              : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE        : int    3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY             : Factor w/ 30 levels "Alexander","Avery",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE      : num   35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE     : num  -81.2 -81.2 -81.2 -81.2 -81.2 ...

summary(EPAair_03_NC2019)
```

```
##           Date           Source      Site.ID           POC
## 03/18/2019:   38   AirNow:2126   Min.    :370030005   Min.    :1
## 03/19/2019:   38     AQS   :8466   1st Qu.:370630015   1st Qu.:1
## 03/20/2019:   38                               Median :370870036   Median :1
## 03/23/2019:   38                               Mean   :370960317   Mean    :1
## 03/24/2019:   38                               3rd Qu.:371290002   3rd Qu.:1
## 03/25/2019:   38                               Max.    :371990004   Max.    :1
## (Other)      :10364
## Daily.Max.8.hour.Ozone.Concentration UNITS      DAILY_AQI_VALUE
## Min.      :0.00000                               ppm:10592   Min.      : 0.0
## 1st Qu.:0.03600                               1st Qu.: 33.0
## Median :0.04400                               Median   : 41.0
## Mean    :0.04331                               Mean     : 41.2
## 3rd Qu.:0.05000                               3rd Qu.: 46.0
## Max.    :0.08100                               Max.     :136.0
##
```

```

##           Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Garinger High School: 363   Min.      :13.00   Min.      : 75.00
## Millbrook School      : 362   1st Qu.:17.00   1st Qu.:100.00
## Coweeta                : 361   Median  :17.00   Median  :100.00
## Rockwell               : 361   Mean    :18.34   Mean    : 99.69
## Candor                 : 358   3rd Qu.:17.00   3rd Qu.:100.00
## Cranberry              : 351   Max.    :24.00   Max.    :100.00
## (Other)                :8436
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC CBSA_CODE
## Min.      :44201      Ozone:10592      Min.      :11700
## 1st Qu.:44201                        1st Qu.:16740
## Median :44201                        Median  :24660
## Mean    :44201                        Mean    :26617
## 3rd Qu.:44201                        3rd Qu.:37080
## Max.    :44201                        Max.    :49180
##                                     NA's    :2852
##           CBSA_NAME      STATE_CODE      STATE
##                                     :2852   Min.    :37   North Carolina:10592
## Charlotte-Concord-Gastonia, NC-SC:1590 1st Qu.:37
## Asheville, NC                          :1114 Median  :37
## Winston-Salem, NC                      : 735 Mean    :37
## Raleigh, NC                           : 646 3rd Qu.:37
## Hickory-Lenoir-Morganton, NC          : 567 Max.    :37
## (Other)                               :3088
## COUNTY_CODE      COUNTY      SITE_LATITUDE SITE_LONGITUDE
## Min.      : 3.0   Haywood      : 864   Min.      :34.36   Min.      :-83.80
## 1st Qu.: 63.0   Forsyth       : 735   1st Qu.:35.26   1st Qu.: -82.05
## Median : 87.0   Mecklenburg: 657   Median :35.59   Median  :-80.34
## Mean    : 95.9   Avery        : 607   Mean    :35.61   Mean    :-80.41
## 3rd Qu.:129.0   Cumberland  : 498   3rd Qu.:36.03   3rd Qu.: -78.77
## Max.    :199.0   Swain        : 476   Max.    :36.31   Max.    :-76.62
##           (Other)      :6755

```

```
class(EPAair_03_NC2019)
```

```
## [1] "data.frame"
```

```
colnames(EPAair_PM25_NC2018)
```

```

## [1] "Date"                "Source"
## [3] "Site.ID"             "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE"     "Site.Name"
## [9] "DAILY_OBS_COUNT"     "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"  "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"           "CBSA_NAME"
## [15] "STATE_CODE"          "STATE"
## [17] "COUNTY_CODE"        "COUNTY"
## [19] "SITE_LATITUDE"       "SITE_LONGITUDE"

```

```
dim(EPAair_PM25_NC2018)
```

```
## [1] 8983 20
```

```
str(EPAair_PM25_NC2018)
```

```
## 'data.frame': 8983 obs. of 20 variables:
```

```

## $ Date : Factor w/ 365 levels "01/01/2018","01/02/2018",...: 2 5 8 11 14 17
## $ Source : Factor w/ 1 level "AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370110002 370110002 370110002 370110002 370110002 370110002 3
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num 2.9 3.7 5.3 0.8 2.5 4.5 1.8 2.5 4.2 1.7 ...
## $ UNITS : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 12 15 22 3 10 19 8 10 18 7 ...
## $ Site.Name : Factor w/ 25 levels "", "Blackstone",...: 15 15 15 15 15 15 15 15 1
## $ DAILY_OBS_COUNT : int 1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int 88502 88502 88502 88502 88502 88502 88502 88502 88502 88502
## $ AQS_PARAMETER_DESC : Factor w/ 2 levels "Acceptable PM2.5 AQI & Speciation Mass",...: 1
## $ CBSA_CODE : int NA NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME : Factor w/ 14 levels "", "Asheville, NC",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37 37 ...
## $ STATE : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY : Factor w/ 21 levels "Avery", "Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE : num 36 36 36 36 36 ...
## $ SITE_LONGITUDE : num -81.9 -81.9 -81.9 -81.9 -81.9 ...

```

[summary\(EPAair_PM25_NC2018\)](#)

```

##           Date      Source      Site.ID      POC
## 01/26/2018: 40    AQS:8983    Min. :370110002    Min. :1.000
## 02/01/2018: 40           1st Qu.:370630015    1st Qu.:3.000
## 02/19/2018: 40           Median :371010002    Median :3.000
## 03/21/2018: 40           Mean  :371002405    Mean  :2.812
## 04/02/2018: 40           3rd Qu.:371230001    3rd Qu.:3.000
## 04/08/2018: 40           Max.   :371830021    Max.   :5.000
## (Other)      :8743
## Daily.Mean.PM2.5.Concentration      UNITS      DAILY_AQI_VALUE
## Min.      : -2.300                ug/m3 LC:8983    Min.      : 0.00
## 1st Qu.: 4.900                                1st Qu.:20.00
## Median : 7.000                                Median :29.00
## Mean  : 7.491                                Mean  :30.73
## 3rd Qu.: 9.700                                3rd Qu.:40.00
## Max.   :34.200                                Max.   :97.00
##
##           Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School      : 717    Min.      :1      Min.      :100
## Hattie Avenue         : 510    1st Qu.:1      1st Qu.:100
## Board Of Ed. Bldg.    : 477    Median :1      Median :100
## Garinger High School: 472    Mean  :1      Mean  :100
## Durham Armory         : 466    3rd Qu.:1     3rd Qu.:100
## Pitt Agri. Center     : 460    Max.   :1      Max.   :100
## (Other)               :5881
## AQS_PARAMETER_CODE      AQS_PARAMETER_DESC
## Min.      :88101      Acceptable PM2.5 AQI & Speciation Mass:1403
## 1st Qu.:88101      PM2.5 - Local Conditions      :7580
## Median :88101
## Mean  :88164
## 3rd Qu.:88101
## Max.   :88502
##

```

```
##      CBSA_CODE                      CBSA_NAME      STATE_CODE
## Min.      :11700    Raleigh, NC                      :1396    Min.      :37
## 1st Qu.:19000    Winston-Salem, NC                      :1316    1st Qu.:37
## Median :25860    Charlotte-Concord-Gastonia, NC-SC:1275    Median :37
## Mean   :30946                                :1263    Mean   :37
## 3rd Qu.:40580    Asheville, NC                        : 586    3rd Qu.:37
## Max.   :49180    Durham-Chapel Hill, NC                : 466    Max.   :37
## NA's   :1263      (Other)                             :2681
##           STATE      COUNTY_CODE      COUNTY      SITE_LATITUDE
## North Carolina:8983    Min.      : 11.0    Mecklenburg:1275    Min.      :34.36
##                               1st Qu.: 63.0    Wake          :1049    1st Qu.:35.26
##                               Median :101.0    Forsyth       : 876    Median :35.64
##                               Mean   :100.2    Buncombe     : 477    Mean   :35.61
##                               3rd Qu.:123.0    Durham        : 466    3rd Qu.:35.91
##                               Max.   :183.0    Pitt         : 460    Max.   :36.11
##                               (Other)   :4380
## SITE_LONGITUDE
## Min.      :-83.44
## 1st Qu.: -80.87
## Median : -80.23
## Mean   : -79.99
## 3rd Qu.: -78.57
## Max.   : -76.21
##
```

```
class(EPAair_PM25_NC2018)
```

```
## [1] "data.frame"
```

```
colnames(EPAair_PM25_NC2019)
```

```
## [1] "Date"                      "Source"
## [3] "Site.ID"                   "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE"          "Site.Name"
## [9] "DAILY_OBS_COUNT"          "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"       "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"                "CBSA_NAME"
## [15] "STATE_CODE"               "STATE"
## [17] "COUNTY_CODE"             "COUNTY"
## [19] "SITE_LATITUDE"            "SITE_LONGITUDE"
```

```
dim(EPAair_PM25_NC2019)
```

```
## [1] 8581    20
```

```
str(EPAair_PM25_NC2019)
```

```
## 'data.frame':    8581 obs. of  20 variables:
## $ Date              : Factor w/ 365 levels "01/01/2019","01/02/2019",...: 3 6 9 12 15 18 ...
## $ Source            : Factor w/ 2 levels "AirNow","AQS": 2 2 2 2 2 2 2 2 2 2 ...
## $ Site.ID           : int   370110002 370110002 370110002 370110002 370110002 370110002 ...
## $ POC               : int    1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num   1.6 1 1.3 6.3 2.6 1.2 1.5 1.5 3.7 1.6 ...
## $ UNITS              : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE    : int    7 4 5 26 11 5 6 6 15 7 ...
## $ Site.Name          : Factor w/ 25 levels "", "Board Of Ed. Bldg.",...: 14 14 14 14 14 14 ...
```

```

## $ DAILY_OBS_COUNT      : int  1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE     : num  100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE   : int   88502 88502 88502 88502 88502 88502 88502 88502 88502 88502
## $ AQS_PARAMETER_DESC   : Factor w/ 2 levels "Acceptable PM2.5 AQI & Speciation Mass",...: 1
## $ CBSA_CODE            : int   NA NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME            : Factor w/ 14 levels "", "Asheville, NC",...: 1 1 1 1 1 1 1 1 1 1 ..
## $ STATE_CODE           : int   37 37 37 37 37 37 37 37 37 37 ...
## $ STATE                : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE          : int   11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY               : Factor w/ 21 levels "Avery", "Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ..
## $ SITE_LATITUDE        : num   36 36 36 36 36 ...
## $ SITE_LONGITUDE       : num  -81.9 -81.9 -81.9 -81.9 -81.9 ...

```

summary(EPAair_PM25_NC2019)

```

##           Date      Source      Site.ID      POC
## 02/26/2019: 41   AirNow:1670   Min.   :370110002   Min.   :1.000
## 01/21/2019: 40   AQS      :6911   1st Qu.:370630015   1st Qu.:3.000
## 02/14/2019: 40                                     Median :371190041   Median :3.000
## 01/09/2019: 39                                     Mean   :371023743   Mean   :3.032
## 01/27/2019: 39                                     3rd Qu.:371290002   3rd Qu.:3.000
## 02/02/2019: 39                                     Max.   :371830021   Max.   :5.000
## (Other)      :8343
## Daily.Mean.PM2.5.Concentration      UNITS      DAILY_AQI_VALUE
## Min.   : -3.100                      ug/m3 LC:8581   Min.   : 0.00
## 1st Qu.: 4.900                      1st Qu.:20.00
## Median : 7.400                      Median :31.00
## Mean   : 7.684                      Mean   :31.51
## 3rd Qu.:10.100                      3rd Qu.:42.00
## Max.   :31.200                      Max.   :91.00
##
##           Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School      : 738   Min.   :1      Min.   :100
## Garinger High School: 629   1st Qu.:1      1st Qu.:100
## Remount               : 573   Median :1      Median :100
## Hickory Water Tower  : 518   Mean   :1      Mean   :100
## Hattie Avenue         : 436   3rd Qu.:1     3rd Qu.:100
## Durham Armory         : 431   Max.   :1      Max.   :100
## (Other)               :5256
## AQS_PARAMETER_CODE      AQS_PARAMETER_DESC
## Min.   :88101      Acceptable PM2.5 AQI & Speciation Mass:1029
## 1st Qu.:88101      PM2.5 - Local Conditions      :7552
## Median :88101
## Mean   :88149
## 3rd Qu.:88101
## Max.   :88502
##
##           CBSA_CODE      CBSA_NAME      STATE_CODE
## Min.   :11700      Raleigh, NC      :1441   Min.   :37
## 1st Qu.:19000      Charlotte-Concord-Gastonia, NC-SC:1379   1st Qu.:37
## Median :25860      Winston-Salem, NC      :1235   Median :37
## Mean   :31099                      :1058   Mean   :37
## 3rd Qu.:40580      Hickory-Lenoir-Morganton, NC   : 518   3rd Qu.:37
## Max.   :49180      Durham-Chapel Hill, NC      : 431   Max.   :37
## NA's   :1058      (Other)              :2519

```



```
##          STATE      COUNTY_CODE      COUNTY      SITE_LATITUDE
## North Carolina:8581  Min.      : 11.0  Mecklenburg:1379  Min.      :34.36
##                      1st Qu.: 63.0  Wake           :1083  1st Qu.:35.26
##                      Median :119.0  Forsyth        : 839  Median :35.73
##                      Mean    :102.4  Catawba        : 518  Mean    :35.63
##                      3rd Qu.:129.0  Durham          : 431  3rd Qu.:35.91
##                      Max.     :183.0  Cumberland     : 427  Max.     :36.51
##                      (Other)   :3904
## SITE_LONGITUDE
## Min.      :-83.44
## 1st Qu.: -80.87
## Median   :-80.23
## Mean     :-79.95
## 3rd Qu.: -78.57
## Max.     :-76.21
##
```

```
class(EPAair_PM25_NC2019)
```

```
## [1] "data.frame"
```

Wrangle individual datasets to create processed files.

3. Change date to date
4. Select the following columns: Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE, SITE_LONGITUDE
5. For the PM2.5 datasets, fill all cells in AQS_PARAMETER_DESC with “PM2.5” (all cells in this column should be identical).
6. Save all four processed datasets in the Processed folder. Use the same file names as the raw files but replace “raw” with “processed”.

```
#3
EPAair_03_NC2018$Date <- as.Date(EPAair_03_NC2018$Date, format = "%m/%d/%Y")
EPAair_03_NC2019$Date <- as.Date(EPAair_03_NC2019$Date, format = "%m/%d/%Y")
EPAair_PM25_NC2018$Date <- as.Date(EPAair_PM25_NC2018$Date, format = "%m/%d/%Y")
EPAair_PM25_NC2019$Date <- as.Date(EPAair_PM25_NC2019$Date, format = "%m/%d/%Y")

#4
EPAair_03_NC2018.processed <-
  EPAair_03_NC2018 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE:SITE_LONGITUDE)

EPAair_03_NC2019.processed <-
  EPAair_03_NC2019 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE:SITE_LONGITUDE)

EPAair_PM25_NC2018.processed <-
  EPAair_PM25_NC2018 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE:SITE_LONGITUDE)

EPAair_PM25_NC2019.processed <-
  EPAair_PM25_NC2019 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE:SITE_LONGITUDE)

#5
```

```

levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)]
levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)]
levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)]
levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)]

#6
write.csv(EPAair_O3_NC2018.processed, row.names = FALSE,
          file = "./Data/Processed/EPAair_O3_NC2018_Processed.csv")

write.csv(EPAair_O3_NC2019.processed, row.names = FALSE,
          file = "./Data/Processed/EPAair_O3_NC2019_Processed.csv")

write.csv(EPAair_PM25_NC2018.processed, row.names = FALSE,
          file = "./Data/Processed/EPAair_PM25_NC2018.Processed.csv")

write.csv(EPAair_PM25_NC2019.processed, row.names = FALSE,
          file = "./Data/Processed/EPAair_PM25_NC2019.Processed.csv")

```

Combine datasets

7. Combine the four datasets with `rbind`. Make sure your column names are identical prior to running this code.
8. Wrangle your new dataset with a pipe function (`%>%`) so that it fills the following conditions:
 - Include all sites that the four data frames have in common: “Linville Falls”, “Durham Armory”, “Leggett”, “Hattie Avenue”, “Clemmons Middle”, “Mendenhall School”, “Frying Pan Mountain”, “West Johnston Co.”, “Garinger High School”, “Castle Hayne”, “Pitt Agri. Center”, “Bryson City”, “Millbrook School” (the function `intersect` can figure out common factor levels)
 - Some sites have multiple measurements per day. Use the split-apply-combine strategy to generate daily means: group by date, site, aqs parameter, and county. Take the mean of the AQI value, latitude, and longitude.
 - Add columns for “Month” and “Year” by parsing your “Date” column (hint: `lubridate` package)
 - Hint: the dimensions of this dataset should be 14,752 x 9.
9. Spread your datasets such that AQI values for ozone and PM2.5 are in separate columns. Each location on a specific date should now occupy only one row.
10. Call up the dimensions of your new tidy dataset.
11. Save your processed dataset with the following file name: “EPAair_O3_PM25_NC1718_Processed.csv”

```

#7
EPAair_O3_PM25_NC <- rbind(EPAair_O3_NC2018.processed, EPAair_O3_NC2019.processed, EPAair_PM25_NC2018.p
dim(EPAair_O3_PM25_NC)

```

```
## [1] 37893      7
```

```

#8
EPAair_O3_PM25_NC1718 <-
  EPAair_O3_PM25_NC %>%
  filter(Site.Name == "Linville Falls" | Site.Name == "Durham Armory" | Site.Name == "Leggett" | Site.Name ==
  group_by(Date, Site.Name, AQS_PARAMETER_DESC, COUNTY) %>%
  summarise(mean_AQI_value = mean(DAILY_AQI_VALUE),
            meanLat = mean(SITE_LATITUDE),
            meanLong = mean(SITE_LONGITUDE)) %>%

```

```

mutate(month = month(Date))%>%
mutate(year= year(Date))

dim(EPAair_03_PM25_NC1718)

## [1] 14752      9

#9
EPAair_03_PM25_NC1718.spread <- spread(EPAair_03_PM25_NC1718, AQS_PARAMETER_DESC, mean_AQI_value)

#10
dim(EPAair_03_PM25_NC1718.spread)

## [1] 8976      9

#11
write.csv(EPAair_03_PM25_NC1718.spread, row.names = FALSE,
          file = "./Data/Processed/EPAair_03_PM25_NC1718_Processed.csv")

```

Generate summary tables

12. Use the split-apply-combine strategy to generate a summary data frame. Data should be grouped by site, month, and year. Generate the mean AQI values for ozone and PM2.5 for each group. Then, add a pipe to remove instances where a month and year are not available (use the function `drop_na` in your pipe).

13. Call up the dimensions of the summary dataset.

```

#12a
EPAair_03_PM25_summary <-
  EPAair_03_PM25_NC1718.spread %>%
  group_by(Site.Name, month, year) %>%
  summarise(mean_Ozone = mean(Ozone),
            mean_PM2.5 = mean(PM2.5))%>%
  drop_na(month)%>%
  drop_na(year)

#13
dim(EPAair_03_PM25_summary)

```

```
## [1] 308      5
```

14. Why did we use the function `drop_na` rather than `na.omit`?

Answer: The “na.omit” function returns any object with incomplete cases, but it does not remove the N/As from the dataset. The “drop_na” function allows us to remove items with missing values. We wanted to remove the instances where a month and year are not available.