

# Assignment 4: Data Wrangling

Masha Edmondson

## OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on Data Wrangling

## Directions

1. Change “Student Name” on line 3 (above) with your name.
2. Work through the steps, **creating code and output** that fulfill each instruction.
3. Be sure to **answer the questions** in this assignment document.
4. When you have completed the assignment, **Knit** the text and code into a single PDF file.
5. After Knitting, submit the completed exercise (PDF file) to the dropbox in Sakai. Add your last name into the file name (e.g., “Salk\_A04\_DataWrangling.Rmd”) prior to submission.

The completed exercise is due on Tuesday, February 4 at 1:00 pm.

## Set up your session

1. Check your working directory, load the tidyverse and lubridate packages, and upload all four raw data files associated with the EPA Air dataset. See the README file for the EPA air datasets for more information (especially if you have not worked with air quality data previously).

```
# 1. Set up your working directory
getwd()

## [1] "/Users/mashaedmondson/Desktop/Environmental_Data_Analytics_2020"

# 2. Load packages
library(tidyverse)
#install.packages(lubridate)
library(lubridate)

# 3. Import datasets
EPAair_O3_NC2018 <- read.csv("./Data/Raw/EPAair_O3_NC2018_raw.csv")
EPAair_O3_NC2019 <- read.csv("./Data/Raw/EPAair_O3_NC2019_raw.csv")
EPAair_PM25_NC2018 <- read.csv("./Data/Raw/EPAair_PM25_NC2018_raw.csv")
EPAair_PM25_NC2019 <- read.csv("./Data/Raw/EPAair_PM25_NC2019_raw.csv")
```

2. Explore the dimensions, column names, and structure of the datasets.

```
colnames(EPAair_O3_NC2018)
```

```

## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"

dim(EPAair_03_NC2018)

## [1] 9737 20

str(EPAair_03_NC2018)

## 'data.frame': 9737 obs. of 20 variables:
## $ Date : Factor w/ 364 levels
"01/01/2018","01/02/2018",...: 60 61 62 63 64 65 66 67 68 69 ...
## $ Source : Factor w/ 1 level "AQS": 1 1 1 1
1 1 1 1 1 1 ...
## $ Site.ID : int 370030005 370030005
370030005 370030005 370030005 370030005 370030005 370030005 370030005
370030005 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num 0.043 0.046 0.047 0.049
0.047 0.03 0.036 0.044 0.049 0.043 ...
## $ UNITS : Factor w/ 1 level "ppm": 1 1 1 1
1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 40 43 44 45 44 28 33 41 45
40 ...
## $ Site.Name : Factor w/ 40 levels
","Beaufort",...: 35 35 35 35 35 35 35 35 35 35 ...
## $ DAILY_OBS_COUNT : int 17 17 17 17 17 17 17 17 17
17 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100
100 100 100 ...
## $ AQS_PARAMETER_CODE : int 44201 44201 44201 44201
44201 44201 44201 44201 44201 44201 ...
## $ AQS_PARAMETER_DESC : Factor w/ 1 level "Ozone": 1 1 1

```

```

1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int 25860 25860 25860 25860
25860 25860 25860 25860 25860 25860 ...
## $ CBSA_NAME : Factor w/ 17 levels
", "Asheville, NC", ...: 9 9 9 9 9 9 9 9 9 9 ...
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37
37 ...
## $ STATE : Factor w/ 1 level "North
Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY : Factor w/ 32 levels
"Alexander", "Avery", ...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE : num 35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE : num -81.2 -81.2 -81.2 -81.2 -
81.2 ...

```

**summary**(EPAair\_O3\_NC2018)

```

##           Date      Source      Site.ID      POC
## 04/01/2018: 40      AQS:9737      Min.      :370030005      Min.      :1
## 04/12/2018: 40      1st Qu.:370650099      1st Qu.:1
## 04/13/2018: 40      Median :371010002      Median :1
## 04/14/2018: 40      Mean    :370969118      Mean    :1
## 04/15/2018: 40      3rd Qu.:371290002      3rd Qu.:1
## 04/18/2018: 40      Max.    :371990004      Max.    :1
## (Other)      :9497
## Daily.Max.8.hour.Ozone.Concentration UNITS      DAILY_AQI_VALUE
## Min.      :0.00200      ppm:9737      Min.      : 2.00
## 1st Qu.:0.03400      1st Qu.: 31.00
## Median :0.04200      Median : 39.00
## Mean    :0.04194      Mean    : 40.22
## 3rd Qu.:0.04900      3rd Qu.: 45.00
## Max.    :0.07700      Max.    :122.00
##
##           Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Coweeta      : 355      Min.      :12.00      Min.      : 71.00
## Garinger High School: 354      1st Qu.:17.00      1st Qu.:100.00
## Millbrook School : 352      Median :17.00      Median :100.00
## Candor      : 335      Mean    :16.94      Mean    : 99.65
## Rockwell    : 335      3rd Qu.:17.00      3rd Qu.:100.00
## Cranberry    : 323      Max.    :17.00      Max.    :100.00
## (Other)      :7683
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC      CBSA_CODE
## Min.      :44201      Ozone:9737      Min.      :11700
## 1st Qu.:44201      1st Qu.:16740
## Median :44201      Median :24660
## Mean    :44201      Mean    :27247
## 3rd Qu.:44201      3rd Qu.:39580
## Max.    :44201      Max.    :49180
##           NA's      :2609

```

```

##          CBSA_NAME      STATE_CODE      STATE
##          :2609    Min.    :37    North Carolina:9737
## Charlotte-Concord-Gastonia, NC-SC:1338    1st Qu.:37
## Asheville, NC          : 927    Median :37
## Winston-Salem, NC      : 725    Mean   :37
## Raleigh, NC            : 585    3rd Qu.:37
## Hickory-Lenoir-Morganton, NC : 477    Max.    :37
## (Other)                :3076
## COUNTY_CODE      COUNTY      SITE_LATITUDE      SITE_LONGITUDE
## Min.    : 3.00    Forsyth    : 725    Min.    :34.36    Min.    : -83.80
## 1st Qu.: 65.00    Haywood    : 683    1st Qu.:35.26    1st Qu.: -82.05
## Median :101.00    Mecklenburg: 592    Median :35.55    Median : -80.34
## Mean   : 96.78    Avery     : 558    Mean   :35.62    Mean   : -80.42
## 3rd Qu.:129.00    Swain     : 483    3rd Qu.:36.03    3rd Qu.: -78.90
## Max.   :199.00    Cumberland : 444    Max.   :36.31    Max.   : -76.62
##          (Other)    :6252

class(EPAair_03_NC2018)

## [1] "data.frame"

colnames(EPAair_03_NC2019)

## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"

dim(EPAair_03_NC2019)

## [1] 10592    20

str(EPAair_03_NC2019)

## 'data.frame':    10592 obs. of  20 variables:
## $ Date                : Factor w/ 365 levels

```

```

"01/01/2019","01/02/2019",...: 1 2 3 4 5 6 7 8 9 10 ...
## $ Source : Factor w/ 2 levels
"AirNow","AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370030005 370030005
370030005 370030005 370030005 370030005 370030005 370030005
370030005 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num 0.029 0.018 0.016 0.022
0.037 0.037 0.029 0.038 0.038 0.03 ...
## $ UNITS : Factor w/ 1 level "ppm": 1 1 1 1
1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 27 17 15 20 34 34 27 35 35
28 ...
## $ Site.Name : Factor w/ 38 levels
"", "Beaufort",...: 33 33 33 33 33 33 33 33 33 33 ...
## $ DAILY_OBS_COUNT : int 24 24 24 24 24 24 24 24 24
24 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100
100 100 100 ...
## $ AQS_PARAMETER_CODE : int 44201 44201 44201 44201
44201 44201 44201 44201 44201 44201 ...
## $ AQS_PARAMETER_DESC : Factor w/ 1 level "Ozone": 1 1 1
1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int 25860 25860 25860 25860
25860 25860 25860 25860 25860 25860 ...
## $ CBSA_NAME : Factor w/ 15 levels
"", "Asheville, NC",...: 8 8 8 8 8 8 8 8 8 8 ...
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37
37 ...
## $ STATE : Factor w/ 1 level "North
Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY : Factor w/ 30 levels
"Alexander", "Avery",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE : num 35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE : num -81.2 -81.2 -81.2 -81.2 -
81.2 ...

```

**summary**(EPAair\_O3\_NC2019)

```

##           Date           Source      Site.ID           POC
## 03/18/2019:   38   AirNow:2126   Min.    :370030005   Min.    :1
## 03/19/2019:   38   AQS      :8466   1st Qu.:370630015   1st Qu.:1
## 03/20/2019:   38                               Median :370870036   Median :1
## 03/23/2019:   38                               Mean   :370960317   Mean   :1
## 03/24/2019:   38                               3rd Qu.:371290002   3rd Qu.:1
## 03/25/2019:   38                               Max.    :371990004   Max.    :1
## (Other)      :10364
## Daily.Max.8.hour.Ozone.Concentration UNITS      DAILY_AQI_VALUE
## Min.      :0.00000                        ppm:10592   Min.      : 0.0

```

```

## 1st Qu.:0.03600      1st Qu.: 33.0
## Median :0.04400      Median : 41.0
## Mean   :0.04331      Mean    : 41.2
## 3rd Qu.:0.05000      3rd Qu.: 46.0
## Max.   :0.08100      Max.    :136.0
##
##              Site.Name  DAILY_OBS_COUNT PERCENT_COMPLETE
## Garinger High School: 363  Min.    :13.00  Min.    : 75.00
## Millbrook School    : 362  1st Qu.:17.00  1st Qu.:100.00
## Coweeta              : 361  Median :17.00  Median :100.00
## Rockwell             : 361  Mean    :18.34  Mean    : 99.69
## Candor               : 358  3rd Qu.:17.00  3rd Qu.:100.00
## Cranberry            : 351  Max.    :24.00  Max.    :100.00
## (Other)              :8436
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC  CBSA_CODE
## Min.    :44201      Ozone:10592      Min.    :11700
## 1st Qu.:44201      Min.    :16740
## Median :44201      Median :24660
## Mean    :44201      Mean    :26617
## 3rd Qu.:44201      3rd Qu.:37080
## Max.    :44201      Max.    :49180
##                      NA's    :2852
##                      CBSA_NAME  STATE_CODE  STATE
##                      :2852  Min.    :37  North
Carolina:10592
## Charlotte-Concord-Gastonia, NC-SC:1590  1st Qu.:37
## Asheville, NC                          :1114  Median :37
## Winston-Salem, NC                      : 735  Mean    :37
## Raleigh, NC                           : 646  3rd Qu.:37
## Hickory-Lenoir-Morganton, NC          : 567  Max.    :37
## (Other)                               :3088
## COUNTY_CODE      COUNTY  SITE_LATITUDE  SITE_LONGITUDE
## Min.    : 3.0  Haywood    : 864  Min.    :34.36  Min.    :-83.80
## 1st Qu.: 63.0  Forsyth    : 735  1st Qu.:35.26  1st Qu.: -82.05
## Median : 87.0  Mecklenburg: 657  Median :35.59  Median : -80.34
## Mean    : 95.9  Avery      : 607  Mean    :35.61  Mean    : -80.41
## 3rd Qu.:129.0  Cumberland : 498  3rd Qu.:36.03  3rd Qu.: -78.77
## Max.    :199.0  Swain      : 476  Max.    :36.31  Max.    : -76.62
##                      (Other) :6755

class(EPAair_03_NC2019)

## [1] "data.frame"

colnames(EPAair_PM25_NC2018)

## [1] "Date"          "Source"
## [3] "Site.ID"       "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE" "Site.Name"
## [9] "DAILY_OBS_COUNT" "PERCENT_COMPLETE"

```

```

## [11] "AQS_PARAMETER_CODE"      "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"               "CBSA_NAME"
## [15] "STATE_CODE"              "STATE"
## [17] "COUNTY_CODE"            "COUNTY"
## [19] "SITE_LATITUDE"           "SITE_LONGITUDE"

dim(EPAair_PM25_NC2018)

## [1] 8983    20

str(EPAair_PM25_NC2018)

## 'data.frame':    8983 obs. of  20 variables:
## $ Date                : Factor w/ 365 levels
## "01/01/2018","01/02/2018",...: 2 5 8 11 14 17 20 23 26 29 ...
## $ Source               : Factor w/ 1 level "AQS": 1 1 1 1 1 1 1 1
## 1 1 1 ...
## $ Site.ID              : int  370110002 370110002 370110002
## 370110002 370110002 370110002 370110002 370110002 370110002 370110002 ...
## $ POC                  : int   1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num  2.9 3.7 5.3 0.8 2.5 4.5 1.8 2.5
## 4.2 1.7 ...
## $ UNITS                 : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1 1
## 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE       : int  12 15 22 3 10 19 8 10 18 7 ...
## $ Site.Name             : Factor w/ 25 levels "", "Blackstone",...:
## 15 15 15 15 15 15 15 15 15 15 ...
## $ DAILY_OBS_COUNT       : int   1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE      : num  100 100 100 100 100 100 100 100
## 100 100 ...
## $ AQS_PARAMETER_CODE    : int  88502 88502 88502 88502 88502
## 88502 88502 88502 88502 88502 ...
## $ AQS_PARAMETER_DESC    : Factor w/ 2 levels "Acceptable PM2.5
## AQI & Speciation Mass",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE             : int   NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME             : Factor w/ 14 levels "", "Asheville,
## NC",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ STATE_CODE            : int   37 37 37 37 37 37 37 37 37 37 ...
## $ STATE                 : Factor w/ 1 level "North Carolina": 1 1
## 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE          : int   11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY                : Factor w/ 21 levels
## "Avery", "Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE         : num   36 36 36 36 36 ...
## $ SITE_LONGITUDE        : num  -81.9 -81.9 -81.9 -81.9 -81.9 ...

summary(EPAair_PM25_NC2018)

##           Date           Source           Site.ID           POC
## 01/26/2018: 40    AQS:8983    Min.      :370110002    Min.      :1.000
## 02/01/2018: 40           1st Qu.:370630015    1st Qu.:3.000

```

```

## 02/19/2018: 40 Median :371010002 Median :3.000
## 03/21/2018: 40 Mean :371002405 Mean :2.812
## 04/02/2018: 40 3rd Qu.:371230001 3rd Qu.:3.000
## 04/08/2018: 40 Max. :371830021 Max. :5.000
## (Other) :8743
## Daily.Mean.PM2.5.Concentration UNITS DAILY_AQI_VALUE
## Min. :-2.300 ug/m3 LC:8983 Min. : 0.00
## 1st Qu.: 4.900 1st Qu.:20.00
## Median : 7.000 Median :29.00
## Mean : 7.491 Mean :30.73
## 3rd Qu.: 9.700 3rd Qu.:40.00
## Max. :34.200 Max. :97.00
##
## Site.Name DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School : 717 Min. :1 Min. :100
## Hattie Avenue : 510 1st Qu.:1 1st Qu.:100
## Board Of Ed. Bldg. : 477 Median :1 Median :100
## Garinger High School: 472 Mean :1 Mean :100
## Durham Armory : 466 3rd Qu.:1 3rd Qu.:100
## Pitt Agri. Center : 460 Max. :1 Max. :100
## (Other) :5881
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC
## Min. :88101 Acceptable PM2.5 AQI & Speciation Mass:1403
## 1st Qu.:88101 PM2.5 - Local Conditions :7580
## Median :88101
## Mean :88164
## 3rd Qu.:88101
## Max. :88502
##
## CBSA_CODE CBSA_NAME STATE_CODE
## Min. :11700 Raleigh, NC :1396 Min. :37
## 1st Qu.:19000 Winston-Salem, NC :1316 1st Qu.:37
## Median :25860 Charlotte-Concord-Gastonia, NC-SC:1275 Median :37
## Mean :30946 :1263 Mean :37
## 3rd Qu.:40580 Asheville, NC : 586 3rd Qu.:37
## Max. :49180 Durham-Chapel Hill, NC : 466 Max. :37
## NA's :1263 (Other) :2681
## STATE COUNTY_CODE COUNTY SITE_LATITUDE
## North Carolina:8983 Min. : 11.0 Mecklenburg:1275 Min. :34.36
## 1st Qu.: 63.0 Wake :1049 1st Qu.:35.26
## Median :101.0 Forsyth : 876 Median :35.64
## Mean :100.2 Buncombe : 477 Mean :35.61
## 3rd Qu.:123.0 Durham : 466 3rd Qu.:35.91
## Max. :183.0 Pitt : 460 Max. :36.11
## (Other) :4380
## SITE_LONGITUDE
## Min. :-83.44
## 1st Qu.: -80.87
## Median :-80.23
## Mean :-79.99

```



```

## 3rd Qu.: -78.57
## Max.    : -76.21
##

class(EPAair_PM25_NC2018)

## [1] "data.frame"

colnames(EPAair_PM25_NC2019)

## [1] "Date"           "Source"
## [3] "Site.ID"        "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE" "Site.Name"
## [9] "DAILY_OBS_COUNT" "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE" "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"        "CBSA_NAME"
## [15] "STATE_CODE"       "STATE"
## [17] "COUNTY_CODE"     "COUNTY"
## [19] "SITE_LATITUDE"    "SITE_LONGITUDE"

dim(EPAair_PM25_NC2019)

## [1] 8581 20

str(EPAair_PM25_NC2019)

## 'data.frame': 8581 obs. of 20 variables:
## $ Date : Factor w/ 365 levels
"01/01/2019", "01/02/2019", ...: 3 6 9 12 15 18 21 24 27 30 ...
## $ Source : Factor w/ 2 levels "AirNow", "AQS": 2 2
2 2 2 2 2 2 2 2 ...
## $ Site.ID : int 370110002 370110002 370110002
370110002 370110002 370110002 370110002 370110002 370110002 370110002 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num 1.6 1 1.3 6.3 2.6 1.2 1.5 1.5 3.7
1.6 ...
## $ UNITS : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1
1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 7 4 5 26 11 5 6 6 15 7 ...
## $ Site.Name : Factor w/ 25 levels "", "Board Of Ed.
Bldg.", ...: 14 14 14 14 14 14 14 14 14 14 ...
## $ DAILY_OBS_COUNT : int 1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100 100 100
100 100 ...
## $ AQS_PARAMETER_CODE : int 88502 88502 88502 88502 88502
88502 88502 88502 88502 88502 ...
## $ AQS_PARAMETER_DESC : Factor w/ 2 levels "Acceptable PM2.5
AQI & Speciation Mass", ...: 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int NA NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME : Factor w/ 14 levels "", "Asheville,
NC", ...: 1 1 1 1 1 1 1 1 1 1 ...

```

```
## $ STATE_CODE          : int  37 37 37 37 37 37 37 37 37 37 ...
## $ STATE                : Factor w/ 1 level "North Carolina": 1 1
1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE         : int  11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY              : Factor w/ 21 levels
"Avery","Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE       : num  36 36 36 36 36 ...
## $ SITE_LONGITUDE      : num  -81.9 -81.9 -81.9 -81.9 -81.9 ...
```

**summary**(EPAair\_PM25\_NC2019)

```
##          Date          Source      Site.ID          POC
## 02/26/2019: 41    AirNow:1670    Min.    :370110002    Min.    :1.000
## 01/21/2019: 40    AQS    :6911    1st Qu.:370630015    1st Qu.:3.000
## 02/14/2019: 40                      Median :371190041    Median :3.000
## 01/09/2019: 39                      Mean   :371023743    Mean   :3.032
## 01/27/2019: 39                      3rd Qu.:371290002    3rd Qu.:3.000
## 02/02/2019: 39                      Max.    :371830021    Max.    :5.000
## (Other)      :8343
## Daily.Mean.PM2.5.Concentration    UNITS    DAILY_AQI_VALUE
## Min.    :-3.100                    ug/m3 LC:8581    Min.    : 0.00
## 1st Qu.: 4.900                    1st Qu.:20.00
## Median : 7.400                    Median :31.00
## Mean   : 7.684                    Mean   :31.51
## 3rd Qu.:10.100                    3rd Qu.:42.00
## Max.    :31.200                    Max.    :91.00
##
##          Site.Name    DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School    : 738    Min.    :1    Min.    :100
## Garinger High School: 629    1st Qu.:1    1st Qu.:100
## Remount              : 573    Median :1    Median :100
## Hickory Water Tower : 518    Mean   :1    Mean   :100
## Hattie Avenue        : 436    3rd Qu.:1    3rd Qu.:100
## Durham Armory         : 431    Max.    :1    Max.    :100
## (Other)              :5256
## AQS_PARAMETER_CODE    AQS_PARAMETER_DESC
## Min.    :88101    Acceptable PM2.5 AQI & Speciation Mass:1029
## 1st Qu.:88101    PM2.5 - Local Conditions    :7552
## Median :88101
## Mean   :88149
## 3rd Qu.:88101
## Max.    :88502
##
##          CBSA_CODE    CBSA_NAME    STATE_CODE
## Min.    :11700    Raleigh, NC    :1441    Min.    :37
## 1st Qu.:19000    Charlotte-Concord-Gastonia, NC-SC:1379    1st Qu.:37
## Median :25860    Winston-Salem, NC    :1235    Median :37
## Mean   :31099                    :1058    Mean   :37
## 3rd Qu.:40580    Hickory-Lenoir-Morganton, NC    : 518    3rd Qu.:37
## Max.    :49180    Durham-Chapel Hill, NC    : 431    Max.    :37
```

```
## NA's :1058 (Other) :2519
## STATE COUNTY_CODE COUNTY SITE_LATITUDE
## North Carolina:8581 Min. : 11.0 Mecklenburg:1379 Min. :34.36
## 1st Qu.: 63.0 Wake :1083 1st Qu.:35.26
## Median :119.0 Forsyth : 839 Median :35.73
## Mean :102.4 Catawba : 518 Mean :35.63
## 3rd Qu.:129.0 Durham : 431 3rd Qu.:35.91
## Max. :183.0 Cumberland : 427 Max. :36.51
## (Other) :3904
## SITE_LONGITUDE
## Min. :-83.44
## 1st Qu.: -80.87
## Median : -80.23
## Mean : -79.95
## 3rd Qu.: -78.57
## Max. : -76.21
##
class(EPAair_PM25_NC2019)
## [1] "data.frame"
```

## Wrangle individual datasets to create processed files.

3. Change date to date
4. Select the following columns: Date, DAILY\_AQI\_VALUE, Site.Name, AQS\_PARAMETER\_DESC, COUNTY, SITE\_LATITUDE, SITE\_LONGITUDE
5. For the PM2.5 datasets, fill all cells in AQS\_PARAMETER\_DESC with "PM2.5" (all cells in this column should be identical).
6. Save all four processed datasets in the Processed folder. Use the same file names as the raw files but replace "raw" with "processed".

```
#3
EPAair_O3_NC2018$Date <- as.Date(EPAair_O3_NC2018$Date, format = "%m/%d/%Y")
EPAair_O3_NC2019$Date <- as.Date(EPAair_O3_NC2019$Date, format = "%m/%d/%Y")
EPAair_PM25_NC2018$Date <- as.Date(EPAair_PM25_NC2018$Date, format =
"%m/%d/%Y")
EPAair_PM25_NC2019$Date <- as.Date(EPAair_PM25_NC2019$Date, format =
"%m/%d/%Y")

#4
EPAair_O3_NC2018.processed <-
  EPAair_O3_NC2018 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY,
SITE_LATITUDE:SITE_LONGITUDE)

EPAair_O3_NC2019.processed <-
  EPAair_O3_NC2019 %>%
  select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY,
SITE_LATITUDE:SITE_LONGITUDE)
```

```

EPAair_PM25_NC2018.processed <-
  EPAair_PM25_NC2018 %>%
    select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY,
SITE_LATITUDE:SITE_LONGITUDE)

EPAair_PM25_NC2019.processed <-
  EPAair_PM25_NC2019 %>%
    select(Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY,
SITE_LATITUDE:SITE_LONGITUDE)

#5
levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC
2018.processed$AQS_PARAMETER_DESC)=="Acceptable PM2.5 AQI & Speciation
Mass"]<- "PM2.5"

levels(EPAair_PM25_NC2018.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC
2018.processed$AQS_PARAMETER_DESC)=="PM2.5 - Local Conditions"]<- "PM2.5"

levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC
2019.processed$AQS_PARAMETER_DESC)=="Acceptable PM2.5 AQI & Speciation
Mass"]<- "PM2.5"

levels(EPAair_PM25_NC2019.processed$AQS_PARAMETER_DESC)[levels(EPAair_PM25_NC
2019.processed$AQS_PARAMETER_DESC)=="PM2.5 - Local Conditions"]<- "PM2.5"

#6
write.csv(EPAair_O3_NC2018.processed, row.names = FALSE,
  file = "./Data/Processed/EPAair_O3_NC2018_Processed.csv")

write.csv(EPAair_O3_NC2019.processed, row.names = FALSE,
  file = "./Data/Processed/EPAair_O3_NC2019_Processed.csv")

write.csv(EPAair_PM25_NC2018.processed, row.names = FALSE,
  file = "./Data/Processed/EPAair_PM25_NC2018.Processed.csv")

write.csv(EPAair_PM25_NC2019.processed, row.names = FALSE,
  file = "./Data/Processed/EPAair_PM25_NC2019.Processed.csv")

```

## Combine datasets

7. Combine the four datasets with `rbind`. Make sure your column names are identical prior to running this code.
8. Wrangle your new dataset with a pipe function (`%>%`) so that it fills the following conditions:
  - Include all sites that the four data frames have in common: “Linville Falls”, “Durham Armory”, “Leggett”, “Hattie Avenue”, “Clemmons Middle”, “Mendenhall School”, “Frying Pan Mountain”, “West Johnston Co.”, “Garinger High School”, “Castle Hayne”, “Pitt Agri.

Center", "Bryson City", "Millbrook School" (the function intersect can figure out common factor levels)

- Some sites have multiple measurements per day. Use the split-apply-combine strategy to generate daily means: group by date, site, aqs parameter, and county. Take the mean of the AQI value, latitude, and longitude.
  - Add columns for "Month" and "Year" by parsing your "Date" column (hint: lubridate package)
  - Hint: the dimensions of this dataset should be 14,752 x 9.
9. Spread your datasets such that AQI values for ozone and PM2.5 are in separate columns. Each location on a specific date should now occupy only one row.
  10. Call up the dimensions of your new tidy dataset.
  11. Save your processed dataset with the following file name:  
"EPAair\_O3\_PM25\_NC1718\_Processed.csv"

```
#7
EPAair_O3_PM25_NC <- rbind(EPAair_O3_NC2018.processed,
EPAair_O3_NC2019.processed, EPAair_PM25_NC2018.processed,
EPAair_PM25_NC2019.processed)
dim(EPAair_O3_PM25_NC)

## [1] 37893      7

#8
EPAair_O3_PM25_NC1718 <-
  EPAair_O3_PM25_NC %>%
  filter(Site.Name == "Linville Falls" | Site.Name == "Durham
Armory" | Site.Name == "Leggett" | Site.Name == "Hattie Avenue" | Site.Name ==
"Clemmons Middle" | Site.Name == "Mendenhall School" | Site.Name == "Frying
Pan Mountain" | Site.Name == "West Johnston Co." | Site.Name == "Garinger High
School" | Site.Name == "Castle Hayne" | Site.Name == "Pitt Agri.
Center" | Site.Name == "Bryson City" | Site.Name == "Millbrook School") %>%
  group_by(Date, Site.Name, AQS_PARAMETER_DESC, COUNTY) %>%
  summarise(mean_AQI_value = mean(DAILY_AQI_VALUE),
            meanLat = mean(SITE_LATITUDE),
            meanLong = mean(SITE_LONGITUDE)) %>%
  mutate(month = month(Date)) %>%
  mutate(year = year(Date))

dim(EPAair_O3_PM25_NC1718)

## [1] 14752      9

#9
EPAair_O3_PM25_NC1718.spread <- spread(EPAair_O3_PM25_NC1718,
AQS_PARAMETER_DESC, mean_AQI_value)

#10
dim(EPAair_O3_PM25_NC1718.spread)

## [1] 8976      9
```

```
#11
```

```
write.csv(EPAair_O3_PM25_NC1718.spread, row.names = FALSE,  
          file = "./Data/Processed/EPAair_O3_PM25_NC1718_Processed.csv")
```

## Generate summary tables

12. Use the split-apply-combine strategy to generate a summary data frame. Data should be grouped by site, month, and year. Generate the mean AQI values for ozone and PM2.5 for each group. Then, add a pipe to remove instances where a month and year are not available (use the function `drop_na` in your pipe).

13. Call up the dimensions of the summary dataset.

```
#12a
```

```
EPAair_O3_PM25_summary <-  
  EPAair_O3_PM25_NC1718.spread %>%  
  group_by(Site.Name, month, year) %>%  
  summarise(mean_Ozone = mean(Ozone),  
             mean_PM2.5 = mean(PM2.5)) %>%  
  drop_na(month) %>%  
  drop_na(year)
```

```
#13
```

```
dim(EPAair_O3_PM25_summary)
```

```
## [1] 308    5
```

14. Why did we use the function `drop_na` rather than `na.omit`?

Answer: The “`na.omit`” function returns any object with incomplete cases, but it does not remove the N/As from the dataset. The “`drop_na`” function allows us to remove items with missing values. We wanted to remove the instances where a month and year are not available.