QUERY PLAN

```
Merge Join (cost=0.62..1351.74 rows=8893 width=302) (actual time=0.130..45.729 rows=8897 loops=1)
  Merge Cond: (c.customerid = o.customerid)
  -> Index Scan using customers_pkey on customers c (cost=0.29..845.29 rows=20000 width=268) (actual time=0.032..10.950 rows=19997 loops=1)
  -> Index Scan using ix_order_custid on orders o (cost=0.29..345.29 rows=8893 width=30) (actual time=0.070..19.943 rows=8897 loops=1)
    Filter: (netamount > '100'::numeric)
    Rows Removed by Filter: 3103
Planning Time: 3.843 ms
Execution Time: 52.293 ms
```

Listing 1: merge join

```
QUERY PLAN

Sort (cost=7224521.31..7224543.54 rows=8893 width=302) (actual time=111918.890..111919.623 rows=8897 loops=1)

Sort Key: c.customerid

Sort Method: quicksort Memory: 2817kB

-> Nested Loop (cost=0.00..7223938.00 rows=8893 width=302) (actual time=205.686..111816.823 rows=8897 loops=1)

Join Filter: (c.customerid = o.customerid)

Rows Removed by Join Filter: 177931103

-> Seq Scan on customers c (cost=0.00..688.00 rows=20000 width=268) (actual time=8.168..31.380 rows=20000 loops=1)

-> Seq Scan on orders o (cost=0.00..250.00 rows=8893 width=30) (actual time=0.006..4.604 rows=8897 loops=20000)

Filter: (netamount > '100'::numeric)

Rows Removed by Filter: 3103

Planning Time: 0.777 ms

Execution Time: 111925.339 ms
```

Listing 2: nested loop + sort

```
QUERY PLAN

Sort (cost=1575.48..1590.32 rows=5934 width=304) (actual time=33.584..34.200 rows=5936 loops=1)

Sort Key: o.netamount

Sort Method: quicksort Memory: 1816kB

-> Hash Join (cost=938.00..1203.58 rows=5934 width=304) (actual time=12.335..23.709 rows=5936 loops=1)

Hash Cond: (o.customerid = c.customerid)

-> Seq Scan on orders o (cost=0.00..250.00 rows=5934 width=30) (actual time=0.034..5.769 rows=5936 loops=1)

Filter: (netamount > '200'::numeric)

Rows Removed by Filter: 6064

-> Hash (cost=688.00..688.00 rows=20000 width=268) (actual time=12.254..12.254 rows=20000 loops=1)

Buckets: 32768 Batches: 1 Memory Usage: 4108kB

-> Seq Scan on customers c (cost=0.00..688.00 rows=20000 width=268) (actual time=0.012..5.910 rows=20000 loops=1)

Planning Time: 1.154 ms

Execution Time: 40.343 ms
```

Listing 3: hash join

```
QUERY PLAN

Seq Scan on customers c (cost=0.00..788.00 rows=769 width=268) (actual time=0.101..10.838 rows=776 loops=1)
Filter: ((age < 20) OR (age = 22))
Rows Removed by Filter: 19224
Planning Time: 0.233 ms
Execution Time: 11.107 ms
```

Listing 4: multiple conditions in filter

```
QUERY PLAN

Limit (cost=0.00..0.18 rows=10 width=30) (actual time=0.033..0.041 rows=10 loops=1)

-> Seq Scan on orders (cost=0.00..220.00 rows=12000 width=30) (actual time=0.030..0.034 rows=10 loops=1)

Planning Time: 0.154 ms

Execution Time: 0.414 ms
```

QUERY PLAN Hash Right Join (cost=938.00..1189.51 rows=20000 width=298) (actual time=10.990..29.612 rows=23004 loops=1) Hash Cond: (o.customerid = c.customerid) -> Seq Scan on orders o (cost=0.00..220.00 rows=12000 width=30) (actual time=0.010..1.664 rows=12000 loops=1) -> Hash (cost=688.00..688.00 rows=20000 width=268) (actual time=10.940..10.940 rows=20000 loops=1) Buckets: 32768 Batches: 1 Memory Usage: 4108kB -> Seq Scan on customers c (cost=0.00..688.00 rows=20000 width=268) (actual time=0.016..4.918 rows=20000 loops=1) Planning Time: 0.707 ms Execution Time: 32.227 ms

Listing 6: hash right join

QUERY PLAN

Index Scan using orders_pkey on orders (cost=0.29..2.30 rows=1 width=30) (actual time=1.361..1.366 rows=1 loops=1)
 Index Cond: (orderid = 3)
Planning Time: 0.191 ms
Execution Time: 1.673 ms