Preface to corrected reprint of the seventh edition

As mentioned in the Preface to the seventh edition of this work, a change to a new publisher has made it possible to reset the whole text. Not surprisingly such a large amount of typesetting introduced some typographical errors. Those found by now have been corrected, as has been other inaccuracies which the reviewers and readers of the book brought to my attention. A small number of additional references have also been included. For the sake of completeness the Prefaces to the third, fourth and fifth editions have also been added.

I am particularly indebted to Dr E. Hecht who in a thorough review of the seventh edition noted several errors and inaccuracies that have now been corrected. I am also obliged to Dr S. H. Wiersma and Mr Damon Diehl who read much of the text very carefully and supplied me with long lists of misprints and other errors. I must also thank my friends and colleagues Professor Taco Visser, Dr Daniel F. V. James, Dr Peter Milonni, Professor Richard M. Sillitto, Mrs Winifred Sillitto and Dr Andrei Shchegrov for drawing my attention to a number of errors. Finally I wish to express my indebtedness to my colleague and former student Dr Greg Gbur for much help with the preparation of the corrected version.

Rochester, New York   EW
August 2001

Preface to the first edition

THE idea of writing this book was a result of frequent enquiries about the possibility of publishing in the English language a book on optics written by one of us[*] more than twenty-five years ago. A preliminary survey of the literature showed that numerous researches on almost every aspect of optics have been carried out in the intervening years, so that the book no longer gives a comprehensive and balanced picture of the field. In consequence it was felt that a translation was hardly appropriate; instead a substantially new book was prepared, which we are now placing before the reader. In planning this book it soon became apparent that even if only the most important developments which took place since the publication of *Optik* were incorporated, the book would become impracticably large. It was, therefore, deemed necessary to restrict its scope to a narrower field. *Optik* itself did not treat the whole of optics. The optics of moving media, optics of X-rays and γ-rays, the theory of spectra and the full connection between optics and atomic physics were not discussed; nor did the old book consider the effects of light on our visual sense organ – the eye. These subjects can be treated more appropriately in connection with other fields such as relativity, quantum mechanics, atomic and nuclear physics, and physiology. In this book not only are these subjects excluded, but also the classical molecular optics which was the subject matter of almost half of the German book. Thus our discussion is restricted to those optical phenomena which may be treated in terms of Maxwell's phenomenological theory. This includes all situations in which the atomistic structure of matter plays no decisive part. The connection with atomic physics, quantum mechanics, and physiology is indicated only by short references wherever necessary. The fact that, even after this limitation, the book is much larger than *Optik*, gives some indication about the extent of the researches that have been carried out in classical optics in recent times.

We have aimed at giving, within the framework just outlined, a reasonably complete picture of our present knowledge. We have attempted to present the theory in such a way that practically all the results can be traced back to the basic equations of Maxwell's electromagnetic theory, from which our whole consideration starts.

In Chapter I the main properties of the electromagnetic field are discussed and the effect of matter on the propagation of the electromagnetic disturbance is described formally, in terms of the usual material constants. A more physical approach to the

---

[*] Max Born, *Optik* (Berlin, Springer, 1933).

question of influence of matter is developed in Chapter II: it is shown that in the presence of an external incident field, each volume element of a material medium may be assumed to give rise to a secondary (scattered) wavelet and that the combination of these wavelets leads to the observable, macroscopic field. This approach is of considerable physical significance and its power is illustrated in a later chapter (Chapter XII) in connection with the diffraction of light by ultrasonic waves, first treated in this way by A. B. Bhatia and W. J. Noble; Chapter XII was contributed by Prof. Bhatia himself.

A considerable part of Chapter III is devoted to showing how geometrical optics follows from Maxwell's wave theory as a limiting case of short wavelengths. In addition to discussing the main properties of rays and wave-fronts, the vectorial aspects of the problem (propagation of the directions of the field vectors) are also considered. A detailed discussion of the foundations of geometrical optics seemed to us desirable in view of the important developments made in recent years in the related field of microwave optics (optics of short radio waves). These developments were often stimulated by the close analogy between the two fields and have provided new experimental techniques for testing the predictions of the theory. We found it convenient to separate the mathematical apparatus of geometrical optics – the calculus of variations – from the main text; an appendix on this subject (Appendix I) is based in the main part on unpublished lectures given by D. Hilbert at Göttingen University in the early years of this century. The following appendix (Appendix II), contributed by Prof. D. Gabor, shows the close formal analogy that exists between geometrical optics, classical mechanics, and electron optics, when these subjects are presented in the language of the calculus of variations.

We make no apology for basing our treatment of geometrical theory of imaging (Chapter IV) on Hamilton's classical methods of characteristic functions. Though these methods have found little favour in connection with the design of optical instruments, they represent nevertheless an essential tool for presenting in a unified manner the many diverse aspects of the subject. It is, of course, possible to derive some of the results more simply from *ad hoc* assumptions; but, however valuable such an approach may be for the solution of individual problems, it cannot have more than illustrative value in a book concerned with a systematic development of a theory from a few simple postulates.

The defect of optical images (the influence of aberrations) may be studied either by geometrical optics (appropriate when the aberrations are large), or by diffraction theory (when they are sufficiently small). Since one usually proceeds from quite different starting points in the two methods of treatment, a comparison of results has in the past not always been easy. We have attempted to develop a more unified treatment, based on the concept of the deformation of wave-fronts. In the geometrical analysis of aberrations (Chapter V) we have found it possible and advantageous to follow, after a slight modification of his eikonal, the old method of K. Schwarzschild. The chapter on diffraction theory of aberrations (Chapter IX) gives an account of the Nijboer–Zernike theory and also includes an introductory section on the imaging of extended objects, in coherent and in incoherent illumination, based on the techniques of Fourier transforms.

Chapter VI, contributed by Dr P. A. Wayman, gives a brief description of the main image-forming optical systems. Its purpose is to provide a framework for those parts of the book which deal with the theory of image formation.

Chapter VII is concerned with the elements of the theory of interference and with interferometers. Some of the theoretical sections have their nucleus in the corresponding sections of *Optik*, but the chapter has been completely re-written by Dr W. L. Wilcock, who has also considerably broadened its scope.

Chapter VIII is mainly concerned with the Fresnel–Kirchhoff diffraction theory and with some of its applications. In addition to the usual topics, the chapter includes a detailed discussion of the central problem of optical image formation – the analysis of the three-dimensional light distribution near the geometrical focus. An acount is also given of a less familiar alternative approach to diffraction, based on the notion of the boundary diffraction wave of T. Young.

The chapters so far referred to are mainly concerned with perfectly monochromatic (and therefore completely coherent) light, produced by point sources. Chapter X deals with the more realistic case of light produced by sources of finite extension and covering a finite frequency range. This is the subject of partial coherence, where considerable progress has been made in recent years. In fact, a systematic theory of interference and diffraction with partially coherent light has now been developed. This chapter also includes an account of the closely related subject of partial polarization, from the standpoint of coherence theory.

Chapter XI deals with rigorous diffraction theory, a field that has witnessed a tremendous development over the period of the last twenty years,[*] stimulated largely by advances in the ultra-shortwave radio techniques. This chapter was contributed by Dr P. C. Clemmow who also prepared Appendix III, which deals with the mathematical methods of steepest descent and stationary phase.

The last two chapters, 'Optics of metals' (Chapter XIII) and 'Optics of crystals' (Chapter XIV) are based largely on the corresponding chapters of *Optik*, but were revised and extended with the help of Prof. A. M. Taylor and Dr A. R. Stokes respectively. These two subjects are perhaps discussed in less detail than might seem appropriate. However, the optics of metals can only be treated adequately with the help of quantum mechanics of electrons, which is outside the scope of this book. In crystal optics the centre of interest has gradually shifted from visible radiation to X-rays, and the progress made in recent years has been of a technical rather than theoretical nature.

Though we have aimed at producing a book which in its methods of presentation and general approach would be similar to *Optik*, it will be evident that the present book is neither a translation of *Optik*, nor entirely a compilation of known data. As regards our own share in its production, the elder coauthor (M. B.) has contributed that material from *Optik* which has been used as a basis for some of the chapters in the present treatise, and has taken an active part in the general planning of the book and in numerous discussions concerning disputable points, presentation, etc. Most of the compiling, writing and checking of the text was done by the younger coauthor (E. W.).

Naturally we have tried to use systematic notation throughout the book. But in a book that covers such a wide field, the number of letters in available alphabets is far too limited. We have, therefore, not always been able to use the most elegant notation but we hope that we have succeeded, at least, in avoiding the use in any one section of the same symbol for different quantities.

---

[*] The important review article by C. J. Bouwkamp, *Rep. Progr. Phys.* (London, Physical Society), **17** (1954), 35, records more than 500 papers published in the period 1940–1954.

In general we use vector notation as customary in Great Britain. After much reflection we rejected the use of the nabla operator alone and employed also the customary 'div', 'grad' and 'curl'. Also, we did not adopt the modern electrotechnical units, as their main advantage lies in connection with purely electromagnetic measurements, and these play a negligible part in our discussions; moreover, we hope, that if ever a second volume (*Molecular and Atomic Optics*) and perhaps a third volume (*Quantum Optics*) is written, the C.G.S. system, as used in theoretical physics, will have returned to favour. Although, in this system of units, the magnetic permeability μ of most substances differs inappreciably from unity at optical frequencies, we have retained it in some of the equations. This has the advantage of greater symmetry and makes it possible to derive 'dual' results by making use of the symmetry properties of Maxwell's equations. For time periodic fields we have used, in complex representation, the factor $\exp(-i\omega t)$ throughout.

We have not attempted the task of referring to all the relevant publications. The references that are given, and which, we hope, include the most important papers, are to help the reader to gain some orientation in the literature; an omission of any particular reference should not be interpreted as due to our lack of regard for its merit.

In conclusion it is a pleasure to thank many friends and colleagues for advice and help. In the first place we wish to record our gratitude to Professor D. Gabor for useful advice and assistance in the early stages of this project, as well as for providing a draft concerning his ingenious method of reconstructed wave-fronts (§8.10). We are also greatly indebted to Dr F. Abelès, who prepared a draft, which is the backbone of §1.6, on the propagation of electromagnetic waves through stratified media, a field to which he himself has made a substantial contribution. We have also benefited by advice on this subject from Dr B. H. Billings.

We are much indebted to Dr H. H. Hopkins, Dr R. A. Silverman, Dr W. T. Welford and Dr G. Wyllie for critical comments and valuable advice, and to them and also to Dr G. Black, Dr H. J. J. Braddick, Dr N. Chako, Dr F. D. Kahn, Mr A. Nisbet, Dr M. Ross and Mr R. M. Sillitto for scrutinizing various sections of the manuscript. We are obliged to Polaroid Corporation for information concerning dichroic materials. Dr F. D. Kahn helped with proof-reading and Dr P. Roman and Mrs M. Podolanski with the preparation of the author index.

The main part of the writing was done at the Universities of Edinburgh and Manchester. The last stages were completed whilst one of the authors (E. W.) was a guest at the Institute of Mathematical Sciences, New York University. We are grateful to Professor M. Kline, Head of its Division of Electromagnetic Research, for his helpful interest and for placing at our disposal some of the technical facilities of the Institute.

We gratefully acknowledge the loan of original photographs by Professor M. Françon and Dr M. Cagnet (Figs 7.4, 7.26, 7.28, 7.60, 15.24, 15.26), Professor H. Lipson and his coworkers at the Manchester College of Science and Technology (Figs. 8.10, 8.12, 8.15), Dr O. W. Richards (Figs. 8.34, 8.35), and Professor F. Zernike and Dr K. Nienhus (Figs. 9.4, 9.5, 9.8, 9.10, 9.11). Fig. 7.66 is reproduced by courtesy of the Director of the Mount Wilson and Palomar Observatories. The blocks of Fig. 7.42 were kindly loaned by Messrs Hilger and Watts, Ltd, and those of Figs. 7.64 and 7.65 by Dr K. W. Meissner.

Financial assistance was provided by Messrs Industrial Distributors Ltd, London,

and we wish to acknowledge the generosity of the late Sir Ernest Oppenheimer, its former head.

Finally, it is a pleasure to thank our publishers and in particular Mr E. J. Buckley, Mr D. M. Lowe and also Dr P. Rosbaud, who as a former Director of Pergamon Press was closely associated with this project in its early stages, for the great care they have taken in the production of the book. It is a pleasure to pay tribute also to the printers, Pitman Press of Bath, for the excellence of their printing.

Bad Pyrmont and Manchester   Max Born
January 1959   Emil Wolf

Preface to the second edition

ADVANTAGE has been taken in the preparation of a new edition of this work to make a number of corrections of errors and misprints, to make a few minor additions and to include some new references.

Since the appearance of the first edition almost exactly three years ago, the first optical masers (lasers) have been developed. By means of these devices very intense and highly coherent light beams may be produced. Whilst it is evident that optical masers will prove of considerable value not only for optics but also for other sciences and for technology, no account of them is given in this new edition. For the basic principles of maser action have roots outside the domain of classical electromagnetic theory on which considerations of this book are based. We have, however, included a few references to recent researches in which light generated by optical masers was utilized or which have been stimulated by the potentialities of these new optical devices.

We wish to acknowledge our gratitude to a number of readers who drew our attention to errors and misprints. We are also obliged to Dr B. Karczewski and Mr C. L. Mehta for assistance with the revisions.

Bad Pyrmont and Rochester   M.B.
November 1962   E.W.

Preface to the third edition

A number of errors and misprints which were present in the earlier editions of this work have been corrected and references to some recent publications have been added.

A new figure (8.54) which relates to an interesting recent development in the wavefront reconstruction technique was also included. We are indebted to E. N. Leith and J. Upatnieks for a loan of the original photographs.

Bad Pyrmont and Rochester	M. B.
July 1965	E. W.

Preface to the fourth edition

Owing to the appreciable size of this work, it was found impractical to incorporate in this new edition additional material relating to the most recent developments in optics. We have, however, made further corrections and improvements in the text and have added references to some recent publications.

We are indebted to Dr E. W. Marchand and Mr. T. Kusakawa for supplying us with lists of misprints and errors found in the previous editions. We are also obliged to Dr G. Bédard for assistance with the revisions.

Bad Pyrmont and Rochester	M. B.
August 1968	E. W.

Preface to the fifth edition

Some further errors and misprints that were found in the earlier editions of this work have been corrected, the text in several sections has been improved and a number of references to recent publications have been added. More extensive changes have been made in §§13.1–13.3, dealing with the optical properties of metals. It is well known that a purely classical theory is inadequate to describe the interaction of an electromagnetic field with a metal in the optical range of the spectrum. Nevertheless, it is possible to indicate some of the main features of this process by means of a classical model, provided that the frequency dependence of the conductivity is properly taken into account and the role that the free, as well as the bound, electrons play in the response of the metal to an external electromagnetic field is understood, at least in qualitative terms. The changes in §§13.1–13.3 concern mainly these aspects of the theory and the revised sections are believed to be free of misleading statements and inaccuracies that were present in this connection in the earlier editions of this work and which can also be commonly found in many other optical texts.

I am grateful to some of our readers for informing me about misprints and errors. I wish to specifically acknowledge my indebtedness to Prof. A. D. Buckinham, Dr D. Canals Frau and, once again, Dr E. W. Marchand, who supplied me with detailed lists of corrections and to Dr É. Lalor and Dr G. C. Sherman for having drawn my attention to the need for making more substantial changes in Chapter XIII. I am also much obliged to Mr J. T. Foley for assistance with the revisions.

Rochester
January 1974   E. W.

Preface to the sixth edition

This edition differs from its immediate predecessor chiefly in that it contains corrections of a small number of errors and misprints.

Rochester   E.W.
September 1985

Preface to the seventh edition

Forty years ago this month Max Born and I dispatched to the publishers the Preface to the first edition of *Principles of Optics*. Since that time the book has been published in six editions and has been reprinted seventeen times (not counting unauthorized editions and several translations), usually with only a small number of corrections. A recent change to a new publisher, who expressed willingness to reset the whole text, has given me the opportunity to make more substantial changes.

The first edition was published a year before the invention of the laser, an event which triggered an explosion of activities in optics and soon led to the creation of entirely new fields, such as non-linear optics, fiber optics and opto-electronics. Numerous applications followed, in medicine, in optical data storage, in information transfer and in many other areas. On a more fundamental level, quantum optics emerged as a vibrant and rapidly expanding field, which has provided new ways of testing some basic assumptions of quantum physics relating, for example, to localization and indistinguishability. The progress made in these fields has been rapid and broad and some of the newer areas have themselves become the subjects of books.

It is clear that a fully updated new edition of *Principles of Optics* would require that it be expanded into several volumes. Consequently, in order to preserve a single-volume, only a few new topics have been added; they were selected to some extent so as not to necessitate major revisions of the original text. Specifically, the following new material has been added:

(1)   Section 4.11, which presents the principles of computerized axial tomography, generally referred to as CAT. This subject originated in the early 1960s and has revolutionized diagnostic medicine. The section also includes an account of the Radon transform, introduced as early as 1917, which underlies the theory of computerized axial tomography, although this was not known to its inventors. The fact that three Nobel Prizes have been awarded for this invention and its applications attests to its importance. More recently the theory underlying the CAT scan is finding much broader usage, for example in connection with the reconstruction of quantum states.

(2)   Section 8.11 gives an account of the so-called Rayleigh–Kirchhoff diffraction theory. This theory has become rather popular after it was introduced in the book *Optics* by A. Sommerfeld, published in 1954. It is preferred by some optical scientists to the much older classic Kirchhoff diffraction theory. However, which of these theories better describes various diffraction effects is still an open question.

(3)   Section 10.5 discusses some effects discovered relatively recently arising on

xx

superposition of broad-band light beams of any state of coherence. The analysis of such effects has demonstrated that even though under such circumstances interference fringes may not be seen in the region of superposition, the light distribution in that region may nevertheless contain important physical information which is revealed when the light is spectrally analyzed. One may then find that the spectrum of the light is different at different points of observation and from such spectral changes one may determine coherence properties of the light. This effect is an example of a coherence phenomenon in the space-frequency domain, which must be distinguished from the more familiar coherence effects in the space-time domain. The quantitative measure of space-frequency coherence phenomena is the so-called spectral degree of coherence, which is introduced in this new edition in the somewhat revised Section 10.5. The experiment which is analyzed in that section also provides an elementary introduction to the phenomenon of correlation-induced spectral changes, discovered just over 10 years ago and studied extensively since that time.

(4)   A new Chapter 13 presents the theory of scattering of light by inhomogeneous media. In the context of optics this subject was largely developed in relatively recent times although essentially the same theory was well established many years ago in connection with quantum mechanical potential scattering. The chapter presents the basic integral equation of light scattering on linear isotropic bodies, discusses the solution of the equation in series form and includes a detailed account of the first Born and the first Rytov approximations. The chapter includes a brief description of the classic theory of scattering by a medium with periodic structure, which is the basis of the theory of X-ray diffraction by crystals. The chapter also covers the von Laue equations, Bragg's law, the Ewald sphere of reflection and the Ewald limiting sphere. In recent years these subjects have become important in the broad area of inverse light scattering and they have found new applications, for example in connection with holographic gratings. The chapter also contains a detailed account of the optical cross-section theorem (usually known as the optical theorem), which, in spite of its name, is seldom discussed in the optical literature.

Another topic treated in Chapter 13 is diffraction tomography. In computerized axial tomography discussed in the new Section 4.11, the finite wavelength of the radiation is ignored. This is usually justified when the technique is used with X-rays, but the approximation is often inadequate in applications where light waves or sound waves are used. Diffraction tomography takes the finite wavelength of the radiation into account and, therefore, provides better resolution.

In addition to the new material already mentioned, this new edition also contains several new appendices (VIII, XI and XII), many new references, some of which replace older ones, and a few relatively small changes have been made in the text, usually with the aim of improving clarity and updating information.

It is a pleasure to thank several colleagues, friends and students for their help. I am obliged to Professor Harrison H. Barrett for helpful suggestions which led to improvements of Sections 4.11 and 13.2 on computerized axial tomography and on diffraction tomography. I am indebted to my long-time friend and colleague Professor Leonard Mandel for useful comments on some parts of the manuscript. Dr Doo Cho and Dr V. N. Mahajan were kind enough to draw my attention to some inaccuracies which they found in earlier editions and which have now been taken care of. My collaborators Dr

Yajun Li, Dr Taco D. Visser and my former students Dr Avshalom Gamliel, Dr David G. Fischer and Dr Kisik Kim have read some of the new sections and have made helpful comments leading to improvements. My former student Dr Weijian Wang kindly prepared most of the new figures. I am particularly grateful to two of my present graduate students, P. Scott Carney and Greg J. Gbur, who provided invaluable help by checking calculations and references, weeding out inaccuracies, suggesting improvements in the presentation and helping with proof-reading.

I wish to express my appreciation to Mrs Patricia Sulouff, Head Librarian of the Physics–Optics–Astronomy library at the University of Rochester for helping to trace some of the more obscure references and for locating papers and books that were not easily accessible. I am also obliged to Mrs Ellen Calkins for typing and re-typing several drafts of the manuscript of the new sections and for preparing the author index.

Most of the revisions were prepared whilst I was on a visiting appointment at the Center for Research and Education in Optics and Research (CREOL) at the University of Central Florida during the 1998 Spring Semester. I wish to thank Professors M. J. Soileau, M. G. Moharam and G. I. Stegeman of the CREOL faculty for providing a congenial environment and facilities for this work.

The family life of most authors suffers during the time when one of the marriage partners is engaged in book writing. Mine was no exception, but I am glad to say that my wife, Marlies, survived this period cheerfully and without complaints. She has helped with checking the manuscript and the proofs, for which I am grateful.

I acknowledge with thanks the fine cooperation that I received from the staff of Cambridge University Press. I am particularly appreciative of the considerable help provided by Dr Simon Capelin, the publishing director for Physical Sciences. I am also obliged to Mrs Maureen Storey for thorough copy-editing of the whole book and to Ms Miranda Fyfe and particularly to Mrs Jayne Aldhouse for their cooperation in meeting the rather stringent production deadlines.

I am sometimes asked about my collaboration with Max Born, which resulted in the publication of *Principles of Optics*. Interested readers can find it discussed in my article 'Recollections of Max Born,' published in *Optics News* **9**, 10–16 (November/December, 1983).[*]

Rochester, New York   Emil Wolf
January 1999

---

[*] The article has been reprinted in *Technology of Our Times*, ed. F. Sue (SPIE Optical Engineering Press, Bellington, WA, 1990), 15–26 and also in *Astrophysics and Space Science* **227**, ed. A. L. Peratt (Kluwer Academic Publishers, Dordrecht, The Netherlands, 1995), 277–97 and in *Selected Works of Emil Wolf with Commentary* (World Scientific, Singapore, 2001), 552–558.