

Exercise 2

Last update January 27, 2025

This exercise sheet must be handed in via LearnIt.

You solve this assignment in your groups.

Your names must be part of the filename, e.g., FP-02-<name1>-<name2>.fsx.

An example: FP-02-MadsAndersen-HugoHansen.fsx.

You can only upload one file and it must be of type fs or fsx.

It is important that you annotate your own code with comments. It is also important that you apply a functional style, i.e., no loops and no mutable variables.

Exercise 2.1 Assume the time of day is represented as a pair `(hh, mm) : int * int`.

Write a function `timediff : int * int -> int * int -> int` so that `timediff t1 t2` computes the difference in minutes between `t1` and `t2`, i.e., `t2 - t1`. A few examples:

```
val timediff : int * int -> int * int -> int
```

```
> timediff (12,34) (11,35);;
```

```
val it : int = -59
```

```
> timediff (12,34) (13,35);;
```

```
val it : int = 61
```

Exercise 2.2 Write a function `minutes : int * int -> int` to compute the number of minutes since midnight. Easily done using the function `timediff`. A few examples:

```
val minutes : int * int -> int
```

```
> minutes (14,24);;
```

```
val it : int = 864
```

```
> minutes (23,1);;
```

```
val it : int = 1381
```

Exercise 2.3 Solve HR, exercise 2.2

Exercise 2.4 Solve HR, exercise 2.8

Exercise 2.5 Solve HR, exercise 2.9

Exercise 2.6 Solve HR, exercise 2.10

Exercise 2.7 Solve HR, exercise 2.13