Contents

2 CONTENTS

Chapter 1

Rules for weak Martin-Löf type theory

1.1 Dependent type theory

1.1.1 Judgments and contexts

Dependent type theory consists of type judgments, term judgments, and context judgments:

A type
$$a:A$$
 Γ ctx

Rules to form the empty context and to extend the context by a term judgment:

$$\frac{\Gamma \cot \Gamma - A \text{ type}}{(\Gamma, a : A) \cot X}$$

1.1.2 Variable rule

Variable rule:

$$\frac{\Gamma, a: A, \Delta \operatorname{ctx}}{\Gamma, a: A, \Delta \vdash a: A}$$

1.1.3 Admissible structural rules

Let \mathcal{J} be any arbitrary judgment.

Weakening rule:

$$\frac{\Gamma, \Delta \vdash \mathcal{J} \quad \Gamma \vdash A \text{ type}}{\Gamma, a: A, \Delta \vdash \mathcal{J}}$$

Substitution rule:

$$\frac{\Gamma \vdash a : A \quad \Gamma, b : A, \Delta(b) \vdash \mathcal{J}(b)}{\Gamma, \Delta(a) \vdash \mathcal{J}(a)}$$

1.2 Basic type formers

The basic type formers of dependent type theory are dependent function types, dependent pair types, and identity types.

1.2.1 Formation rules

Formation rules for dependent function types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \prod_{x : A} . B(x) \text{ type}}$$

Formation rules for dependent pair types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \sum_{x : A} B(x) \text{ type}}$$

Formation rules for identity types:

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma, a : A, b : A \vdash \text{Id}_A(a, b) \text{ type}}$$

1.2.2 Introduction rules

Introduction rules for dependent function types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash b(x) : B(x)}{\Gamma \vdash \lambda x : A.b(x) : \prod_{x \vdash A} B(x)}$$

Introduction rules for dependent pair types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma, x : A, y : B(x) \vdash \text{pair}_{\sum}^{A,B}(x,y) : \sum_{x : A} B(x)}$$

Introduction rules for identity types:

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma, a : A \vdash \text{refl}_A(a) : \text{Id}_A(a, a)}$$

1.2.3 Elimination rules

Elimination rules for dependent function types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma \vdash f : \prod_{x : A} B(x)}{\Gamma, x : A \vdash f(x) : B(x)}$$

Elimination rules for dependent pair types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, z : \sum_{x : A} B(x) \vdash C(z) \text{ type}}{\Gamma \vdash \text{ind}_{\sum}^{A,B,C} : \prod_{g : \prod_{x : A} \prod_{y : B(x)} C(\text{pair}_{\sum}^{A,B}(x,y))} \prod_{z : \sum_{x : A} B(x)} C(z)}$$

Dependent elimination rule for identity types:

$$\frac{\Gamma \vdash A \text{ type } \Gamma, x : A, y : A, p : x =_A y \vdash C(x, y, p) \text{ type}}{\Gamma \vdash \operatorname{ind}_{=}^{A,C} : \prod_{t : \prod_{x : A} C(x, x, \operatorname{refl}_A(x))} \prod_{x : A} \prod_{y : A} \prod_{p : x =_A y} C(x, y, p)}$$

1.2.4 Computation rules

Computation rules for dependent function types

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash b(x) : B(x)}{\Gamma \vdash \beta_{\prod_{x : A} B(x)}^{x : A . b(x)} : \prod_{x : A} (\lambda x : A . b(x))(x) =_{B(x)} b(x)}$$

Computation rules for dependent pair types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, z : \sum_{x : A} B(x) \vdash C(z) \text{ type}}{\Gamma \vdash \beta^{A,B,C}_{\sum} : \prod_{g : \prod_{x : A} \prod_{y : B(x)} C(\operatorname{pair}^{A,B}_{\sum}(x,y))} \prod_{x : A} \prod_{y : B(x)} \operatorname{ind}^{A,B,C}_{\sum}(g, \operatorname{pair}^{A,B}_{\sum}(x,y)) =_{C(\operatorname{pair}^{A,B}_{\sum}(x,y))} g(x,y)}$$

Computation rules for identity types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A, y : A, p : x =_A y \vdash C(x, y, p) \text{ type}}{\Gamma \vdash \beta_{\text{ind}_{=}}^{A,C} : \prod_{t : \prod_{x : A} C(x, x, \text{refl}_{A}(x))} \prod_{x : A} \text{ind}_{\text{Id}}^{A,C}(t, x, x, \text{refl}_{A}(x)) =_{C(x, x, \text{refl}_{A}(x))} t(x)}$$

1.2.5 Uniqueness rules

Uniqueness rules for dependent function types:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \eta_{\prod_{x : A} B(x)} : \prod_{f : \prod_{x : A} B(x)} f =_{\prod_{x : A} B(x)} \lambda_{\prod_{x : A} B(x)}^{x : A \cdot f(x)}}$$

1.3 Judgmental equality

We add to the type theory two additional judgments called judgmental equality of types and judgmental equality of terms:

$$\Gamma \vdash A \equiv A' \text{ type } \Gamma \vdash a \equiv a' : A$$

1.3.1 Structural rules for judgmental equality

Reflexivity of judgmental equality

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \equiv A \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a : A}{\Gamma \vdash a \equiv a : A}$$

Symmetry of judgmental equality

$$\frac{\Gamma \vdash A \equiv B \text{ type}}{\Gamma \vdash B \equiv A \text{ type}}$$
$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A}{\Gamma \vdash b \equiv a : A}$$

Transitivity of judgmental equality

$$\frac{\Gamma \vdash A \equiv B \text{ type} \quad \Gamma \vdash B \equiv C \text{ type}}{\Gamma \vdash A \equiv C \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A \quad b \equiv c : A}{\Gamma \vdash a \equiv c : A}$$

Substitution of judgmentally equal terms:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A \quad \Gamma, x : A, \Delta(x) \vdash B(x) \text{ type}}{\Gamma, \Delta(a) \vdash B(a) \equiv B(b) \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A \quad \Gamma, x : A, \Delta(x) \vdash B(x) \text{ type}}{\Gamma, \Delta(b) \vdash B(a) \equiv B(b) \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A \quad \Gamma, x : A, \Delta(x) \vdash c(x) : B(x)}{\Gamma, \Delta(a) \vdash c(a) \equiv c(b) : B(a)}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash a \equiv b : A \quad \Gamma, x : A, \Delta(x) \vdash c(x) : B(x)}{\Gamma, \Delta(b) \vdash c(a) \equiv c(b) : B(b)}$$

Judgmental variable conversion rule:

$$\frac{\Gamma \vdash A \equiv B \text{ type } \Gamma, x : A, \Delta \vdash \mathcal{J}}{\Gamma, x : B, \Delta \vdash \mathcal{J}}$$

1.3.2 Judgmental congruence rules for dependent function types

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}}{\Gamma \vdash \prod_{x:A} B(x) \equiv \prod_{x:A'} B'(x) \text{ type}}$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash b(x) : B(x) \quad \Gamma, x : A \vdash b'(x) : B(x)$$

$$\Gamma \vdash \lambda x : A \cdot b(x) \equiv \lambda x : A \cdot b'(x) : \prod_{x:A} B(x)$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma \vdash f : \prod_{x:A} B(x)$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma \vdash f : \prod_{x:A} B(x)$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash b(x) : B(x)$$

$$\Gamma, x : A \vdash b(x) \equiv f'(x) : B(x)$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash b(x) : B(x)$$

$$\Gamma \vdash \beta_{\prod_{x:A} B(x)}^{x:A \cdot b(x)} \equiv \beta_{\prod_{x:A} B(x)}^{x:A \cdot b'(x)} : \prod_{x:A} b(x) = B(x) \quad (\lambda x : A \cdot b(x))(x)$$

$$\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A \vdash B'(x) \text{ type}$$

$$\Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}$$

$$\Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}$$

$$\Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}$$

$$\Gamma \vdash \eta_{\prod_{x:A} B(x)} \equiv \eta_{\prod_{x:A} B'(x)} : \prod_{f:\prod_{x:A} B(x)} f = \prod_{x:A} B(x) \lambda x : A \cdot f(x)$$

1.3.3 Judgmental congruence rules for dependent pair types

$$\frac{\Gamma \vdash A \equiv A' \text{ type } \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}}{\Gamma \vdash \sum_{x : A} B(x) \equiv \sum_{x : A'} B'(x) \text{ type}}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type } \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}}{\Gamma, x : A, y : B(x) \vdash \text{pair}_{\sum}^{A,B} \equiv \text{pair}_{\sum}^{A',B'} : \sum_{x : A} B(x)}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type } \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type } \quad \Gamma, z : \sum_{x : A} B(x) \vdash C(z) \equiv C'(z) \text{ type}}{\Gamma \vdash \text{ind}_{\sum}^{A,B,C} \equiv \text{ind}_{\sum}^{A',B',C'} : \prod_{g : \prod_{x : A} \prod_{y : B(x)} C(\text{pair}_{\sum}^{A,B}(x,y))} \prod_{z : \sum_{x : A} B(x)} C(z)}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type} \quad \Gamma, z : \sum_{x : A} B(x) \vdash C(z) \equiv C'(z) \text{ type}}{\Gamma \vdash \beta_{\sum}^{A,B,C} \equiv \beta_{\sum}^{A',B',C'} : \prod_{g : \prod_{x : A} \prod_{y : B(x)} C(\operatorname{pair}_{\sum}^{A,B}(x,y))} \prod_{x : A} \prod_{y : B(x)} \operatorname{ind}_{\sum}^{A,B,C} (g, \operatorname{pair}_{\sum}^{A,B}(x,y)) =_{C(\operatorname{pair}_{\sum}^{A,B}(x,y))} g(x,y)}}$$

1.3.4 Judgmental congruence rules for identity types

$$\frac{\Gamma \vdash A \equiv A' \text{ type}}{\Gamma, x : A, y : A \vdash x =_A y \equiv x ='_A y}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type}}{\Gamma \vdash \text{refl}_A \equiv \text{refl}_{A'} : \prod_{x : A} x =_A x}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A, y : A, p : x =_A y \vdash C(x, y, p) \equiv C'(x, y, p) \text{ type}}{\Gamma \vdash \text{ind}_{=}^{A,C} \equiv \text{ind}_{=}^{A',C'} : \prod_{t : \prod_{x : A} C(x, x, \text{refl}_A(x))} \prod_{x : A} \prod_{y : A} \prod_{p : x =_A y} C(x, y, p)}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A, y : A, p : x =_A y \vdash C(x, y, p) \equiv C'(x, y, p) \text{ type}}{\Gamma \vdash \beta_{\text{ind}_{=}}^{A,C} \equiv \beta_{\text{ind}_{=}}^{A',C'} : \prod_{t : \prod_{x : A} C(x, x, \text{refl}_A(x))} \prod_{x : A} \text{ind}_{=}^{A,C} (t, x, x, \text{refl}_A(x)) =_{C(x, x, \text{refl}_A(x))} t(x)}$$

1.4. PRODUCT TYPES 7

1.4 Product types

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \times B \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \times B \equiv \sum_{x:A} B \text{ type}}$$

1.5 Function types

$$\begin{split} \frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \to B \text{ type}} \\ \frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \to B \equiv \prod_{x:A} B \text{ type}} \end{split}$$

1.6 Equivalence types

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \simeq B \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}$$

$$\frac{\Gamma \vdash A \simeq B \equiv \sum_{f:A \to B} \left(\sum_{g:B \to A} \prod_{x:A} g(f(x)) =_A x\right) \times \left(\sum_{h:B \to A} \prod_{y:B} f(h(y)) =_B y\right) \text{ type}}{\Gamma \vdash A \simeq B \equiv \sum_{f:A \to B} \left(\sum_{g:B \to A} \prod_{x:A} g(f(x)) =_A x\right) \times \left(\sum_{h:B \to A} \prod_{y:B} f(h(y)) =_B y\right)}$$

1.7 Function extensionality

Function extensionality rule:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \text{funext}_{A,B} : \prod_{f : \prod_{x : A} B(x)} \prod_{g : \prod_{x : A} B(x)} (f =_{\prod_{x : A} B(x)} g) \simeq \prod_{x : A} f(x) =_{B(x)} g(x)}$$

Judgmental congruence rules for function extensionality:

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type}}{\Gamma \vdash \text{funext}_{A,B} \equiv \text{funext}_{A',B'} : \prod_{f:\prod_{x : A} B(x)} \prod_{g:\prod_{x : A} B(x)} (f =_{\prod_{x : A} B(x)} g) \simeq \prod_{x : A} f(x) =_{B(x)} g(x)}$$

1.8 Empty type

Formation rule for the empty type

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \emptyset \operatorname{type}}$$

Elimination rule for the empty type:

$$\frac{\Gamma, x : \emptyset \vdash C(x) \text{ type}}{\Gamma \vdash \operatorname{ind}_{\emptyset}^C : \prod_{x : \emptyset} C(x) \text{ type}}$$

Judgmental congruence rules for the empty type:

$$\frac{\Gamma, x : \emptyset \vdash C(x) \equiv C'(x) \text{ type}}{\Gamma \vdash \operatorname{ind}_{\emptyset}^{C} \equiv \operatorname{ind}_{\emptyset}^{C'} : \prod_{x : \emptyset} C(x) \text{ type}}$$

1.9 Unit type

$$\frac{\Gamma \, \mathrm{ctx}}{\Gamma \vdash \mathbbm{1} \, \mathrm{type}} \quad \frac{\Gamma \, \mathrm{ctx}}{\Gamma \vdash \mathbbm{1} \equiv \emptyset \to \emptyset \, \mathrm{type}}$$

1.10 Type of booleans

Formation rule for the type of booleans

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash 2 \operatorname{type}}$$

Introduction rule for the type of booleans

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash 0:2} \quad \frac{\Gamma \operatorname{ctx}}{\Gamma \vdash 1:2}$$

Elimination rules for the type of booleans:

$$\frac{\Gamma, x : 2 \vdash C(x) \text{ type}}{\Gamma \vdash \text{ind}_{2}^{C} : \prod_{a:C(0)} \prod_{b:C(1)} \prod_{x:2} C(x)}$$
$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma, x : 2 \vdash \text{ typerec}_{2}^{A,B}(x) \text{ type}}$$

Computation rules for the type of booleans:

$$\frac{\Gamma, x : 2 \vdash C(x) \text{ type}}{\Gamma \vdash \beta_2^{0,C} : \prod_{a:C(0)} \prod_{b:C(1)} \operatorname{ind}_2^C(a,b,0) =_{C(0)} a}$$

$$\frac{\Gamma, x : 2 \vdash C(x) \text{ type}}{\Gamma \vdash \beta_2^{1,C} : \prod_{a:C(0)} \prod_{b:C(1)} \operatorname{ind}_2^C(a,b,1) =_{C(1)} b}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash \beta_2^{0,A,B} : \text{ typerec}_2^{A,B}(0) \simeq A}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash \beta_2^{1,A,B} : \text{ typerec}_2^{A,B}(1) \simeq B}$$

Extensionality rule for the type of booleans:

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \operatorname{ext}_2: \prod_{x:2} \prod_{y:2} (x =_2 y) \simeq (\operatorname{typerec}_2^{\emptyset, \mathbb{1}}(x) \simeq \operatorname{typerec}_2^{\emptyset, \mathbb{1}}(y))}$$

Judgmental congruence rules for the type of booleans:

$$\begin{split} & \Gamma, x : 2 \vdash C(x) \equiv C'(x) \text{ type} \\ \hline & \Gamma \vdash \operatorname{ind}_2^C \equiv \operatorname{ind}_2^{C'} : \prod_{a:C(0)} \prod_{b:C(1)} \prod_{x:2} C(x) \\ \hline & \Gamma \vdash A \equiv A' \text{ type} \quad \Gamma \vdash B \equiv B' \text{ type} \\ \hline & \Gamma, x : 2 \vdash \operatorname{typerec}_2^{A,B}(x) \equiv \operatorname{typerec}_2^{A',B'}(x) \text{ type} \\ \hline & \Gamma, x : 2 \vdash C(x) \equiv C'(x) \text{ type} \\ \hline & \Gamma \vdash \beta_2^{0,C} \equiv \beta_2^{0,C'} : \prod_{a:C(0)} \prod_{b:C(1)} \operatorname{ind}_2^C(a,b,0) =_{C(0)} a \\ \hline & \Gamma, x : 2 \vdash C(x) \equiv C'(x) \text{ type} \\ \hline & \Gamma \vdash \beta_2^{1,C} \equiv \beta_2^{1,C'} : \prod_{a:C(0)} \prod_{b:C(1)} \operatorname{ind}_2^C(a,b,1) =_{C(1)} b \\ \hline & \Gamma \vdash A \equiv A' \text{ type} \quad \Gamma \vdash B \equiv B' \text{ type} \\ \hline & \Gamma \vdash \beta_2^{0,A,B} \equiv \beta_2^{0,A',B'} : \text{ typerec}_2^{A,B}(0) \simeq A \\ \hline & \Gamma \vdash A \equiv A' \text{ type} \quad \Gamma \vdash B \equiv B' \text{ type} \\ \hline & \Gamma \vdash \beta_2^{1,A,B} \equiv \beta_2^{1,A',B'} : \text{ typerec}_2^{A,B}(1) \simeq B \end{split}$$

1.11. SUM TYPES 9

1.11 Sum types

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A + B \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A + B \equiv \sum_{x:2} \text{ typerec}_2^{A,B}(x) \text{ type}}$$

1.12 Type of propositions

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{isProp}(A) \text{ type}} \quad \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{isProp}(A) \equiv \prod_{x:A} \prod_{y:A} x =_A y \text{ type}}$$

Formation rules for the type of propositions:

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \operatorname{Prop type}}$$

Introduction rule for the type of propositions:

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash \text{proptrunc}_A : \text{isProp}(A)}{\Gamma \vdash A : \text{Prop}}$$

Elimination rules for the type of propositions:

$$\frac{\Gamma \vdash A : \text{Prop}}{\Gamma \vdash A \text{ type}} \quad \frac{\Gamma \vdash A \equiv A' : \text{Prop}}{\Gamma \vdash A \equiv A' \text{ type}}$$

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \operatorname{proptrunc} : \prod_{A:\operatorname{Prop}} \operatorname{isProp}(A)}$$

Extensionality rules for the type of propositions:

$$\frac{\Gamma \text{ ctx}}{\Gamma \vdash \text{ext}_{\text{Prop}} : \prod_{A: \text{Prop}} \prod_{B: \text{Prop}} (A =_{\text{Prop}} B) \simeq (A \simeq B)}$$

1.13 Predicate logic

$$\begin{array}{cccc} \Gamma \vdash A \text{ type} & \Gamma \vdash A \text{ type} \\ \hline \Gamma \vdash [A] \text{ type} & \hline \Gamma \vdash [A] \equiv \prod_{P: \text{Prop}} (A \to P) \to P \text{ type} \\ \hline & \frac{\Gamma \text{ ctx}}{\Gamma \vdash \bot \text{ type}} & \frac{\Gamma \text{ ctx}}{\Gamma \vdash \bot \bot \equiv [\emptyset] \text{ type}} \\ \hline & \frac{\Gamma \text{ ctx}}{\Gamma \vdash \bot \text{ type}} & \frac{\Gamma \text{ ctx}}{\Gamma \vdash \top \top \equiv [\mathbb{1}] \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \neg A \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \neg A \equiv [A \to \emptyset] \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \lor B \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \lor B \equiv [A + B] \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \land B \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \land B \equiv [A \times B] \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \land B \equiv [A \times B] \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \implies B \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \text{ type}} & \frac{\Gamma \vdash B \text{ type}}{\Gamma \vdash B \text{ type}} \\ \hline & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \implies B \text{ type}} & \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash A \implies B \equiv [A \to B] \text{ type}} \\ \hline \end{array}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \iff B \text{ type}} \quad \frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \iff B \equiv [A \simeq B] \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \exists x : A.B(x) \text{ type}} \quad \frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \exists x : A.B(x) \equiv [\sum_{x : A} B(x)] \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \forall x : A.B(x) \text{ type}} \quad \frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type}}{\Gamma \vdash \exists x : A.B(x) \equiv [\prod_{x : A} B(x)] \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{ isContr}(A) \text{ type}} \quad \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{ isContr}(A) \equiv \sum_{x : A} \prod_{y : A} x =_A y \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \exists ! x : A.B(x) \text{ type}} \quad \frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \exists ! x : A.B(x) \equiv \text{ isContr}(\sum_{x : A} B(x)) \text{ type}}$$

1.14 Quotient sets

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{EquivRel}(A) \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type}}{\Gamma \vdash \text{EquivRel}(A) \equiv \sum_{R:A \times A \to \text{Prop}} \prod_{x:A} R(x,x) \times \prod_{y:A} (R(x,y) \to R(y,x)) \times \prod_{z:A} (R(x,y) \times R(y,z)) \to R(x,z) \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash R : \text{EquivRel}(A)}{\Gamma \vdash A / R \text{ type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash R : \text{EquivRel}(A)}{\Gamma \vdash A / R \equiv \sum_{P:A \to \text{Prop}} \exists x : A. \forall y : A. P(x) =_{\text{Prop}} \pi_1(R)(x,y) \text{ type}}$$

1.15 Excluded middle and axiom of choice

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \operatorname{lem} : \prod_{P:\operatorname{Prop}} P + \neg P}$$

$$\frac{\Gamma \vdash A \operatorname{type}}{\Gamma \vdash \operatorname{isSet}(A) \operatorname{type}} \qquad \frac{\Gamma \vdash A \operatorname{type}}{\Gamma \vdash \operatorname{isSet}(A) \equiv \prod_{x:A} \prod_{y:A} \operatorname{isProp}(x =_A y) \operatorname{type}}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma, x : A \vdash B(x) \text{ type} \quad \Gamma, x : A, y : B(x) \vdash C(x,y) \text{ type}}{\Gamma \vdash \text{choice}_{A,B,C} : (\text{isSet}(A) \times \prod_{x : A} \text{isSet}(B(x))) \rightarrow \forall x : A. \exists y : B(x). C(x,y) \rightarrow \exists g : \prod_{x : A} B(x). \forall x : A. C(x,g(x))}$$

$$\frac{\Gamma \vdash A \equiv A' \text{ type} \quad \Gamma, x : A \vdash B(x) \equiv B'(x) \text{ type} \quad \Gamma, x : A, y : B(x) \vdash C(x, y) \equiv C'(x, y) \text{ type}}{\Gamma \vdash \text{choice}_{A,B,C} \equiv \text{choice}_{A',B',C'} : \quad \text{(isSet}(A) \times \prod_{x : A} \text{isSet}(B(x))) \rightarrow}{\forall x : A . \exists y : B(x) . C(x, y) \rightarrow \exists g : \prod_{x : A} B(x) . \forall x : A . C(x, g(x))}$$

1.16 Natural numbers type

Formation rules for the natural numbers type:

$$\frac{\Gamma \operatorname{ctx}}{\Gamma \vdash \mathbb{N} \operatorname{type}}$$

Introduction rules for the natural numbers type:

$$\frac{\Gamma \, \mathrm{ctx}}{\Gamma \vdash 0 : \mathbb{N}} \qquad \frac{\Gamma \, \mathrm{ctx}}{\Gamma \vdash s : \mathbb{N} \to \mathbb{N}}$$

Elimination rules for the natural numbers type:

$$\frac{\Gamma, x : \mathbb{N} \vdash C(x) \text{ type}}{\Gamma \vdash \operatorname{ind}_{\mathbb{N}}^{C} : \prod_{c_0 : C(0)} \prod_{c_s : \prod_{x : \mathbb{N}} C(x) \to C(s(x))} \prod_{x : \mathbb{N} C(x)}}$$

Computation rules for the natural numbers type:

$$\frac{\Gamma, x: \mathbb{N} \vdash C(x) \text{ type}}{\Gamma \vdash \beta_{\mathbb{N}}^{0,C}: \prod_{c_0: C(0)} \prod_{c_s: \prod_{x: \mathbb{N}} C(x) \to C(s(x))} \operatorname{ind}_{\mathbb{N}}^C(c_0, c_s, 0) =_{C(0)} c_0}$$

$$\frac{\Gamma, x: \mathbb{N} \vdash C(x) \text{ type}}{\Gamma \vdash \beta^{s,C}_{\mathbb{N}}: \prod_{c_0: C(0)} \prod_{c_s: \prod_{x: \mathbb{N}} C(x) \to C(s(x))} \prod_{x: \mathbb{N}} \operatorname{ind}^C_{\mathbb{N}}(c_0, c_s, s(x)) =_{C(s(x))} c_s(x) (\operatorname{ind}^C_{\mathbb{N}}(c_0, c_s, x))}$$

Judgmental congruence rules for the natural numbers type:

$$\frac{\Gamma, x : \mathbb{N} \vdash C(x) \equiv C'(x) \text{ type}}{\Gamma \vdash \operatorname{ind}_{\mathbb{N}}^{C} \equiv \operatorname{ind}_{\mathbb{N}}^{C'} : \prod_{c_0 : C(0)} \prod_{c_s : \prod_{x : \mathbb{N}} C(x) \to C(s(x))} \prod_{x : \mathbb{N}C(x)}}$$

$$\frac{\Gamma, x: \mathbb{N} \vdash C(x) \equiv C'(x) \text{ type}}{\Gamma \vdash \beta_{\mathbb{N}}^{0,C} \equiv \beta_{\mathbb{N}}^{0,C'}: \prod_{c_0:C(0)} \prod_{c_s: \prod_{x:\mathbb{N}} C(x) \to C(s(x))} \operatorname{ind}_{\mathbb{N}}^C(c_0, c_s, 0) =_{C(0)} c_0}$$

$$\frac{\Gamma, x: \mathbb{N} \vdash C(x) \equiv C'(x) \text{ type}}{\Gamma \vdash \beta_{\mathbb{N}}^{s,C} \equiv \beta_{\mathbb{N}}^{s,C'}: \prod_{c_0:C(0)} \prod_{c_s:\prod_{x:\mathbb{N}} C(x) \to C(s(x))} \prod_{x:\mathbb{N}} \operatorname{ind}_{\mathbb{N}}^C(c_0, c_s, s(x)) =_{C(s(x))} c_s(x) (\operatorname{ind}_{\mathbb{N}}^C(c_0, c_s, x))}$$